

BIBLIOGRAPHY



Adhikari, S., and Adhikari, J. (1986). Indian ricebran lecithin. *J. American Oil Chem. Soc.* 63, 1367 – 1369.

Aneja, R., Chadha, J. S. and Yoell, R.W. (1971). A process for the separation of phosphatide mixtures. The preparation of phosphatidyl ethanolamine - free phosphatides from soylecithin. *Fette, seifen, Anstri - Chem.* 73, 643 – 651.

Aruoma, O.J., (1996). Characterization of drugs as antioxidant prophylactics. *Free Radical Biol. Med.*, 20, 675-705.

Axelrod, B., Cheesbrough, T.M., and Laakso, S. (1981), Lipoxygenase from soybeans. *Methods. Enzymol.*, 71, 441-451.

Bach, D., and Wachtel, E.(2003). Phospholipid / cholesterol model membranes: formation of cholesterol crystallites. *Biochim. Biophys. Acta.* 1610:187-197.

Bartlett, G.R. (1959) Phosphorus assay on column Chromatography. *J.Biol. Chem.*, 234, 466 – 468.

Began, G., Manohar, B. and Udaya Sankar, K. (1997). Enrichment of phosphatidyl choline alcohol fractionation of carbon dioxide de-oiled lecithin from soybean. *Z. Lebens. Unters, Forsch A.*, 205, 360-363.

Bild, G.S., Ramadoss, C.S., and Axelrod, B, (1977). Effect of substrate polarity on the activity of soy bean lipoxygenase isoenzymes. *Lipids*, 12, 732 – 735.

Bohdana, T., Robert Heczko, and Peter Slotte, J.(2005). On the importance of the phosphocholine methyl groups for sphingomyelin / cholesterol interactions in membranes. *Biophysical. J.*, 88, 2661-2669.

Boyington, J.C., Gaffney, B.J. and Amzel, L.M. (1993). The three dimensional structure of an arachidonic acid 15 – lipoxygenase. *Science*, 260, 1482 – 1486.

Box G.E. P. and Behnken, D.W. (1960). Some new three level design for the study of quantitative variables. *Technometrics*, 2, 455-476.

Bruner, G., and Peter, S. (1982). On the solubility of glycerides and fatty acids in compressed gases in the presence of an entrainer. *Sep. Sci. Technol.*, 17, 199-202.

Brunetti, L., Dagheta, A., Fedell, E., Klklc, I. and Zandherighi, L. (1989). Deacidification of olive oils by supercritical carbon dioxide. *J. Am. Oil Chem. Soc.*, 66, 209-217.

Castra, A. (1994). Production of low-fat and low cholesterol foodstuffs or biological products by supercritical CO₂ extraction process and applications in supercritical fluid processing of food and biomaterials, edited by S.S.H. Rizvi, Blackie Academic and Professional, Glasgow, U.K. p. 187-200.

Charstil, J. (1982). Solubility of solids and liquids in supercritical gases. *J. Phy. Chem.*, 86, 3016 – 3021.

Chen, X-S, and Funk, C (1993). Structure – function properties of human platelet 12 lipoxygenase : chimeric enzyme and invitro metagenesis studies. *FASEB J*, 7, 694 – 701.

Chien, K. R., Abrams, J., Serroni, A., Martin, J.T. and Farber, J.L. (1978). *J. Biol. Chem.* 253, 4809-4817.

Cocero, M.J. and Calvo, L. (1996). Supercritical fluid extraction of sunflower seed oil with CO₂ ethanol mixtures. *J. Am. Oil chem. Soc.*, 73, 1573 – 1578.

Cocks, L.V., and Van Rede, C. (1966) In laboratory hand book for oils and fat analysts, Academic Press, London.

Cocero, M.J., Calvo, L. (1996). Supercritical – fluid extraction of sunflower seed oil with CO₂ – ethanol Mixtures. *J. Am Oil Chem. Soc.* 11 (73), 1573-1578.

Dange, D.K., Heller, J.P. and Wilson, K. (1985). Structure solubility correlation's : organic compounds and dense carbon dioxide binary systems, *Ind. Eng. Chem.*, 24, 163-166.

De Kruyff, B., Demel, R.A. and Van Deenes, L.L.M. (1972). The effect of cholesterol and epicholesterol incorporation on the permeability and on the phase transition of intact *Acholeplasma laidlawii* cell membranes and derived liposomes. *Biochim. Biophys. Acta*, 255, 331-347.

De Kruyff, B., Demel, R.A., Slotboom, A.J., Vandeenen, L.L.M. and Rosenthal, A.F. (1973). The effect of the polar headgroup on the lipid cholesterol interaction: A monolayer and differential scanning calorimetry study. *Biochim. Biophys. Acta*, 307, 1-19.

De Groot, J.J. M.C., Veldink, G.A., Vliegthart, J.F.G., Boldingh, J., Wever, R. and Van Gelder, B.F. (1975 a). Demonstration by EPR spectroscopy of the functional role of iron in soybean lipoxygenase – 1. *Biochim. Biophys. Acta.*, 377, 71-79.

De Groot, J.J. M.C. Garssen, G.J., Veldink, G.A., Vliegthart, J.F.G., and Boldingh, J, (1975 b) On the interaction of soybean lipoxygenase – 1 and 13 – L – hydroperoxy linoleic acid, involving yellow and purple colored enzymes species. *FEBS letters*, 56, 50-54.

Demel, R.A., London, Y., Geurts van Kessel, W.S.M., Vossenborg, F.G.A. and Van Deenen, L.L.M. (1973). The specific interaction of myelin basic protein with lipids at the air-water interface. *Biochim. Biophys. Acta*, 311, 507-519.

Demel, R.A., Geurts van Kessel, W.S.M. and Van Deenen, L.L.M. (1972). The properties of polyunsaturated lecithins in monolayers and liposomes and the interactions of these lecithins with cholesterol. *Biochim. Biophys. Acta*, 266, 26-40.

Dunford, N.T. and Temelli, F. (1995). Extraction of phospholipids from Canola with supercritical carbon dioxide and ethanol. *J. Am. Oil Chem. Soc.*, 72, 1009-1015.

Dunford, N.T. and Temelli, F.(1997). Extraction conditions and moisture content of canola flakes as related to lipid composition of supercritical carbon dioxide. *J Am. Oil Chem. Soc.*, 62, 155-159.

Edmond, M.R., Fasella, P.M., Veldink, G.A., Vliegenthart, J.F.G. and Bolding, J (1977). On the Mechanism of action of soybean lipoxygenase-1. A stopped flow kinetic study of the formation and conversion of yellow and purple enzyme species. *Eur. J. Biochem.*, 76, 469-479.

Emanuele Boselli., Maria Fiorenza Caboni, (2000). Supercritical carbon dioxide extraction of phospholipids from dried egg yolk without organic modifier, 19, 45-50.

Eskin, N.A.M., Grossman, S., Pinsky, A. (1977). Biochemistry of lipoxygenase in relation to food quality. *Crit. Rev. Food Sci. Nut.*, 9, 1-41.

Fattori, M., Bulley, N.R., Stein, W. (1988). Carbon dioxide extraction of Canola seed: oil solubility and effect of seed treatment. *J. Am. Oil Chem. Soc.*, 65, 968-974.

Feussner, I., and Kuhn, H. (1995). The lipid body lipoxygenase from cucumber seedlings exhibits unusual reaction specificity. *FEBS letters*, 367, 12-14.

Fiske, C.H. and SubbaRow, Y. (1925). *J. Biol. Chem.* 66, 375-379.

Fieser, L.F., and Fieser, M (1959). *Steroids*, Reinhold, New York.

Fleming, J., Thiele, B.J. Chester, J., O'Prey, J., Janetzki, S., Aitken, A., Anton, I.A., Rapport, S.M. and Harrison, P.R. (1989). The complete sequence of rabbit erythroid cell – specific 15-lipoxygenase mRNA : Comparison of the predicted aminoacid sequence of the erythrocyte lipoxygenase with other lipoxygenases. *Gene*. 79, 181-188.

Flider, F.J. (1985). In *lecithins*, edited by Szuhaj, B.F. and List, G.R. American Oil Chemists Society, Champaign, IL.

Ford – Hutchinson, A.W. Gresser, M, and Young, R.N. (1994). 5- Lipoxygenase. *Ann, Rev. Biochem*, 63, 383-417.

Frei, B., Stocker, R. and Ames, B.M. (1988). Antioxidant defenses and lipid peroxidation in human blood plasma. *Proc. Nat. Acad. Sci. USA*, 86, 6377-6381.

Frei, B., England, L, and Ames, B.N. (1989). Ascorbate is an outstanding antioxidant in human blood plasma. *Proc. Nat. Acad. Sci. USA*, 86, 6377-6381.

Friedrich, J.P. and Pryde, E.H. (1984). Supercritical carbon dioxide extraction of lipid bearing materials and characterization of the products. *J.Am. Oil Chem. Soc.*, 61, 223-228.

Froning, G.W., Wehling, R.L., Cuppett, S.L., Pierce, M.M, Nirmann, L., Siekman, D.K. (1990). Extraction of cholesterol and other lipids from dried egg yolk using supercritical carbon dioxide, *J. Food Sci.* 55 (1), 95-98.

Fukushima, D (1994). Recent progress on biotechnology of soybean proteins and soybean protein food products, *Food Biotechnology*, 8, 83 – 135.

Funk, Jr, M.O., Andre, J.C., and Otsuki, T. (1987). Oxygenation of trans polyunsaturated fatty acids by lipoxygenase reveals steric features of the catalytic mechanism. *Biochemistry*, 26, 6880 – 6884.

Gardner, H.W. (1989). Soybean lipoxygenase – 1, enzymatically forms both (9S) and (13S) –hydroperoxides from linoleic acid by a pH – dependent mechanism *Biochim. Biophys. Acta.*, 1001, 274-281.

Gardner, H.W. (1991). Recent investigation into the lipoxygenase pathway of plants *Biochem. Biophys. Acta.*, 1084, 221-239.

Glende, E.A., Jr. and Pushpendran, C.K. (1986). *Biochem. Pharmacol*, 35, 3301-3307.

Haining, J.L. and Axelrod, B. (1958). Induction period in the lipoxygenase catalyzed oxidation of linoleic acid and its abolition of substrate peroxide. *J. Biol. Chem.* 232, 193-202.

Halliwell, B., and Gutteridge, J.M.C. (1989). *Free Radicals in Biology and Medicine*, 2nd ed., Clarendon Press, Oxford.

Hazell, L.J., Van Den Berg, J.J. and Stocker, R (1994). Oxidation of low density lipoprotein by hypochlorite causes aggregation that is mediated by modification of lysine residues rather than lipid oxidation. *Biochem. J.*, 302, 297-304.

Heigal, W. and Hueschens, R. (1983). Process for the production of pure lecithin for physiological purposes. U.S. Patent. 4, 367, 1782.

Hildebrand, D.F. (1989). Lipoxygenases., *Physiol. Plant.*, 76, 249 – 254.

Hinz, H.J. and Sturtevant, J.M. (1972). Calorimetric studies of dilute aqueous suspensions of bilayers formed from synthetic L- α -Lecithin. *J. Biol. Chem.* 247, 6071 – 6075.

Huang, J., Buboltz, J.T., and Feigenson, G.W. (1999). Maximum solubility of cholesterol in phosphatidyl choline and phosphatidyl ethanol amine bilayers. *Biochim. Biophys. Acta*, 1417, 89-100.

Huber, W., Molero, A., Pereyra, C. and Martinaj de la Assa, E. (1996). Dynamic supercritical carbon dioxide extraction for removal of cholesterol from anhydrous milk fat. *International journal of Food Science and Technology*, 31, 143-151.

Hurst, J.W., and Martin Jr., R.A. (1984). The analysis of phospholipids in soylecithin. *J. Am Oil Chem. Soc.* 61, 1462-1463.

Jenson, V.G. and Jeffreys, G.V. (1977) *Mathematical Methods in Chemical Engineering* 2 Edn. London, Academic Press, p. 529.

Kambayashi, Y., Yamamoto, Y. and Nakano, M. (1998). Preferential Hydrolysis of oxidized phosphatidyl choline in cholesterol containing phosphatidyl choline liposome by phospholipase A₂. *Biochemical and Biophysical Research Communications*, 245, 705-708.

Kemel, C., Louis – Flamberg, P., Krupinski – Olsen, R. and Shorter, A.L. (1987). Reductive inactivation of soybean lipoxygenase – 1 by catechols A possible mechanism for regulation of lipoxygenase activity. *Biochemistry*, 26, 7064 – 7072.

- Kamihira, M , Taniguchi, M and Kobayashi, T. (1987). Sterilization of Microorganisms with supercritical carbon dioxide. *Agric. Biol. Chem.*, 51, 407-411.
- Kuhn, H., Heydeck, D., Wiesner, R., and Schewe, T. (1985). The positional specificity of wheat lipoxygenase; the carboxylic group as signal for the recognition of the site of the hydrogen removal. *Biochim. Biophys. Acta*, 830, 25-29.
- Kuhn, H., Sprecher, H. and Brash, A.R. (1990). On singular or dual positional specificity of lipoxygenase. *J. Biol. Chem.* 265, 16300 – 16305.
- Kuk, M.S. and Hron, R.J. (1994). Supercritical carbon dioxide extraction of cottonseed with co-solvents. *J. Am. Oil Chem. Soc.*, 71, 1251-1254.
- Ladbrooke, B.D., Jenkinson, T.J., Kamat, V.B. and Chapman, D. (1968). Physical studies of myelin I. Thermal analysis. *Biochim. Biophys. Acta.*, 164, 101-109.
- Lasser, N.L. and Clayton R.B. (1966). The intracellular distribution of sterols in *Eurycotis floridana* and its possible relation to subcellular membrane structures. *J. Lipid Res.* 7, 413 – 420.
- Liang, J.H., Yeh, A (1991) Process conditions for separating Fatty acid esters by supercritical carbon dioxide. *J. Am. Oil Chem. Soc.*, 68, 687-692.
- Liong, K.K., Foster, N.R., Ting, S.S.T. (1992). Solubility of fatty acid esters in supercritical carbon dioxide. *Ind. Eng. Chem Res.*, 31, 400-404.
- List, G.R., Avellenada, J.M., and Mounts, T.L., (1981). Effect of degumming conditions on removal and quality of soybean lecithin. *J. Am. Oil chem. Soc.*, 58, 892 – 898.
- List, G.R., and Fried rich, J.P. (1989). Oxidative stability of seed oils extracted with SC-CO₂. *J. Am. Oil Chem. Soc.*, 23, 677 – 682.

McIntosh, T.J., Simon, S.A., Needham, D., and Huang, C.H.(1992). Structure and cohesive properties of sphingomyelin / cholesterol bilayers. *Biochemistry*. 31, 2012-2020.

Minor, W., Steczko, J., Stec, B, Otwinowski, Z., Bolin, J.T. Walter, K. and Axelrod, B (1996). Crystal structure of soybean lipoxygenase 1 at 1.4 Å resolution. *Biochemistry*, 35, 10687-10701.

Montanari, L., King, J.W., List, G.R. and Rennick, K.A. (1996). Selective extraction of Phospholipid mixtures by supercritical carbon dioxide and cosolvents. *J. Food Science*, 61, 1230 – 1233.

Morrison, W.R., and Smith, L.M. (1964). Preparation of fatty acid methyl esters and dimethylacetals from lipids with boron fluoride – Methanol. *J. Lipid Research*, 5, 600-608.

Nagata, Y, Yamamoto, Y., and Niki. E. (1996). Reaction of phosphatidyl choline hydroperoxide in human plasma : The role of peroxidase and lecithin : Cholesterol acyltransferase. *Archives of Biochemistry and Biophysics*, 329 (1), 24-30.

Nelson, M.J. and Seitz, S.P. (1994). The structure and function of lipoxygenases. *Curr. Opin. Struct. Biol.*, 4, 878-884.

Niu, S.L., and Litman.B.L. (2002). Determination of membrane cholesterol partition coefficient using a lipid vesicle-cyclodextrin binary system: effect of phospholipids acyl chain unsaturation and head group composition. *Biophys. J.*83, 3408-3415.

Okimasu, E., Sasaki, J. and Utsumi, K. (1984). Stimulation of Phospholipase – A 2 activity by high osmotic pressure on cholesterol – containing FEBS, *Lett.*, 168, 43-48.

Packer, L. (1992). New horizons in Vitamin E research - the vitamin E cycle, biochemistry and clinical applications. In *Lipid Soluble Antioxidants : Biochemistry and clinical Applications*, eds ASH Ong & L Packer, pp. 1-16. Basel : Birkhauser.

- Parkinson., (1966). The chemical composition of eggs. *J. Sci. Fd Agric.*, 17, 101-110.
- Pardun, Von H (1984). Fractionation of soylecithin with alcohols. *Fette Seifen Anstrichm*, 84, 1-10.
- Pardun., Von H, (1989). Vegetable lecithins : Valuable auxiliary and active substances. *Fat Science Technology*, 91, 45-57.
- Parnham, J.M., (1996). The importance of phospholipid terminology. *Inform*, 7, 1168-1175.
- Phillips, M.C. Ladbroke, B.D. and Chapman, D. (1970). Molecular interactions in mixed lecithin systems. *Biochim. Biophys. Acta.*, 196, 35-43.
- Pistorius, E.K., Axelrod, B and Palmer, G (1976). Evidence for participation of iron in lipoxygenase reaction from optical and electron spin resonance studies. *J. Bio. Chem.*, 251, 7144-7148.
- Pourplanche, C., Lambert, C., Berjot, M., Marx, J., Chopard, C., Alix, A.J.P. and Garde, V.L. (1994). Conformational changes of lipoxygenase (LOX) in modified environments. *J. Biol Chem.*, 369, 31585 – 31591.
- Pragasam, A., Indira, T.N. and Gopala Krishna, A.G. (2002). Preparation and physico chemical characteristics evaluation of ricebran lecithin in relation to soy lecithin. *Beverage and Food World.*, 19-22.
- Ramstedt, B., and Slotte .J.P. (1999). Interaction of cholesterol with sphingomyelins and acyl – chain – matched phosphatidyl cholines : a comparative study of the effect of the chain length. *Biophys. J.*76:908 – 915.
- Rashba – Step, J, Tatoyan, A., Duncan, R., Ann, D., Pushpa – Rekha, T.R. and Sevanian, A. (1997). *Arch. Biochem. Biophys.*, 343, 44-54.

Reverchon, E. and Osseo, S. (1994). Comparison of processes for the supercritical carbon dioxide extraction of oil from soybean seeds. *J. Am. Oil Chem. Soc.*, 71, 1007-1012.

Rizvi, S.S. and Benado, A.L. (1986). Supercritical fluid extraction : fundamental principles and modeling methods. *Food Technol.*, 40, 55-56.

Rizvi, S.S. (1996). Continuous supercritical carbon dioxide processing of palm oil. *J. Am. Oil Chem. Soc.* 73, 233-237.

Robinson, D.S., Wu, Z., Domoney, C. and Cosey, R., (1995) Lipoxygenases and the quality of foods. *Food Chemistry*, 54, 33-43.

Roza, M and Francke, A. (1973). Soybean lipoxygenase : An iron containing enzyme. *Biochim. Biophys. Acta*, 327, 24-31.

Salgo, M.G., Corongin, F.P. and Savanian, A. (1992). Peroxidation and phospholipase A₂ hydrolytic susceptibility of liposomes consisting of mixed species of phosphotidyl choline and phosphotidyl ethanolamine. *Biochim. Biophys. Acta*, 1127, 131 – 140.

Salgo, M.G., Corongin, F.P. and Sevanian, A. (1993). Enhanced interfacial catalysis and hydrolytic specificity of phospholipase A₂ towards peroxidised phosphotidyl choline vesicles. *Arch. Biochem. Biophys.*, 304, 123-132.

Samuelson, B., Dahlen, S.E., Lindgren, J.A., Rouzer, C.A., Serhan, C.N. (1987). Leucotrienes and lipoxins; structures, biosynthesis and biological effects. *Science*, 237, 1171-1176.

Sattur, A.P. and Karanth, N.G.(1989). Production of microbial lipids : I. Development of mathematical model. *Biotech, Bioeng.*, 34, 863 – 867.

Schewe, T., Rapport, S.M. and Kuhn, H (1986). Enzymology of reticulocyte lipoxygenase. Comparison with other lipoxygenase. *Adv. Enzymol*, 58, 191-272.

Schilstra, M.J., Veldink, G.A. and Vliegthart, J.F.G. (1992). Effect of lipid hydroperoxide on lipoxygenase kinetics. *Biochemistry*, 31, 7692 – 7699.

- Schilstra, M.J., Veldink, G.A. and Vliegthart, J.F.G. (1994). Effect of nonionic detergents on lipoxygenase catalysis. *Lipids*, 29, 225-231.
- Scott, D.L., White, S.P., Otwinowski, Z., Yuan, E., Gleb, M.H. and Sigler, P.B. (1990). Interfacial catalysis: The Mechanism of phospholipase A₂. *Science*, 250, 1541 – 1546.
- Sevanian, A., Stein, R.A. and Mead, J.F. (1981). Metabolism of epoxidized phosphatidyl choline by phospholipase A₂ and epoxide hydrolase. *Lipids* 16, 781 – 789.
- Sevanian, A., Wratten, M.L., McLeod, L.K. and Kim, E (1988). *Biochim. Biophys. Acta*, 961, 316 – 327.
- Shimshick, E.J. and Mc Connell, H.M. (1973). *Biochemistry*, 12, 2351 – 2360.
- Siedow, J.N. (1991). Plant lipoxygenase : Structure and function, *Annu. Rev. Plant Mol. Biol.*, 42, 145-188.
- Sies, H. (1991). "Oxidative stress, oxidants and Antioxidants", Academic press, London.
- Sleeter, R.J.. (1981). Effects of processing on quality of soybean oil. *J. Am. Oil Chem. Soc*, 58, 239 – 247.
- Sleppendel, S., Veldink, G.A., Vliegthart, J.F.G., Aasa, R. and Malmstrom, B.G. (1981). EPR spectroscopy of soybean lipoxygenase – 1. Description and quantification of the high spin Fe (111) signals. *Biochim. Biophys. Acta*. 667, 77-86.
- Sloane, D.L., Leung, R., Barnett, J., Craik, C.S. and Sigal (1995). Conversion of human 15-lipoxygenase to an efficient 12 – lipoxygenase : the side – chain geometry of amino acids 417 and 418 determine positional specificity. *Protein Engineering*, 8, 275 – 282.

- Snyder, J.M., Friedrich, J.P., Christianson, D.D. (1984). Effect of Moisture and particle size on the extractability of oils from seeds with supercritical carbon dioxide. *J. Am. Oil Chem. Soc.*, 60, 1851 – 1856.
- Sosoda, M. (1992 a). The preparation of Rapeseed lecithin with high phosphatidyl content. *Fat Sci. Technol*, 94, 35-36.
- Sosoda, M., Pasker, B. and Kot, K. (1992 b). The composition and properties of purified rapeseed lecithins. *Fat Sci. Technol*, 94, 233-236.
- Sosoda, M. (1993). Optimal conditions for fractionation of rapeseed lecithin with alcohols. *J. Am. Oil Chem. Soc.*, 70, 405-410.
- Stahl, E. and Quirin, K.W. (1985). De - oiling of Crude lecithin by jet extraction with dense carbon dioxide. *Fatte seifen Anstrich.*, 87, 219 – 224.
- Stahl, E., Schutz, E. and Mangold, H.K. (1980). Extraction of seed oils with liquid and supercritical carbon dioxide. *Fette Seifen Anstrich.*, 87, 219 – 224.
- Steytler, D.C., Monlson, P.M. and Reynolds, J. (1991). Biotransformations in near critical carbon dioxide, *Enzyme Microb. Technol.*, 13, 221-226.
- Sudharshan, E. and Appu Rao, A.G. (1997). Rapid method to separate the domains of soybean lipoxygenase 1 : identification of the interdomain interactions. *FEBS Letters*, 406, 184-188.
- Taniguchi, M., Suzuki, H., Sato, M. and Kobayashi, T. (1987 a). Sterilization of plasma powder by treatment with supercritical carbon dioxide. *Agric Biol. Chem.*, 51, 3425-3426.
- Taniguchi, M., Kamihira, M and Kobayashi, T.(1987b). Effect of treatment with supercritical carbon dioxide on enzyme activity. *Agric. Biol. Chem.*, 51, 593 – 594.
- Temelli, F.(1992). Extraction of triglycerides and Phospholipids from Canola with Supercritical carbon dioxide and ethanol. *J. Food Sci.*, 57, 440-457.

Thunnissen, M.M.G.M., Eiso, A.B., Kalle, K.H. and Drenth, J. (1990). X - ray structure of phospholipase of A₂ complexed with a substrate derived inhibitor. *Nature*, 347, 688 – 691.

Van Deenen, L.L.M. and De. Gier, J. (1964) in *The Red Blood Cell* (Bishop, C and Surgenor, D.M., eds). p. 234-307, Academic Press, New York.

van Den Berg, J.J.M., Opden Kamp, J.A.F., Lubin, B.H. and Kuypers, F.A. (1993). Conformational changes in oxidized phospholipids and their preferential hydrolysis by phospholipase A₂: A monolayer study. *Biochemistry*, 32, 4962 – 4967.

Van Dijck, P.W.M., de Kruijff, B., van Deenen, L.L.M., de Gier, J., and Demel, R. (1976). The preference of cholesterol for phosphatidyl choline in mixed phosphatidyl choline-phosphatidyl ethanol amine bilayers. *Biochim. Biophys. Acta*. 455, 576-588.

van Eijs, A. M.M., de Long, J.P.L., Doddema, H.J., and Lindeboom, D.R. (1988). Trans esterification in supercritical carbon dioxide. *Proc. Intern. Symp. Supercritical fluids*, Perrut, M.(ed.), Societe Francaise de Chimie, 2, p. 933.

Veldink, G.A., Vliegthart, J.F.G. and Bolding, J. (1977). Plant lipoxygenase. *Prog. Chem. Fat other Lipids*, 15, 131-166.

Ververgaert, Ph.T.Th., Verkleij, A. J., Elbers, P.F. and Van Deenen, L.L.M. (1973). *Biochem. Biophys. Acta*, 311, 320-329.

Vliegthart, J.F.G. and Veldink, G.A. (1982). Lipoxygenase. In: *Free Radicals in Biology* (Pryor. W.A., ed), Academic Press, New York, 5, 29-64.

Wagner Von, H., Eggars, R. (1993). Deoiling of soylecithin with supercritical carbon dioxide in a High - Turbulent Two Phase Flow. *Fat Science Technology*, 95, 75-80.

Weber, J.K.P. (1980). Effect of supercritical carbon dioxide on proteins. *Z. Lebensm. Unters. Forsch*, 171, 95-97.

Weber, E.J. (1981). Composition of commercial corn and soybean lecithins. *J. Am. Oil Chem. Soc.*, 58, 898-901.

Weber, E.J. (1981). Composition of commercial corn and soybean lecithins. *J. Am. Oil Chem. Soc.*, 58, 898-901.

Weidner Von, E., Zhang, Z., Czech, B, Peter, S (1993). Deoiling of crude lecithin with propane. *Fat Science Technology*, 95, 347-351.

Whitehead, I.M., Muller, B.L. and Dean, C. (1995). Industrial use of natural green note flavor compounds cereal *Foods World*, 40, 193-197.

Williams, D.F. (1981). Extraction with supercritical gases. *Chem. Engg. Sci.*, 36, 1769-1780.

Yamamoto, S (1992). Mammalian lipoxygenases; Molecular studies and functions. *Biochem. Biophys. Acta*, 1128, 117-131.

Yeagle, P.L., and Young, J.E. (1986). Factors contributing to the distribution of cholesterol among phospholipids vesicles. *J. Biol. Chem.* 261, 8175-8181.

Yu, B.Y. (1994). Cellular defenses against damage from reactive oxygen species. *Physiol. Rev.*, 74, 139-162.