

List of Figures

Fig. No.	Title of the figure	Page
1.1(a)	Variation of $V(\phi, M)$ with ϕ for $M=1.5$	14
1.1(b)	Variation of soliton profile ϕ with ξ	14
2.1	Variation of A_1 and A_2 with Mach number	45
2.2	Variation of amplitude with Mach number	46
2.3	Variation of A_1 , A_2 and amplitude with Mach number	47
3.1(a)	Variation of A_1 with θ for different Mach Numbers	66
3.1(b)	Variation of A_2 with θ for different Mach Numbers	66
3.1(c)	Variation of amplitude with θ for different Mach Numbers	67
3.2(a)	Variation of A_1 with Mach Number M for different θ	68
3.2(b)	Variation of A_2 with Mach Number M for different θ	68
3.2(c)	Variation of amplitude with Mach Number M for different θ	68
3.3(a)	Variation of A_3 and amplitude with Mach Number for $\theta = 15^\circ$	69
3.3(b)	Variation of A_3 and amplitude with Mach Number for $\theta = 30^\circ$	69
4.1	Variation of the co-efficient of the nonlinear term A with ion concentration α for various values of propagation angle θ	89
4.2	Variation of the co-efficient of the nonlinear term A with propagation angle θ for various values of ion concentration α	90
4.3	Variation of the co-efficient of the dispersive term B with ion concentration α for various values of propagation angle θ	91

Fig. No.	Title of the figure	Page
4.4	Variation of the co-efficient of the dispersive term B with propagation angle θ for various values of ion concentration α	92
5.1(i)	Variation of A_1 with relative electron concentration χ for $\theta=60^\circ$, $M=0.6$, $\gamma=2$, $\varepsilon=0.001$ [curve (a)]; $\theta=50^\circ$, $M=0.7$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (b)]; $\theta=60^\circ$, $M=0.6$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (c)].	111
5.1(ii)	Variation of A_2 with relative electron concentration χ for $\theta=60^\circ$, $M=0.6$, $\gamma=2$, $\varepsilon=0.001$ [curve (a)]; $\theta=50^\circ$, $M=0.7$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (b)]; $\theta=60^\circ$, $M=0.6$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (c)].	111
5.1(iii)	Variation of A_3 with relative electron concentration χ for $\theta=60^\circ$, $M=0.6$, $\gamma=2$, $\varepsilon=0.001$ [curve (a)]; $\theta=50^\circ$, $M=0.7$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (b)]; $\theta=60^\circ$, $M=0.6$, $\gamma=1.5$, $\varepsilon=0.001$ [curve (c)].	112
5.2(i)	Variation of A_1 with temperature ratio γ for $\theta=30^\circ$, $M=0.6$, $\chi=0.5$, $\varepsilon=0.001$ [curve (a)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.7$, $\varepsilon=0.001$ [curve (b)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.9$, $\varepsilon=0.001$ [curve (c)].	112
5.2(ii)	Variation of A_2 with temperature ratio γ for $\theta=30^\circ$, $M=0.6$, $\chi=0.5$, $\varepsilon=0.001$ [curve (a)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.7$, $\varepsilon=0.001$ [curve (b)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.9$, $\varepsilon=0.001$ [curve (c)].	113
5.2(iii)	Variation of A_3 with temperature ratio γ for $\theta=30^\circ$, $M=0.6$, $\chi=0.5$, $\varepsilon=0.001$ [curve (a)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.7$, $\varepsilon=0.001$ [curve (b)]; $\theta=30^\circ$, $M=0.6$, $\chi=0.9$, $\varepsilon=0.001$ [curve (c)].	113

Figure No.	Title of the figure	Page
5.3	Variation of $V(\phi)$ with ϕ for $\theta=50^\circ$, $M=0.6$, $\gamma=1.2$, $\chi=0.1$, $\varepsilon=0.001$ [curve (a)]; $\theta=50^\circ$, $M=0.6$, $\gamma=1.2$, $\chi=0.3$, $\varepsilon=0.001$ [curve (b)]; $\theta=50^\circ$, $M=0.6$, $\gamma=1.2$, $\chi=0.5$, $\varepsilon=0.001$ [curve (c)].	114
5.4	Variation of $V(\phi)$ with ϕ for $\theta=60^\circ$, $M=0.6$, $\gamma=1.1$, $\chi=0.5$, $\varepsilon=0.001$ [curve (a)]; $\theta=60^\circ$, $M=0.6$, $\gamma=1.2$, $\chi=0.5$, $\varepsilon=0.001$ [curve (b)]; $\theta=60^\circ$, $M=0.6$, $\gamma=1.5$, $\chi=0.5$, $\varepsilon=0.001$ [curve (c)].	114