

LITERATURE CITED

- Agarwal ML and Kapoor VC. 1988. Four new species of fruit flies (Diptera:Tephritidae) together with redescription of *Trupanea inaequabilis* Hering and their distribution in India. *Journal Entomological Research* 12(2): 117-128
- Agarwal ML and Sueyoshi M. 2005. Catalogue of Indian fruit flies (Diptera: Tephritidae). *Oriental Insects* 39: 371-433
- Agarwal ML.1984. Fruit flies (Diptera: Tephritidae) and their host plants in Bihar. *Biological Bulletin of India* 6(2): 76-82
- Agarwal ML.1987. On a collection of fruit flies (Diptera: Tephritidae: Dacinae) from India. *Biological Bulletin of India* 9(2): 135-143
- Allen TC and Riker AJ. 1932. A rot of apple fruit caused by *Phytomonas melophthora* following invasion by the apple maggot. *Phytopathology* 22(4): 557-571
- Allen TC, Pinckard JA and Riker AJ. 1934. Frequent association of *Phytomonas melophthora* with various stages in the life cycle of the apple maggot, *Rhagoletis pomonella*. *Phytopathology* 24(2): 228-238
- Altschul SF, Gish W, Miller W, Myers EW and Lipman DJ. 1990. Basic local alignment search tool. *Journal of Molecular Biology* 215(3): 403-410
- Altschul SF, Thomas LM, Alejandro AS, Jinghui Z, Zheng Z, Webb M and David JL. 1997. Gapped BLAST and PSIBLAST: a new generation of protein database search programs. *Nucleic Acids Research* 25(17): 3389-3402
- Amann RI, Ludwig W and Schleifer KH. 1995. Phylogenetic identification and *in situ* detection of individual microbial cells without cultivation. *Microbiological Reviews* 59(1): 143-169
- Andersson SG, Zomorodipour A, Andersson JO, Sicheritz-Pontén T, Alsmark UC, Podowski RM, Näslund AK, Eriksson AS, Winkler HH and Kurland CG. 1998. The genome sequence of *Rickettsia prowazekii* and the origin of mitochondria. *Nature* 396(6): 133-140

- Anonymous. 2010. Taxonomy Capacity Building: Indian Initiative. Ministry of Environment and Forests, Government of India. <http://moef.nic.in/downloads/public-information/taxonomy-capacity-building.pdf> [9th November, 2010]
- Aquadro CF, Kaplan N and Risko KJ. 1984. An analysis of the dynamics of mammalian mitochondrial DNA sequence evolution. *Molecular Biology and Evolution* 1(5): 423-434
- Armstrong KF and Ball SL. 2005. DNA barcodes for biosecurity: invasive species identification. *Philosophical transactions of the Royal Society of London Series B, Biological sciences* 360(1462): 1813-1823
- Asokan R, Krishna Kumar NK and Verghese A. 2007. Molecular identification of fruit flies, *Bactrocera* spp. (Diptera: Tephritidae) using *mitochondrial cytochrome oxidase I*. *Current Science* 93(12): 1668-1669
- Baerwald RJ and Boush GM. 1968. Demonstration of the bacterial symbiote, *Pseudomonas melophthora* in the apple maggot, *Rhagoletis pomonella* by fluorescent antibody technique. *Journal of Invertebrate Pathology* 11(1): 251
- Baimai V, Phinchongsakuldit J and Trinachartvanit W. 1999. Metaphase karyotypes of fruit flies of Thailand (III): six members of the *Bactrocera dorsalis* complex. *Zoological Studies* 38(1): 110-118
- Baimai V, Phinchongsakuldit J, Sumrandee C and Tigvattananont S. 2000b. Cytological evidence for a complex of species within the taxon *Bactrocera tau* (Diptera: Tephritidae) in Thailand. *Biological Journal of the Linnean Society* 69(3): 399-409
- Baimai V, Samrandee C, Tigvattananont S and Trinachartvanit W. 2000a. Metaphase karyotypes of fruit flies of Thailand. V. Cytotaxonomy of ten additional new species of the *Bactrocera dorsalis* complex. *Cytologia* 65(4): 409-417
- Baimai V, Trinachartvanit W, Tigvattananont S, Grote PJ, Poramacom R and Kijchalao U. 1995. Metaphase karyotypes of fruit flies of Thailand. I. Five sibling species of the *Bactrocera dorsalis* complex. *Genome* 38(5): 1015-1022

- Baker AC, Ston WE, Plummer CC and McPhail M. 1944. A review of studies on Mexican fruit fly and related Mexican species. *USDA Misc. publ.* 531: 155
- Ball SL, Hebert PDN, Burian SK and Webb JM. 2005. Biological identifications of mayflies (Ephemeroptera) using DNA barcodes. *Journal of the North American Benthological Society* 24(3): 508-524
- Barton N and Jones JS. 1983. Mitochondrial DNA: new clues about evolution. *Nature* 306(5941): 317-318
- Bauer S, Tholen A, Overmann J and Brune A. 2000. Characterization of abundance and diversity of lactic acid bacteria in the hindgut of wood and soil-feeding termites by molecular and culture-dependent techniques. *Archives of Microbiology* 173(2): 126-137
- Baumann L, Thao ML, Hess JM, Johnson MW and Baumann P. 2002. The genetic properties of the primary endosymbionts of mealybugs differ from those of other endosymbionts of plant sap-sucking insects. *Applied and Environmental Microbiology* 68(7): 3198-3205
- Behar A, Ben-Yosef M, Lauzon CR, Yuval B and Jurkevich E. 2009. Structure and function of the bacterial community associated with the Mediterranean fruit fly. In: *Insect Symbiosis* (K Bourtzis and T Miller, eds). CRC press, Boca Raton. pp 251-271
- Behar A, Jurkevitch E and Yuval B. 2008. Bringing back the fruit into fruit fly-bacteria interactions. *Molecular Ecology* 17(5): 1375-1386
- Behar A, Yuval B and Jurkevitch E. 2005. Enterobacteria-mediated nitrogen fixation in natural populations of the fruit fly, *Ceratitis capitata*. *Molecular Ecology* 14(9): 2637-2643
- Belcari A and Bobbio E. 1999. The use of copper in control of the olive fly - *Bactrocera oleae*. *Informatore Fitopatologico* 49(12): 52-55
- Belcari A, Sacchetti P, Marchi G and Surico G. 2003. The olive fly and associated bacteria. *Informatore Fitopatologico* 53(9): 55-59
- Bergey DH, Holt JG and Krieg NR. 2001. *Bergey's Manual of Systematic Bacteriology*. Williams and Wilkins, Baltimore 964 p.

- Bermingham E and Lessios HA. 1993. Rate variation of protein and *mtDNA* evolution as revealed by sea urchins separated by the Isthmus of Panama. *Proceedings of the National Academy of Sciences USA* 90(7): 2734-2738
- Bezzi M. 1913. Indian Tephritids (fruit flies) in the collection of the Indian Museum, Calcutta. *Memories of Indian Museum* 3: 153-175
- Bhalla OP and Pawar AD. 1977. A survey study of insect and non-insect pests of economic importance in Himachal Pradesh. *Tiku and Tiku, Kitab Mahal*. Bombay. p 80
- Borah SR and Dutta SK. 1996. Comparative biology of *Dacus tau* (Walker) on cucurbitaceous vegetables. *Journal of the Agricultural Science Society of North-East India* 9(2): 159-165
- Bose PC, Tiwari LD and Mehrotra KN. 1978. Preliminary studies on the control of fruit fly in guava orchards by insecticide baits. *Indian Journal of Entomology* 41(4): 388-390
- Bousch GM and Matsumara F. 1967. Insecticidal degradation by *Pseudomonas melophthora*, the bacterial symbiote of the apple maggot. *Journal of Economic Entomology* 69(4): 918-920
- Boykin LM, Shatters RG, Hall DG, Burns RE and Franqui RA. 2006. Analysis of host preference and geographical distribution of *Anastrepha suspensa* (Diptera: Tephritidae) using phylogenetic analyses of mitochondrial cytochrome oxidase I DNA sequence data. *Bulletin of Entomological Research* 96(5): 457-469
- Brauman A, Dore J, Eggleton P, Bignell D, Breznak JA and Kane MD. 2001. Molecular phylogenetic profiling of prokaryotic communities in guts of termites with different feeding habits. *FEMS Microbiological Ecology* 35(1): 27-36
- Brinkmann N, Martens R and Tebbe CC. 2008. Origin and diversity of metabolically active gut bacteria from laboratory-bred larvae of *Manduca sexta* (Sphingidae: Lepidoptera: Insecta). *Applied and Environmental Microbiology* 74(23): 7189-7196

- Brooks MA. 1963. The microorganisms of healthy insects. In: *Insect Pathology: An Advanced Treatise* (EA Steinhouse, eds). Academic Press, London. pp 215-250
- Brower AVZ. 1994a. Rapid morphological radiation and convergence among races of the butterfly *Heliconius erato* inferred from patterns of mitochondrial DNA evolution. *Proceedings of the National Academy of Sciences USA* 91(14): 6401-6495
- Brower AVZ. 1994b. Phylogeny of *Heliconius* butterflies inferred from mitochondrial DNA sequences (Lepidoptera: Nymphalidae). *Molecular Phylogenetics and Evolution* 3(2): 159-174
- Brown GG and Simpson MV. 1981. Intra- and interspecific variation of the mitochondrial genome in *Rattus norvegicus* and *Rattus rattus*: restriction enzymes analysis of variant mitochondrial DNA molecules and their evolutionary relationships. *Genetics* 97(1): 125-143
- Brown WM, George M Jr and Wilson AC. 1979. Rapid evolution of animal mitochondrial DNA. *Proceedings of the National Academy of Sciences USA* 76(4): 1967-1971
- Brown WM. 1985. Molecular Evolutionary Genetics. In: *The Mitochondrial Genome of Animals* (RJ MacIntyre, ed). Plenum Press, New York, pp 95-130
- Brune A. 1998. Termite guts: the world's smallest bioreactors. *Trends in Biotechnology* 16(1): 16-21
- Buchner P. 1965. Symbiosis in animals which suck plant juices. In: *Endosymbiosis of Animals with Plant Microorganisms*. Wiley Interscience, New York, USA, pp 210-432
- Capuzzo C, Firrao G, Mazzon L, Squartini A and Girolami V. 2005. 'Candidatus *Erwinia dacicola*', a coevolved symbiotic bacterium of the olive fly *Bactrocera oleae* (Gmelin). *International Journal of Systematic and Evolutionary Microbiology* 55(4): 1641-1647
- Chapman JW, Knapp JJ, Howse PE and Goulson D. 1998. An evaluation of (Z)-9-tricosene and food odours for attracting house flies, *Musca domestica*, to baited targets in deep-pit poultry units. *Entomologia Experimentalis et Applicata* 89(2): 183-192

- Chinnarajan AM, Jayaraj S and Narayanan K. 1972. Destruction of endosymbionts with Oxytetracycline and Sulphanilamid in the gourd fruit fly, *Dacus cucurbitae* Coq. (Diptera: Tephritidae). *Hindustan Antibiotics Bulletin* 15(1): 16-22
- Clark WM and Lubs HA. 1915. The differentiation of bacteria of the colon-aerogenes family by the use of indicators. *Journal Infectious Diseases* 17(2): 160-173
- Clarridge JE. 2004. Impact of 16S rRNA gene sequence analysis for identification of bacteria on clinical microbiology and infectious diseases. *Clinical Microbiology Reviews* 17(4): 840-862
- Clement M, Posada D and Crandall KA. 2000. TCS: a computer program to estimate gene genealogies. *Molecular Ecology* 9(10): 1657-1660
- Courtice AC and Drew RAI. 1984. Bacterial regulation of abundance in tropical fruit flies (Diptera: Tephritidae). *Australian Zoologist* 21(3): 251-268
- Crotti E, Rizzi A, Chouaia B, Ricci I, Favia G, Alma A, Sacchi L, Bourtzis K, Mandrioli M, Cherif A, Bandi C and Daffonchio D. 2010. Acetic acid bacteria, newly emerging symbionts of insects. *Applied and Environmental Microbiology* 76(21): 6963-6970
- Dale C and Moran NA. 2006. Molecular interactions between bacterial symbionts and their hosts. *Cell* 126(3): 453-465
- De Ley J. 1992. The proteobacteria: ribosomal RNA cistron similarities and bacterial taxonomy. In: *The Prokaryotes* (A Balows et al., eds.). Springer, New York pp 2111-2140
- De Meyer M, Robertson MP, Mansell MW, Ekesi S, Tsuruta K, Mwaiko W, Vayssières JF and Peterson AT. 2010. Ecological niche and potential geographic distribution of the invasive fruit fly *Bactrocera invadens* (Diptera: Tephritidae). *Bulletin of Entomological Research* 100(1): 35-48
- de Vries EJ, Breeuwer JAJ and Jacobs G. 2001a. The association of flower thrips, *Frankliniella occidentalis*, with a near *Erwinia* species gut bacteria: transient or permanent? *Journal of Invertebrate Pathology* 77(2): 120-128

- de Vries EJ, Jacobs G and Breeuwer JAJ. 2001b. Growth and transmission of gut bacteria in the western flower thrips, *Frankliniella occidentalis*. *Journal of Invertebrate Pathology* 77(2): 129-137
- Degnan PH, Lazarus AB and Wernegreen JJ. 2005. Genome sequence of *Blochmannia pennsylvanicus* indicates parallel evolutionary trends among bacterial mutualists of insects. *Genome Research* 15(8): 1023-1033
- Delalibera I, Handelsman JO and Raffa KF. 2005. Contrasts in cellulolytic activities of gut microorganisms between the wood borer, *Saperda vestita* (Coleoptera: Cerambycidae), and the bark beetles, *Ips pini* and *Dendroctonus frontalis* (Coleoptera: Curculionidae). *Environmental Entomology* 34(3): 541-547
- Dhillon MK, Singh R, Naresh JS and Sharma HC. 2005. The melon fruit fly, *Bactrocera cucurbitae*: a review of its biology and management. *Journal of Insect Science* 5(1): 1-16
- Dillon RJ and Charnley AK. 1995. Chemical barriers to gut infection in the desert locust—in vivo production of antimicrobial phenols associated with the bacterium *Pantoea agglomerans*. *Journal of Invertebrate Pathology* 66(1): 72-75
- Dillon RJ, Vennard CT and Charnley AK. 2000. Exploitation of gut bacteria in the locust. *Nature* 403(6772): 851
- Dougals AE. 1998. Nutritional interactions in insects –microbial symbioses: aphids and their symbiotic bacteria *Buchnera*. *Annual Review of Entomology* 43: 17-37
- Douglas AE and Beard CB. 1997. Microbial symbiosis in the midgut of insects, *In: Biology of the insect midgut* (M Lehane, eds). Academic Press, New York. pp 315–333.
- Douglas AE, Minto LB and Wilkinson TL. 2001. Quantifying nutrient production by the microbial symbionts in an aphid. *Journal of Experimental Biology* 204(2): 349-358
- Douglas AE. 1989. Mycetocyte symbiosis in insects. *Biological Reviews of the Cambridge Philosophical Society* 64(4): 409-434

- Douglas AE. 2006. Phloem-sap feeding by animals: problems and solutions. *Journal of Experimental Botany* 57(4): 747-754
- Dowell RV and Wange LK. 1986. Process analysis and failure avoidance in fruit fly programs. In: *Pest Control* (M Mangel *et al.*, eds.). New York, NATO ASI Series, Springer-Verlag. pp 43-65
- Drew RAI 1987. Behavioural strategies of fruit flies of the genus *Dacus* (Diptera: Tephritidae) significance in mating and host plant relationships. *Bulletin of Entomological Research* 77(1): 73-81
- Drew RAI and Fay HA. 1988. Elucidation of the role of ammonia and bacteria in the attraction of *Dacus tryoni* (Fraggatt) (Queensland fruit fly) to proteinaceous suspensions. *Journal of Plant Protection in the Tropics* 5(1): 127-130
- Drew RAI and Hancock DL. 2000. Phylogeny of the tribe Dacini (Dacinae) based on morphological, distributional, and biological data. In: *Fruit Flies (Tephritidae) Phylogeny and Evolution of Behaviour* (M Aluja and AL Norrbom, eds). CRC Press, New York. pp 491-504
- Drew RAI and Lloyd, AC. 1987. Relationship of fruit flies (Diptera: Tephritidae) and their bacteria to host plants. *Annals of the Entomological Society of America* 80: 629-636
- Drew RAI and Raghu S. 2002. The fruit fly fauna (Diptera: Tephritidae: Dacinae) of the rainforest habitat of the Western Ghats, India. *The Raffles Bulletin of Zoology* 50(2): 327-352
- Drew RAI and Romig MC. 2000. The biology and behaviour of flies in the tribe Dacini (Dacinae). In: *Fruit Flies (Tephritidae): Phylogeny and Evolution of Behaviour* (M Aluja and AL Norrbom, eds). CRC Press, New York. pp 535-546
- Drew RAI, Courtice AC and Teakle DS. 1983. Bacteria as a natural source of food for fruit flies (Diptera: Tephritidae). *Oecologia* 60(3): 279-284
- Drew RAI, Hancock DL and White IM. 1998. Revision of the tropical fruit flies (Diptera: Tephritidae: Dacinae) of South East Asia. II. *Dacus* Fabricius. *Invertebrate Taxonomy* 12(4): 567-654

- Drew RAI. 1989a. The taxonomy and distribution of tropical and subtropical Dacinae (Diptera: Tephritidae). In: *World crop pests: Fruit flies, their biology, natural enemies and control*, (AS Robinson and G Hopper, eds). Elsevier Science Publishers, Amsterdam, Netherland. pp 9-14
- Drew RAI. 1989b. The tropical fruit flies (Diptera: Tephritidae: Dacinae) of the Australasian and Oceanic regions. *Memoirs of Queensland Museum* 26: 1-521.
- Elzen GW, Williams HJ and Vinson SB. 1984. Isolation and identification of cotton synomones mediating searching behavior by parasitoid *Campoletis sonorensis*. *Journal of Chemical Ecology* 10 (11): 1251-1264
- Enkerlin W and Mumford JD. 1997. Economic evaluation of three alternative methods for control of the Mediterranean fruit fly (Diptera: Tephritidae) in Israel, Palestinian Territories, and Jordan. *Journal of Economic Entomology* 90(5): 1066-1072.
- Evans JD and Armstrong TN. 2006. Antagonistic interactions between honey bee bacterial symbionts and implications for disease. *BMC Ecology* 6:4 doi:10.1186/1472-6785-6-4<http://www.biomedcentral.com/1472-6785/6/4>
- Excoffier L, Laval G and Schneider S. 2005. Arlequin (version 3.0): an integrated software package for population genetics data analysis. *Evolutionary Bioinformatics* (online) 1: 47-50
- Felsenstein J. 1985. Confidence limits on phylogenies: An approach using the bootstrap. *Evolution* 39(4): 783-791
- Fletcher, BS. 1987. The biology of Dacini fruit flies. *Annual Review of Entomology* 32: 115-144
- Footitt RG, Maw HEL, von Dohlen CD and Herbert PDN. 2008. Species identification of aphids (Insecta: Hemiptera: Aphididae) through DNA barcodes. *Molecular Ecology Resources* 8(6): 1189-1201
- Fytizas E and Tzanakakis ME. 1966a. Some effects of streptomycin, when added to the adult food on the adults of *Dacus oleae* and the progeny. *Annals of Entomological Society of America* 59: 269-273

- Fytizas E and Tzanakakis ME. 1966b. Action de quelques antibiotique sur less adultes de *Dacus oleae* et leur descendance. *Meded. Rijksfac. landbouwwetensch Gent.* 31: 782-789
- Geib SM, Jimenez-Gasco MDM, Carlson JE, Tien M and Hoover K. 2009. Effect of host tree species on cellulase activity and bacterial community composition in the gut of larval asian longhorned beetle. *Environmental Entomology* 38(3): 686-699
- Gil R, Silva FJ, Zientz E, Delmotte F, Gonzalez-Candelas F, Latorre A, Rausell C, Kamerbeek J, Gadau J and Holldobler BI. 2003. The genome sequence of *Blochmannia floridanus*: Comparative analysis of reduced genomes. *Proceedings of the National Academy of Sciences USA* 100(16): 9388-9393
- Girolami V. 1973. Reperti morfo-istologicisulle battenosimbiosi del *Dacus oleae* Gmelin e di attri ditteri tripetidi, in natura e negli allevamenti su substrati artificiali. *Estratto da Redia* 54: 269-294
- Girolami V. 1983. Fruit fly symbiosis and adult survival: general aspects. In: *Fruit Flies of Economic Importance* (R Cavalloro, ed.). Balkema, Rotterdam. p 74
- Gow PL. 1954. Proteinaceous bait for the oriental fruit fly. *Journal of Economic Entomology* 47(1): 153-160
- Grenier AM, Duport G, Pages S, Condemine G and Rahbe Y. 2006. The phytopathogen *Dickeya dadantii* (*Erwinia chrysanthemi* 3937) is a pathogen of the pea aphid. *Applied and Environmental Microbiology* 72(3): 1956-1965
- Gupta D, Verma AK and Gupta PR. 1992. Population fluctuations of the maggots of fruit flies (*Dacus cucurbitae* Coquillette and *D. tau* Walker) infesting cucurbitaceous crops. *Advances of Plant Sciences* 5: 518-523
- Gupta M and Pant NC. 1983. Symbiotes of *Dacus cucurbitae* and their *in vitro* physiology. IV. Function of symbiotes in ovarian development. *Endocytobiology* 2: 739-749

- Gupta M, Pant NC and Lal BS. 1982a. Symbiotes of *Dacus cucurbitae* (Coquillette). I Location and nature of association. *Indian Journal of Entomology* 44(4): 325-330
- Gupta M, Pant NC and Lal BS. 1982b. Symbiotes of *Dacus cucurbitae* (Coquillette). II Cultivation and identification. *Indian Journal of Entomology* 44(4): 331-336
- Hajibabaei M, Janzen DH, Burns JM, Hallwachs W and Hebert PD. 2006. DNA barcodes distinguish species of tropical Lepidoptera. *Proceedings of the National Academy of Sciences USA* 103(4): 968-971
- Hancock DL and Drew RAI. 1999. Bamboo-shoot fruit flies of Asia (Diptera: Tephritidae: Ceratitidinae). *Journal of Natural History* 33(5): 633-755
- Hardy DE and Drew RAI. 1996. Revision of the Australian Tephritini (Diptera: Tephritidae). *Invertebrate Taxonomy* 10(2): 213-405
- Head IM, Saunders JR and Piclup RW. 1998. Microbiological evolution, diversity and ecology: A decade of ribosomal RNA analysis of uncultivated microorganisms. *Microbial Ecology* 35(1): 1-21
- Hebert PDN, Cywinska A, Ball SL and Dewaard JR. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B, Biological sciences* 270(1514): 313-321
- Heddi A, Charles H, Khatchadourian C, Bonnot G and Nardon P. 1998. Molecular characterization of the principal symbiotic bacteria of the weevil *Sitophilus oryzae*: A peculiar G + C content of an endocytobiotic DNA. *Journal of Molecular Evolution* 47(1): 52-61
- Higgins DG, Thompson JD and Gibson TJ. 1994. CLUSTALW: Improving the sensitivity of progressive multiple sequence alignment through sequence weighing, position-specific gap penalties and weight matrix choice. *Nucleic Acids Research* 22(22): 4673-4680
- Holmes B, Popoff M, Kiredjian M and Kersters K. 1988. *Ochrobactrum anthropi* gen. nov., sp. nov. from human clinical specimens and previously known as group Vd. *International Journal of Systematic Bacteriology* 38(4): 406-416

- Holt JG, Krieg NR, Sneath PHA, Staley JT and Williams ST. 2000. *Bergey's Manual of Determinative Bacteriology*. LIPPINCOTT Williams and Wilkins, New York. pp 175-533
- Hosokawa T, Kikuchi Y, Meng XY and Fukatsu T. 2005. The making of symbiont capsule in the plataspid stinkbug *Megacopta punctatissima*. *FEMS Microbiology Ecology* 54(3): 471-477
- Hosokawa T, Kikuchi Y, Nikoh N, Shimada M and Fukatsu T. 2006. Strict host symbiont cospeciation and reductive genome evolution in insect gut bacteria. *PLoS Biology* 4(10): e337
- Howard DJ, Bush GL and Breznak JA. 1985. The evolutionary significance of bacteria associated with *Rhagoletis*. *Evolution* 39(2): 405-417
- Hu J, Zhang JL, Nardi F and Zhang RJ. 2008. Population genetic structure of the melon fly, *Bactrocera cucurbitae* (Diptera: Tephritidae), from China and Southeast Asia. *Genetica* 134(3): 319-324
- Huque R. 2006. Comparative studies on the susceptibility of various vegetables to *Bactrocera tau* (Diptera: Tephritidae). *Pakistan Journal of Biological Sciences* 9(1): 93-95
- Jamnongluk W, Baimai V and Kittayapong P. 2003. Molecular evolution of tephritid fruit flies in the genus *Bactrocera* based on the cytochrome oxidase I gene. *Genetica* 119(1): 19-25
- Jamnongluk W, Kittayapong P, Baimai V and O'Neill SL. 2002. *Wolbachia* infections of tephritid fruit flies: Molecular evidence for five distinct strains in a single host species. *Current Microbiology* 45(4): 255-260
- Jang EB and Nishijima KA 1990. Identification and attractancy of bacteria associated with *Dacus dorsalis* (Diptera: Tephritidae). *Environmental Entomology* 19(6): 1726-1731
- Kanwar SS, Gupta MK and Punj V. 1997. *Laboratory Manual of Basic Microbiology*. Department of Microbiology, CSK HPKV, Palampur, H.P. India 84 pp.
- Kapoor VC and Agarwal ML. 1983. Fruit flies and their natural enemies in India. In: *Fruit flies of economic importance* (R Cavalloro, ed). Balkema, Rotterdam. pp 252-257

- Kapoor VC, Hardy DE, Agarwal ML and Grewal JS 1980. *Fruit Fly (Diptera: Tephritidae) Systematics of Indian Subcontinent*. Export Indian Publishers, Jalandhar. p 113
- Kapoor VC. 1993. *Indian Fruit Flies (Insecta: Diptera: Tephritidae)*. Oxford & IBH Publications, New Delhi, p 228
- Katerinopoulos HE, Pagona G, Afratis A, Stratigakis N and Roditakis N. 2005. Composition and insect attracting activity of the essential oil of *Rosmarinus officinalis*. *Journal of Chemical Ecology* 31(1): 111-122
- Kimura M. 1980. A simple method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution* 16(2): 111-120
- Kounatidis I, Crotti E, Sapountzis P, Sacchi L, Rizzi A, Chouaia B, Bandi C, Alma A, Daffonchio D, Mavragani-Tsipidou P and Bourtzis K. 2009. *Acetobacter tropicalis* is a major symbiont of the olive fruit fly (*Bactrocera oleae*). *Applied and Environmental Microbiology* 75(10): 3281-3288
- Kovacs K. 1956. Identification of *Pseudomonas pyocyanea* by the oxidase reaction. *Nature* 178(4535): 703
- Koyama J, Kakinohana H and Miyatake T. 2004. Eradication of the melon fly, *Bactrocera cucurbitae*, in Japan: importance of behaviour, ecology, genetics, and evolution. *Annual Review of Entomology* 49: 331-349
- Kuzina LV, Peloquin JJ, Vacek DC and Miller TA. 2001. Isolation and identification of bacteria associated with adult laboratory Mexican fruit flies, *Anastrepha ludens* (Diptera: Tephritidae). *Current Microbiology* 42(4): 290-294
- Lauzon CR, Sjogren RE and Prokopy RJ. 2000. Enzymatic capabilities of bacteria associated with apple maggot flies, a postulated role in attraction. *Journal of Chemical Ecology* 26(4): 953-967
- Lauzon CR, Sjogren RE, Wright SE and Prokopy, RJ. 1998. Attraction of *Rhagoletis pomonella* (Diptera: Tephritidae) flies to odour of bacteria: apparent confinement of specialized members of enterobacteriaceae. *Environmental Entomology* 27(4): 853-857

- Lee CJ, DeMilo AB, Moreno DS and Martinez AJ. 1995. Analysis of the volatile components of a bacterial fermentation that is attractive to the Mexican fruit fly, *Anastrepha ludens*. *Journal of Agricultural and Food Chemistry* 43(5): 1348-1351
- Lee W, Kim H, Lim J, Choi H, Kim Y, Kim YS, Ji JY, Footitt RG and Lee S. 2011. Barcoding aphids (Hemiptera: Aphididae) of the Korean Peninsula: updating the global data set. *Molecular Ecology Resources* 11(1): 32-37
- Liu J, Shi W and Ye H. 2007. Population genetics analysis of the origin of the Oriental fruit fly, *Bactrocera dorsalis* Hendel (Diptera: Tephritidae), in northern Yunnan Province, China. *Entomological Science* 10(1): 11-19
- Lloyd AC, Drew RAI, Teakle DS and Hayward AC. 1986. Bacteria associated with some *Dacus* species (Diptera: Tephritidae) and their host fruits in Queensland. *Australian Journal of Biological Sciences* 39(4): 361-368
- Lloyd AC. 1988. The introduction of alimentary tract bacteria into the host tree by *Dacus tryoni*. In: *First international symposium on fruit flies in the tropics* (S Vijaysegaran and AG Ibrahim, eds). Kuala Lumpur, Malaysia.
- Lobl I and Leschen RAB. 2005. Demography of coleopterists and their thoughts on DNA barcoding and the phylocode, with Commentary. *The Coleopterists Bulletin* 59(3): 284-292
- Lunt DH, Zhang DX, Szymura JM and Hewitt GM. 1996. The insect cytochrome oxidase I gene: evolutionary patterns and conserved primers for phylogenetic studies. *Insect Molecular Biology* 5(3): 153-165
- Marchini D, Rosetto M, Dallai R and Marri L. 2002. Bacteria associated with the oesophageal bulb of the medfly *Ceratitidis capitata* (Diptera: Tephritidae). *Current Microbiology* 44(2): 120-124
- McPherson BA and Steck GJ. 1996. *Fruit Fly Pests: A World Assessment of Their Biology and Management*. St Lucie Press, Delray Beach, Florida.
- Michaux B and White IM. 1999. Systematics and biogeography of southwest Pacific *Bactrocera* (Diptera: Tephritidae: Dacini). *Palaeogeography, Palaeoclimatology and Palaeoecology* 153(1-4): 337-351

- Mohr KI and Tebbe CC. 2006. Diversity and phylotype consistency of bacteria in the guts of three bee species (Apoidea) at an oilseed rape field. *Environmental Microbiology* 8(2):258-272
- Mohr KI and Tebbe CC. 2007. Field study results on the probability and risk of a horizontal gene transfer from transgenic herbicide-resistant oilseed rape pollen to gut bacteria of bees. *Applied Microbiology and Biotechnology* 75(3): 573-582.
- Moran NA, Degnan PH, Santos SR, Dunbar HE and Ochman H. 2005. The players in a mutualistic symbiosis: Insects, bacteria, viruses, and virulence genes. *Proceedings of the National Academy of Sciences USA* 102(47): 16919-16926
- Moran NA, McCutcheon JP and Nakabachi A. 2008. Genomics and evolution of heritable bacterial symbionts. *Annual Review of Genetics* 42: 165-190
- Moreno E. 1992. Evolution of *Brucella*. In: *Advances in Brucellosis Research* (M Plommet ed.). Pudoc Scientific Publishers, Wageningen pp 198-218
- Moya A, Pereto J, Gil R and Latorre A. 2008. Learning how to live together: genomic insights into prokaryote-animal symbioses. *Nature Reviews Genetics* 9(3): 218-229
- Mun J, Bohonak AJ and Roderick GK. 2003. Population structure of the pumpkin fruit fly *Bactrocera depressa* (Tephritidae) in Korea and Japan: Pliocene allopatry or recent invasion? *Molecular Ecology* 12(11): 2941-2951
- Munro HK. 1938. Studies on Indian trypetidae. *Records of Indian Museum* 40: 28-37
- Munro HK. 1984. A taxonomic treatise on the Dacinae (Tephritoidea, Diptera) of Africa. Entomology Museum of South Africa, Department of Agriculture 61: 1-313
- Muraji M and Nakahara S. 2001. Phylogenetic relationships among fruit flies, *Bactrocera* (Diptera, Tephritidae), based on the mitochondrial rDNA sequences. *Insect Molecular Biology* 10(6): 549-559
- Muraji M and Nakahara S. 2002. Discrimination among pest species of *Bactrocera* (Diptera: Tephritidae) based on PCR-RFLP of mitochondrial DNA. *Applied Entomology and Zoology* 37(3): 437-446

- Murphy KM, MacRae IC and Teakle DS. 1988. Nitrogenase activity in the Queensland fruit fly, *Dacus tryoni*. *Australian Journal of Biological Sciences* 41(4): 447-451
- Murphy KM, Teakle DS and MacRae IC. 1994. Kinetics of colonization of adult Queensland fruit flies (*Bactrocera tryoni*) by dinitrogen-fixing alimentary tract bacteria. *Applied and Environmental Microbiology* 60(7): 2508-2517
- Narayanan ES and Batra HN 1960. *Fruit flies and their control*. ICAR, New Delhi 68 p.
- Nardi F, Carapelli A, Dallai R and Frati F. 2003. The mitochondrial genome of the olive fly *Bactrocera oleae*: two haplotypes from distant geographical locations. *Insect Molecular Biology* 12(6): 605-601
- Nardi F, Carapelli A, Dallai R, Roderick GK and Frati F. 2005. Population structure and colonization history of the olive fly, *Bactrocera oleae* (Diptera, Tephritidae). *Molecular Ecology* 14 (9): 2729–2738
- Nishiwaki H, Ito K, Otsuki K, Yamamoto H, Komai K and Matsuda K. 2004. Purification and functional characterization of insecticidal sphingomyelinase produced by *Bacillus cereus*. *European Journal of Biochemistry* 271(3): 601-606
- Nishiwaki H, Ito K, Shimomura M, Nakashima K and Matsuda K. 2007. Insecticidal bacteria isolated from predatory larvae of the antlion species *Myrmeleon bore* (Neuroptera: Myrmeleontidae). *Journal of Invertebrate Pathology* 96 (1): 80-88
- Norrbom AL, Carroll LE and Friedberg A. 1998. *Status of Knowledge. Myia* 9: 9-48
- Ochando MD and Reyes A. 2000. Genetic population structure in olive fly *Bactrocera oleae* (Gmelin): gene flow and patterns of geographic differentiation. *Journal of Applied Entomology* 124(3/4): 177-183
- Oliver KM, Moran NA and Hunter MS. 2005. Variation in resistance to parasitism in aphids is due to symbionts and not host genotype. *Proceedings of the National Academy of Sciences USA* 102(36): 12795-12800

- Oliver KM, Russell JA, Moran NA and Hunter MS. 2003. Facultative bacterial symbionts in aphids confer resistance to parasitic wasps. *Proceedings of the National Academy of Sciences USA* 100(4): 1803-1807
- Page RDM. 1996. TREEVIEW: An application to display phylogenetic trees on personal computers. *Computer Applications in the Biosciences* 12(4): 357-358
- Palumbi SR and Cipriano F. 1998. Species identification using genetic tools: the value of nuclear and mitochondrial gene sequences in whale conservation. *Journal of Heredity* 89(5): 459-464
- Paster BJ, Dewhurst FE, Cooke SM, Fussing V, Poulsen LK and Breznak JA. 1996. Phylogeny of not yet cultured spirochetes from termite guts. *Applied and Environmental Microbiology* 62(2): 347-352
- Peck SL, Mcquate GT, Vargas RI, Seager DC, Revis HC, Jang EB and Mcinns DO. 2005. Movement of sterile male *Bactrocera cucurbitae* (Diptera: Tephritidae) in Hawaiian agroecosystem. *Journal of Economic Entomology* 98:1539-1550
- Perez-Brocal V, Gil R, Ramos S, Lamelas A, Postigo M, Michelena JM, Silva FJ, Moya A and Latorre A. 2006. A small microbial genome: the end of a long symbiotic relationship? *Science* 314(5797): 312-313
- Petri, L. 1909. Ricerche sopra i batteri intestinali della mosca olearia. Memorie della Regia Stazione di Patologia Vegetale di Roma, Rome, Italy 1-130.
- Petri, L. 1910. Untersuchung uber die Darmbakterien der Olivenfliege. Zentralblatt Bakteriol. Parasitenkd. Infekt. Hyg. 26: 357-367
- Pinero JC, Jacome I, Vargas R and Prokopy RJ. 2006. Response of female melon fly, *Bactrocera cucurbitae*, to host-associated visual and olfactory stimuli. *Entomologia Experimentalis et Applicata* 121(3): 261-269
- Prabhakar CS, Sood P, Kapoor V, Kanwar SS, Mehta PK and Sharma PN 2009b. Molecular and biochemical characterization of three bacterial symbionts of fruit fly, *Bactrocera tau* (Tephritidae: Diptera). *Journal of General and Applied Microbiology* 55 (6): 213-220

- Prabhakar CS, Sood P, Mehta PK and Choudhary A. 2007. Fruit fly, *Bactrocera scutellaris* (Bezzi): a potential threat to cucurbit cultivation under low and mid hills of Himachal Pradesh. *Pest Management and Economic Zoology* 15(2): 181-185
- Prabhakar CS, Sood P, Mehta PK and Choudhary A. 2009a. Distribution and developmental biology of fruit flies infesting cucurbits in north-western Himalaya. *Journal of Insect Science* 22(3): 300-308
- Raghu S, Clarke AR and Bradley J. 2002. Microbial mediation of fruit fly-host plant interactions: Is the host plant "the center of activity"? *Oikos* 97(3): 319-328
- Ratnasingham S and Hebert PDN. 2007. BOLD: the Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular Ecology Notes* 7(3): 355-364
- Reyes A and Ochando MD. 2004. Mitochondrial DNA variation in Spanish populations of *Ceratitidis capitata* (Wiedemann) (Tephritidae) and the colonization process. *Journal of Applied Entomology* 128(5): 358-364
- Robacker DC and Flath RA. 1995. Attractants from *Staphylococcus aureus* cultures for Mexican fruit fly, *Anastrepha ludens*. *Journal of Chemical Ecology* 21(11): 1861-1874
- Robacker DC, Lauzon CR and He XD. 2004. Volatiles production and attractiveness to the Mexican fruit fly of *Enterobacter agglomerans* isolated from apple maggot and Mexican fruit flies. *Journal of Chemical Ecology* 30(7): 1329-1347
- Roderick GK. 1996. Geographic structure of insect populations: gene flow, phylogeography and their uses. *Annual Review of Entomology* 41: 263-290
- Roderick GK. 2004. Tracing the origin of pests and natural enemies: genetic and statistical approaches. In: *Genetics, Evolution and Biological Control* (LE Ehler *et al.*, eds.). CAB International, Wallingford, UK pp 97-112
- Rossiter MC, Howard DJ and Bush GL. 1983. Symbiotic bacteria of *Rhagoletis pomonella*. In: *Fruit flies of Economic Importance* (R Vacalloro, ed.). Balkema, Rotterdam pp 77-84

- Rupp S. 2004. Proteomics on its way to study host-pathogen interaction in *Candida albicans*. *Current Opinion in Microbiology* 7(4): 330-335
- Sacchetti P, Granchietti A, Landini S, Viti L, Giovannetti L and Belcari A. 2008. Relationships between the olive fly and bacteria. *Journal of Applied Entomology* 132(9-10): 682-689
- Saitou N and Nei M. 1987. The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4(5): 406-425
- Sardana HR, Tyagi A and Singh A. 2005. *Knowledge Resources on Fruit Flies (Tephritidae: Diptera) in India*. National Centre for Integrated Pest Management, New Delhi 174 p.
- Satarkar VR, Faleiro JR, Krishnamurthy SV, Ramesh R and Verghese A. 2009. A review on the behaviour of *Bactrocera* fruit flies. *Current Biotica* 3(2): 264-277
- Scheffer SJ, Lewis ML and Joshi RC. 2006. DNA Barcoding Applied to Invasive Leafminers (Diptera: Agromyzidae) in the Philippines. *Annals of the Entomological Society of America* 99: 204-210
- Sharma PN, Kaur M, Sharma OP, Sharma P and Pathania A. 2005. Morphological, pathological and molecular variability in *Colletotrichum capsici*, the cause of fruit rot of chillies in the subtropical region of North-Western India. *Journal of Phytopathology* 153(3): 141-148
- Shi W, Kerdelhue C and Ye H. 2005. Population genetics of the Oriental fruit fly, *Bactrocera dorsalis* (Diptera: Tephritidae), in Yunnan (China) based on mitochondrial DNA sequences. *Environmental Entomology* 34(4): 977-983
- Shi W, Kerdelhue C and Ye H. 2010. Population genetic structure of the oriental fruit fly, *Bactrocera dorsalis* (Hendel)(Diptera: Tephritidae) from Yunnan province and nearby sites across the border. *Genetica* 138(3): 377-385
- Shigenobu S, Watanabe H, Hattori M, Sakaki Y and Ishikawa H. 2000. Genome sequence of the endocellular bacterial symbiont of aphids *Buchnera* sp APS. *Nature* 407(6800): 81-86

- Simmons JS. 1926. A culture medium for differentiating organisms of typhoid-colon aerogenes groups and for isolation of certain fungi. *Journal of Infectious Disease* 39(3): 209-212
- Simon C, Frati F, Beckenback A, Crespi B, Hong L and Flook P. 1994. Evolution, weighting, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals of the Entomological Society of America* 87: 651-701
- Smith MA, Rodriguez JJ, Whitfield JB, Deans AR, Janzen DH, Hallwachs W and Hebert PDN. 2008. Extreme diversity of tropical parasitoid wasps exposed by iterative integration of natural history, DNA barcoding, morphology, and collections. *Proceedings of the National Academy of Sciences USA* 105(34): 12359-12364
- Smith MS and Szathmary E. 1995. The ecology of symbiosis. In: *The Major Transitions in Evolution*. Oxford University Press, Oxford pp189-190
- Smith PT, Kambhampati S and Armstrong KA. 2003. Phylogenetic relationships among *Bactrocera* species (Diptera: Tephritidae) inferred from mitochondrial DNA sequences. *Molecular Phylogenetics and Evolution* 26 (1): 8-17
- Sneath PHA and Sokal RR. 1973. *Numerical Taxonomy*. Freeman, San Francisco
- Sood P and Nath A. 1998. Evaluation of insecticide baits for control of fruit fly, *Bactrocera tau* (Walker) in mid hills of Himachal Pradesh. *Journal of Hill Research* 11(2): 171-177
- Sood P and Nath A. 1999. Fruit flies associated with cucurbits in Himachal Pradesh. *Journal of Hill Research* 12(1): 52-54
- Sood P and Nath A. 2002. Bacteria associated with *Bactrocera* sp. (Diptera: Tephritidae) – Isolation and identification. *Pest Management and Economic Zoology* 10(1): 1-9
- Sood P and Nath A. 2005. Colonization of marker strains of bacteria in fruit fly, *Bactrocera tau*. *Indian Journal of Agricultural Research* 39(1): 103-109

- Sood P and Prabhakar CS. 2009. Molecular diversity and antibiotic sensitivity of gut bacterial symbionts of fruit fly, *Bactrocera tau*. *Journal of Biological Control* 23(3): 213-220
- Sood P, Prabhakar CS and Mehta PK. 2010. Eco-friendly management of fruit flies through their gut bacteria. *Journal of Insect Science* 23(3): 275-283
- Sookar P, Haq I, Jessup A, McInnis D, Franz G, Wornoyayporn V and Permalloo S. 2010. Mating compatibility among *Bactrocera cucurbitae* (Diptera: Tephritidae) populations from three different origins. *Journal of Applied Entomology* doi: 10.1111/j.1439-0418.2010.01576.x
- Srinivasan PM and Narayanaswamy PS. 1961. Appropriate time for taking up control measures against fruit flies on ash gourd (*Benincasa cerefera* L.) and pumpkin (*Cucurbita moschata* L.). *Madras Agricultural Journal* 48: 395-396
- Stammer HJ. 1929. Die Bakterien symbiose der Trypetiden (Diptera). *Z. Morphol. Oekol. Tiere* 15(3): 481-523
- Stevenson BS, Eichorst SA, Wertz JT, Schmidt TM and Breznak JA. 2004. New strategies for cultivation and detection of previously uncultured microbes. *Applied and Environmental Microbiology* 70(8): 4748-4755
- Stonehouse JM, Mumford JD, Verghese A, Shukla RP, Satpathy S, Singh HS, Jiji T, Thomas J, Patel ZP, Jhala RC, Patel RK, Manzar A, Shivalingaswamy TM, Mohantha AK, Nair B, Vidya CV, Jagadale VS, Sisodiya DB and Joshi BK. 2007. Village-level area-wide fruit fly suppression in India: Bait application and male annihilation at village level and farm level. *Crop Protection* 26(5): 788-793
- Stouthamer R, Breeuwer JAJ and Hurst GDD. 1999. *Wolbachia pipientis*: microbial manipulator of arthropod reproduction. *Annual Review of Microbiology* 53: 71-102
- Sunandita and Gupta D. 2007. A note on host range of fruit fly species infesting summer vegetable crops in mid hills of Himachal Pradesh. *Journal of Insect Science* 20(1): 106-107

- Sunnucks P. 2000. Efficient genetic markers for population biology. *Trends in Ecology and Evolution* 15(5): 199-203
- Tamas I, Klasson L, Canback B, Naslund AK, Eriksson AS, Wernegreen JJ, Sandstrom JP, Moran NA and Andersson SGE. 2002. 50 million years of genomic stasis in endosymbiotic bacteria. *Science* 296(5577): 2376-2379
- Tamura K, Dudley J, Nei M and Kumar S. 2007. MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Molecular Biology and Evolution* 24(8): 1596-1599
- Tamura K, Nei M and Kumar S. 2004. Prospects for inferring very large phylogenies by using the neighbor-joining method. *Proceedings of the National Academy of Sciences USA* 101(30): 11030-11035
- Tasin M., Bäckman AC, Bengtsson M., Ioriatti C and Witzgall P. 2006. Essential host plant cues in the grapevine moth. *Naturwissenschaften* 93(3): 141-144
- Thao ML and Baumann P. 2004. Evolutionary relationships of primary prokaryotic endosymbionts of whiteflies and their hosts. *Applied and Environmental Microbiology* 70(6): 3401-3406
- Thimm T, Hoffmann A, Borkott H, Munch JC and Tebbe CC. 1998. The gut of the soil microarthropod *Folsomia candida* (Collembola) is a frequently changeable but selective habitat and a vector for microorganisms. *Applied and Environmental Microbiology* 64(7): 2660-2669
- Thompson FE. 1998. Fruit fly expert identification system and systematic information data base. *Myia* 9: 1-594
- Toth E, Kovacs G, Schumann P, Kovacs AL. and Steiner U. 2001. *Shineria* larvae gen.nov.sp.nov. isolated from the 1st and 2nd larval stages of *Wohlfahrtia magnifica* (Diptera: Sarcophagidae). *International Journal of Systematic and Evolutionary Microbiology* 51(2): 401-407
- Tsiropoulos GJ. 1976. Bacteria associated with the walnut husk fly, *Rhagoletis completa*. *Environmental Entomology* 5(1): 83-85

- Ueda K, Yamashita A, Ishikawa J, Shimada M, Watsuji TO, Morimura K, Ikeda H, Hattori M and Beppu T. 2004. Genome sequence of *Symbiobacterium thermophilum*, an uncultivable bacterium that depends on microbial commensalism. *Nucleic Acids Research* 32(16): 4937-4944
- van Borm S, Buschinger A, Boomsma JJ and Billen J. 2002. Tetraponera ants have gut symbionts related to nitrogen-fixing root-nodule bacteria. *Proceedings of the Royal Society of London B (Biological Sciences)* 269(1504): 2023–2027
- van Ham RCHJ, Kamerbeek J, Palacios C, Rausell C, Abascal F, Bastolla U, Fernandez JM, Jimenez L, Postigo M, Silva FJ. 2003. Reductive genome evolution in *Buchnera aphidicola*. *Proceedings of the National Academy of Sciences USA* 100(2): 581-586
- Velasco J, Romero C, Lopez-Goni I, Leiva J, Diaz R and Moriyon I. 1998. Evaluation of the relatedness of *Brucella* spp. and *Ochrobactrum anthropi* and description of *Ochrobactrum intermedium* sp. nov., a new species with a closer relationship to *Brucella* spp. *International Journal of Systematic Bacteriology* 48(3): 759-768
- Verghese A, Madhura HS, Jayanthi PDK and Stonehouse JM. 2004. Fruit flies of economic significance in India with special reference to *Bactrocera dorsalis* Hendel. In: *Proceedings of the Sixth International Symposium on Fruit Flies of Economic Importance, Stellenbosch, South Africa, 6-10 May 2002* (BN Barnes, ed.). pp. 317-324
- Virgilio M, Delatte H, Backeljau T and De Meyer M. 2010. Macrogeographic population structuring in the cosmopolitan agricultural pest *Bactrocera cucurbitae* (Diptera: Tephritidae). *Molecular Ecology* 19(): 2713-2724
- Waleron M, Waleron K, Podhajska AJ and Lojkowska E. 2002. Genotyping of bacteria belonging to the former *Erwinia* genus by PCR-RFLP analysis of a *recA* gene fragment. *Microbiology* 148(2): 583-595
- Weems HV Jr and Heppner JB. 2001. Melon fly, *Bactrocera cucurbitae* Coquillett (Insecta: Diptera: Tephritidae). Florida Department of Agriculture and Consumer Services, Division of Plant Industry, and T.R. Fasulo, University of Florida. University of Florida Publication EENY- 199
- Wernegreen JJ. 2002. Genome evolution in bacterial endosymbionts of insects. *Nature Reviews Genetics* 3(11): 850-861

- Werren JH and O'Neill SL. 1997. The evolution of heritable symbionts. In: *Influential Passengers* (SL O'Neill *et al.*, eds.). Oxford University Press, Oxford, pp1-41
- White I. 1987. The status of fruit fly taxonomy and future research priorities. In: *Proceedings of Fruit Flies of Economic Importance*. CEC/IOBS International symposium, Rome, Italy. p 626
- White IM and Elson-Harris MM. 1992. *Fruit flies of Economic Significance: Their Identification and Bionomics*. Centre for Agriculture and Biosciences International, Wallingford, U.K. p 601
- White IM and Hancock DL. 1997. CABIKEY to the Indo-Australasian Dacini Fruit Flies. CAB International, Wallingford, CDROM
- White IM. 2000. Morphological features of the Dacini (Dacinae): their significance to behavior and classification. In: *Fruit Flies (Tephritidae): Phylogeny and Evolution of Behaviour* (M Aluja and AL Norrbom, eds). CRC Press, Boca Raton, FL pp 505-533
- Williams JGK, Kubelik AR, Livak KJ, Rafalski JA and Tingey SV. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* 18(22): 6531-6535
- Wu D, Daugherty SC, Van Aken SE, Pai GH, Watkins KL, Khouri H, Tallon LJ, Zaborsky JM, Dunbar HE and Tran PL. 2006. Metabolic complementarities and genomics of the dual bacterial symbiosis of sharpshooters. *PLoS Biology* 4(6): 1079-1092
- Xiang H, Wei GF, Jia S, Huang J, Miao XX, Zhou Z, Zhao LP and Huang YP. 2006. Microbial communities in the larval midgut of laboratory and field populations of cotton bollworm (*Helicoverpa armigera*). *Canadian Journal Microbiology* 52(11):1085-1092
- Xie L, Hong XY and Xue XF. 2006. Population genetic structure of the two spotted spider mite (Acari: Tetranychidae) from China. *Annals of the Entomological Society of America* 99: 959-965
- Yamvrias C, Panagopoulos C and Psailidus PG. 1970. Preliminary study of the intestinal bacterial flora of the olive fruit fly, *Dacus oleae* (Gmelin). *Annals of the Institute of Phytopathology* 9: 201-206

- Yanagi M and Yamasato K. 1993. Phylogenetic analysis of the family *Rhizobiaceae* and related bacteria by sequencing of 16S rRNA gene using PCR and DNA sequencer. *FEMS Microbiology Letters* 107(1): 115-120
- Yang PJ, Carey JR and Dowell RV. 1994a. Host specific demographic studies of wild *Bactrocera tau* (Walker) (Diptera: Tephritidae). *Pan-Pacific Entomology* 70(3): 253-258
- Yang PJ, Carey JR and Dowell RV. 1994b. Comparative demography of two cucurbit attacking fruit flies, *Bactrocera tau* and *B. cucurbitae* (Diptera: Tephritidae). *Annals of the Entomological Society of America* 87: 538-545
- Yatagai M, Makihara H and Oba K. 2002. Volatile components of Japanese cedar cultivars as repellents related to resistance to *Cryptomeria* bark borer. *Journal of Wood Science* 48(1): 51-55
- Yoshida N, Oeda K, Watanabe E, Mikami T, Fukita Y, Nishimura K, Komai K and Matsuda K. 2001. Protein function - Chaperonin turned insect toxin. *Nature* 411(6833): 44
- Zaka-ur-Rab M. 1984. Host plants of fruit flies (Diptera: Tephritidae) of the Indian sub-continent, exclusively of the sub-family Dacinae. *Journal of the Bombay Natural History Society* 81(1): 99-104
- Zhang B, Liu YH, Wu WX and Wang ZL. 2010. Molecular Phylogeny of *Bactrocera* Species (Diptera: Tephritidae: Dacini) Inferred from Mitochondrial Sequences of 16S rDNA and COI Sequences. *Florida Entomologist* 93(3): 369-377
- Zientz E, Beyaert N, Gross R and Feldhaar H. 2006. Relevance of the endosymbiosis of *Blochmannia floridanus* and carpenter ants at different stages of the life cycle of the host. *Applied and Environmental Microbiology* 72(9): 6027-6033
- Zinder DE and Dworkin M. 2000. Morphological and physiological diversity. In: *The Prokaryotes* (M Dworkin et al., eds.). Springer Verlag, New York (online) <http://www.prokaryotes.com>.

- Zouache K, Voronin D, Tran-Van V, Mousson L, Failloux AB, Mavingui P. 2009 Persistent *Wolbachia* and cultivable bacterial infection in the reproductive and somatic tissues of the mosquito vector *Aedes albopictus*. PLoS ONE 4(7): e6388 doi:10.1371/journal.pone.0006388
- Zwolfer H. 1987. Tephritids as a challenge for taxonomists. In: *Proceedings of Fruit Flies of Economic Importance*. CEC/IOBS International symposium, Rome, Italy p 626