

LIST OF TABLES

Table no.	Title	Page
2.1	Summary of a selected number of examples of insect-bacteria interactions	16-17
3.1	Surveyed locations for sample collection	28-29
3.2a	<i>Bactrocera cucurbitae</i> (Coquillett) isolates used for molecular characterization	31
3.2b	Fruit fly species used for molecular characterization	32-33
3.3	Reagent and concentration of DNA extraction buffer	34
3.4	Base sequences of UEA 7 and UEA 10 primer	34
3.5	GenBank sequences of <i>mtCOI</i> gene of <i>Bactrocera cucurbitae</i> used in phylogenetic analysis	37
3.6	GenBank sequences of <i>mtCOI</i> gene of <i>Bactrocera tau</i> used in phylogenetic analysis	38
3.7	Base sequences of <i>rss</i> gene primers	44
3.8	Bacteria used for multiple sequence alignment	47-48
3.9	Attractancy of promising gut bacteria to fruit fly <i>B. tau</i> (Walker)	48
4.1	Species and infestation index of fruit flies at different locations	52
4.2	Pair wise genetic distance based on <i>mtCOI</i> gene sequences of <i>Bactrocera cucurbitae</i> using the K2P method in MEGA4.1.	98
4.3	Population groups of <i>B. cucurbitae</i> isolates based on their geographical origin	100
4.4	Molecular diversity indices of <i>B. cucurbitae</i>	101

Table no.	Title	Page
4.5	Distribution and frequency of different mitochondrial haplotypes in populations	103
4.6	Pair wise genetic distance based on <i>mtCOI</i> gene sequences between <i>B. tau</i> isolates of India using the K2P method in MEGA4.1	115
4.7	Pair wise genetic distance based on <i>mtCOI</i> gene sequences between <i>B. tau</i> isolates of India and other countries using the K2P method in MEGA4.1	117
4.8	Estimates of evolutionary divergence over sequence pairs between species using the K2P method in MEGA4.1	123
4.9	Isolation of gut bacteria from different populations of <i>B. tau</i>	128
4.10	Attractancy of bacterial isolates against fruit fly, <i>B. tau</i> (Walker)	130
4.11	Morphological, biochemical and molecular characteristics of promising gut bacteria of <i>B. tau</i>	131
4.12	Pair wise genetic distance based on 16S rDNA sequences of gut bacteria of <i>Bactrocera tau</i> and other bacterial sequences	137
4.13	Attractancy of promising gut bacteria isolates to <i>B. tau</i> (Walker)	141
4.14	Identified Chemicals in promising gut bacterial culture of <i>B. tau</i>	143
4.15	Properties of insect related chemicals identified in GCMS analysis	144

LIST OF FIGURES

Fig. No.	Title	Page
4.1	Minimum spanning tree (MST) of mitochondrial haplotypes of <i>B. cucurbitae</i> generated by population genetic analysis software Arlequin 3.1	104
4.2	Distribution map of different mitochondrial haplotypes of <i>Bactrocera cucurbitae</i> populations in India	106
4.3	UPGMA tree based on <i>mtCOI</i> gene sequences showing the relationships between thirty three <i>B. cucurbitae</i> isolates of India and rooted at <i>Locusta migratoria</i> .	108
4.4	Phylogenetic tree based on <i>mtCOI</i> gene sequences showing the relationships between fifty six <i>B. cucurbitae</i> isolates of India and other countries, rooted at <i>Locusta migratoria</i> .	110
4.5	Phylogenetic tree based on <i>mtCOI</i> gene sequences showing the relationships between sixteen <i>B. tau</i> isolates of Himachal Pradesh and rooted at <i>Locusta migratoria</i> .	118
4.6	Phylogenetic tree based on <i>mtCOI</i> gene sequences showing the relationships between twenty eight <i>B. tau</i> isolates of India and other countries and rooted at <i>Locusta migratoria</i> .	119
4.7	Phylogenetic tree based on <i>mtCOI</i> gene sequences showing the relationships between eight species of <i>Bactrocera</i> and <i>Dacus</i> spp. of India rooted at <i>Locusta migratoria</i> .	125
4.8	Phylogenetic tree based on 16S rDNA gene sequences showing the relationships between five gut bacterial isolates of <i>Bactrocera tau</i> .	138

LIST OF PLATES

Plate no.	Title	Page
4.1	Morphographs of <i>Bactrocera correcta</i> (Bezzi)	57
4.2	Morphographs of <i>Bactrocera dorsalis</i> (Hendel)	60
4.3	Morphographs of <i>Bactrocera latifrons</i> (Hendel)	62
4.4	Morphographs of <i>Bactrocera nigrofemoralis</i> White & Tsuruta	64
4.5	Morphographs of <i>Bactrocera paraverbascifoliae</i> Drew & Raghu	66
4.6	Morphographs of <i>Bactrocera zonata</i> (Saunders)	68
4.7	Morphographs of <i>Bactrocera diversa</i> (Coquillett)	71
4.8	Morphographs of <i>Bactrocera trilineata</i> (Hardy)	73
4.9	Morphographs of <i>Bactrocera cucurbitae</i> (Coquillett)	75
4.10	Morphographs of <i>Bactrocera scutellaris</i> (Coquillett)	78
4.11	Morphographs of <i>Bactrocera tau</i> (Walker)	80
4.12	Morphographs of <i>Dacus longicornis</i> Wiedemann	83
4.13	Morphographs of <i>Dacus sphaeroidalis</i> (Bezzi)	85
4.14	Morphographs of <i>Dacus (Callantra) sp.</i>	87
4.15	Morphographs of <i>Cyrtostola limbata</i> (Hendel)	89
4.16	Morphographs of <i>Pliomelaena udhampurensis</i> Agarwal & Kapoor	91
4.17	Morphographs of <i>Dioxya sororcula</i> (Wiedemann)	93
4.18	<i>mtCOI</i> gene PCR product of <i>Bactrocera cucurbitae</i> isolates amplified by using gene specific markers	99
4.19	Minimum spanning network of the 14 mitochondrial haplotypes, observed in a set of 33 individuals from all 5 <i>Bactrocera cucurbitae</i> populations	105
4.20	<i>mtCOI</i> gene PCR product of <i>Bactrocera tau</i> isolates amplified by using gene specific markers	113
4.21	<i>mtCOI</i> gene PCR product of fruit fly species isolates amplified by using gene specific markers	121
4.22	16S <i>rRNA</i> gene PCR product of gut bacterial isolates of <i>B. tau</i> (Walker) amplified by using gene specific markers	133
4.23	Promising gut bacteria of <i>Bactrocera tau</i>	134
4.24	GCMS chromatogram of promising gut bacteria of <i>Bactrocera tau</i>	145