

References

REFERENCES

- Adhikary, A. K. 1974. Precise determination of centromere locations. *Cytologia.*, **39**: 11-16.
- Agarwal, P. K. Singh, D. and Dadlani, M. 1988. Identification of Cotton Hybrid Seeds using PAGE. *Seed. Sci. Technol.*, **16** : 563-569.
- Ahmad, F. and Slinkard, A. E. 1992. Genetic relationships in the genus *Cicer* L. as revealed by polyacrylamide gel electrophoresis of seed storage proteins. *TAG.*, **84**: 688-692.
- Aiyer, K. N. and Kolammal, M. 1964 Pharmacognosy of Ayurvedic Drugs, Kerala. Univ. of Kerala. Series , **8** : 11 - 19.
- Allen, O. N. and Allen, E. K. 1981. The Leguminosae. A Source Book of characteristics, uses and nodulation. Univ.of Wisconsin Press pp 171-172.
- Ambasta, S. P. 1986. The usefulplants of India. Publications and Information Directorate, New Delhi Pp-133.
- Annonymous. 1974. Screening of germplasm collection of forage legumes. Indian Grassland and Fodder Research Institute Jhansi. Annual Report. ICAR. New Delhi. Pp 34-35.
- Arroyo, K.M. T. 1981. Breeding systems and pollination biology in Leguminosae. In advances in Legume systematics (R. M. Polhill and P. H. Raven, eds.), Royal Botanic Gardens, Kew., London. Part -2 Pp-723-769.
- Babu, C. R. 1977. Herbaceous flora Dehradun. Publication and Information directorate (C.S.I.R.), New-Delhi. Pp. 721.
- Bachmann, K., Goin, O. B. and Goin, C. J. 1972. Nuclear DNA amounts in vertebrates. *Brookhaven symp. Biol.*, **23** : 419 - 450.
- Banerjee, S. and Sharma, A. K. 1987. Cytophotometric estimation of Nuclear DNA in Different species and Varieties of Agave. *Cytologia.*, **52**: 85-90.
- Belling, J. 1928. The iron aceto-carmine method of fixing and staining chromosomes. *Biol. Bull.*, **50**: 160-162.



- Bennett, M. D and Smith, J. B. 1976. Nuclear DNA amounts in angiosperms. *Phil. Trans. Roy. Soc. London. Ser. B.* **274**: 227-274.
- Bennett, M. D. 1971. The duration of meiosis . *Proc. Roy. Soc. London B.* **178**: 277-299.
- Bennett, M. D. 1972. Nuclear DNA content and minimum generation time in herbaceous plants. *Proc. Roy. Soc. London., B-* **181**: 109 - 135.
- Bennett, M. D. 1973. Nuclear characters in plants Basic mechanism in plant morphogenesis Bookhaven symposium in biology **25**: 344-366.
- Bennett, M. D. 1984. The genome, natural karyotype and biosystematics. Pp-41-46. In: Plant Biosystematics (Ed.) W. F. Grant. Academic Press. London.
- Bennett, M. D. 1985. Interspecific variation in DNA amount and nucleotypic dimension in plant Genetics In: Freeling M (Ed.). Plant Genetics Pp. 283- Alon R Liss New-york.
- Bennett, M. D. 1987. Variation in genomic form in plants and its ecological implication. *New Phytol.* **106**: 177-200.
- Bennett, M. D. and Leitch, I. J. 1995. Nuclear DNA Amounts in Angiosperms. *Annals of Botany.*, **76** : 113 -176.
- Bennett, M. D. and Leitch, I. J. 1997. Nuclear DNA variation in Angiosperms - 583 New Estimates. *Annals of Botany.*, **80**: 169-196.
- Bennett, M. D., Sajid, G. M., Chatterton, N. J. and Asay, K. H. 1991. Electrophoretic Characterisation of quackgrass X bluebunch Wheat grass Hybrid Seed. *Seed. Sci. A. Technol.*, **19** : 355-362.
- Bennett, M. D., Smith, J. B and Hesslop-Harisson, J. 1982. Nuclear DNA amounts in angiosperms. *Proc. Roy. Soc. Lond.*, **B. 216**:179-199.
- Bennett, M. D., Smith, J. B. 1991. Nuclear DNA amount in angiosperms. *Philosophical Transactions of the Royal Society of London B.*, **334**: 309-345.
- Bennett, M.D. 1987. Variation in genomic form in plants and its ecological implications. *New Phytol.* **106**: 177-200.

- Bennett, S. T. and Bennett, M. D. 1992. Variation in Nuclear DNA amount between wild and cultivated populations of *Milium effusum* ($2n = 28$). *Genome.*, **35** : 1050-1053.
- Bentham, G. 1858. Synopsis of the genus Clitoria. *Journ. Proc. Linn. Soc. Bot.*, 269 – 287.
- Bentham, G. and Hooker, J. D. 1865. Genera plantarum, Vol. I (2) : Lovell Reeve and Co. London. Pp. 434 – 600. Bessey, C. E. 1915. The phylogenetic taxonomy of flowering plants. *An. Missouri Bot. Gard.*, **2**: 109 – 162.
- Bessey, C. E. 1915. The phylogenetic taxonomy of flowering plants An. Missouri. Bot. Ard. 2: 109-162.
- Bhaumik, G. H. and G. C. Das. 1983. Clitoria arborescens new record (Fabaceae) and rare from India. *J. Econ. Taxon. Bot.* **4 (2)** : 607- 608.
- Bir, S. S. and kumari, S. 1978. IOPB Chromosome number reports. LIX. *Taxon.*, **27** : 53- 61.
- Boulter, D. and Thurman, D. A. 1968. Acrylamide Gel Electrophoresis of protein in plant systematics. *Systematics Asoe. Spe.* **2**: 39-48.
- Boulter, D., Thurman, D. A and Turner, B. L. 1966. The use of disc electrophoresis of plant proteins in systematics. *Taxon.* **15** (4) : 135-143.
- *Bryene, J. 1678. Exoticarum Aliaromque minus Congnitarum Plantarum., Centuria Prima, cum figures Aeneis Summo Studio Elaborates Danzig. Pp. 76 – 78.
- Burkill, I.H. 1935. A dictionary of the economic products of the Malay Peninsula. Vol. 1. Crown Agents, London.
- *Burns. W. 1918. Firmingers Manual of ardening. Thacker Spink and Co.,
- Bushuk, W. and Zillman, R.R. 1978. Wheat Cultivar Identification by Gliadin Electrphoregrams. 1. Apparatus, Method and Nomenclature. *Can. J. Plant. Sci.*, **58**: 505-515.
- Candolle, A. P. de. 1825. Memoires sur la Famille de Legumineues (Nr. I – xv). A Berlin, Paris, (facsimile ed. Lehre 1966),, Pp 236 – 240.

- Cavalier- Smith, T. 1985 c. In: T. The evolution of genome size Cavalier- Smith. Chichester: John willey and Sons., 69-103.
- Cavallini, A. and Natali, L. 1991. Intraspecific variation of nuclear DNA content in plant species. *Caryologia.*, **44**: 93-107.
- Cavallini, A., Natali, L., Cionini, G and Gennai, D. 1993. Nuclear DNA variability within *Pisum sativum* (*Leguminosae*): nucleotypic effects on plant growth. *Heredity.*, **70** : 561-565.
- Ceccarelli, M., Minnelli, S., Maggini, F. and Cionini, P. G. 1994. Genome size variation in *Vicia faba*. *Heredity.*, **74** : 180-187.
- Celarier, R. D. 1956. Tertiary butyl-alcohol dehydration of chromosome smears. *Stain. Tech.*, **31** : 153-157.
- Chakrabarty, A. K. 1970. Forage production from arid deserts. *Indian Fmg.*, **20** (9): 15-17.
- Chattopadhyay, D. and Sharma, A. K. 1990. Chromosome Studies and Estimation of Nuclear DNA in different Varieties of *Cuminum cyminum* L. and *Carum copticum* Benth. And Hook. *Cytologia.*, **55** : 631-637.
- Chopra, R. N., Badwar, R. L. and Ghosh, S. 1949. Poisonous plants of India Govt. of India Press, Calcutta. Vol. 1: **41-45**, 339-340, 465-467.
- Chopra, R. N., Chopra, I. C., Honda, K. L and Kapur, L. D. 1958. In Indigenous drugs of India 2nd Ed. U. N. Dhua and Sons Calcutta.
- Chow, K. H. 1978. Inheritance of flower colour in *clitoria* (*Clitoria ternatea*L.). *The Malayan Nature. J.*, **31 (3)** : 167-172.
- Clausen, T. 1951. Stages in the evolution of plant species Cornell. Univ. press. Ithiaca. New-york.
- Cooke, J. 1908. The flora of presidency of Bombay. Bot. Surv. Of India, Calcutta. Vol. **1**. pp.632.
- Cooke, R. J. 1983. The characteristics of *Pisum sativum* L. (partim)(Field Pea) Cultivars by Sodium Dodecyl Sulphate-Polyacrylamide Gel Electrophoresis. *J. Natn. Inst. Agric. Bot.*, **16**: 213-220.
- Cooke, R. J. 1984. The characterization and identification of crop cultivars of electrophoresis. *Electrophoresis.* **5**: 59-72.

- Cooke, R. J. Parnell, A. and Draper, S. R. 1984. The Application of Different Electrophoresis Methods to Cultivar Identification. Proc. International Seed Testing Association Cambridge England International Seed Testing Association Zurich, Switzerland., Pp: 32-40.
- Crowder, L. V. 1974. *C. ternatae* L. Due as a forage and cover crop. *A Review of Nigerian Agric. J.* **11** (1): 61-65.
- Darlington, C. D and Janaki Ammal, E. K. 1945. Chromosome atlas of cultivated plants. George Atlas and Unwin limited.London.Pp-397.
- Das, A. and Mallick, R. 1989. Variation in Karyotype and Nuclear DNA Content in Different Varieties of *Foeniculum vulgare* Mill. *Cytologia.*, **54**: 129-134.
- Das, A. B., Mohanty, S and Das, P. a. 2000. Cytophotometric Estimation of 4C DNA relationship in four Cereal genomes. *Chromosoma* **63**: 205-222.
- Das, A. B., Mohanty, S. R., Mans, R. H and Dasa, P. b. 2000. Interspecific variations of nuclear DNA content and karyotype diversity in Ferocactus. *Cytologia.* **65**: 49-56.
- Dastur, J. F. 1962. Medicinal plants of India and Pakistan. Taraporevala Sons and Co., Bombay 2nd ed: 59-60.
- Dolzel, J and Novak, F. J. 1984. A standard methods of measurement of nuclear DNA content in *Allium cepa* L., cells by absorption cytophotometry microscopic **41**: 325-341.
- du. Cros. D.L. and Wrigley, C. W. 1979. Improved electrophoretic methods for Identifying cereal varieties. *J. Sci. Food. Agric.* **30**: 785-794.
- Duehrssen, E., Lanzendorfer,M and Neuman, K. H. 1984. Comparative investigations on DNA organization of some varieties of *Daucus carota*. 2. *Pflanzen Physiol.* **113**(3): 223-230.
- Duke, E. J and Glassman, E. 1968. Evolution of xanthine dehydrogenase in *Drosophila*. *Genetics*. **58**: 101-112.
- Duke, J. A. 1986. In Isthmian ethanobotanical dictionary: 3rd Ed. Scientific Publishers, Jodhpur.

- Duke, J. A. and Reed, C. F. 1981. In: Hand Book of Legumes of World Economic importance. By J. A. Duke, U. S. Dept of Agri Maryland, Plenum press New-York London., Pp-58-59.
- Dymock, W., Warden, C. H. and Hooper, D. 1890. Pharmacographia India . Shri, Calcutta.
- Dymock. W. 1885. In the vegetable material medica of Western India Richardson, London.
- Engler. A. and Prantl. K. A. 1930. Die Naturlichen Pflanzenfamilien 2 Auf Leipzig Pp – 1887-1909.
- Fantz, Paul. R. 1977. A monograph of the genus *Clitoria* (leguminosae: Glycineae). Ph. D. Thesis submitted to Univ. of Florida. *Dissertation Abstracts International* B. 1978 ., **38** : 11: 5162.
- Fantz, Paul. R. 1990. *Clitoria* (Leguminosae) Antillarum. *Moscosoa* . Pp-152-166.
- Fantz, Paul. R. 1991. Ethanobotany of *Clitoria* (Leguminosae). *Econ. Bot.* **45** (4): 511-520.
- Fantz, Paul. R. 1993. New taxa of *Clitoria* in Southeast Asia *Novon* **3**(4), 352-355.
- Fantz, Paul. R. and Predeep, S. V. 1995. *Clitoria* (Leguminosae) of Southeastern Asia. Bulletin of Botanical Sources of India.
- Farinas, E. C. 1951. Ipil-ipil, the “alfalfa” of the tropics: its establishment, culture and utilization as fodder and pasture crop. Philipp. *J. Anim. Ind.*, **12**: 65-85.
- Fedorov, A. 1974. Chromosome number of flowering plants Otto koeltz Science Publishers, West-Germany. Pp. 926.
- Ferguson, J. M. and Grabe, D. F. 1985. Identification of Cultivars of Perennial Ryegrass by SDS-PAGE of Seed proteins. *Crop. Sci.*, **26** : 170-176.
- Flavell, R. B. 1982. Amplification deletion and rearrangement major sources of variation during species divergence. In: Dover, G. A. Flavell Rb (Eds.). Genome evolution Academic Press London Pp-301-324.

- Flavell, R. B. 1986. Repetative DNA and chromosome evolution in plants. Phil. Proc. Roy. Soc. London, Ser B. Biol. Sci. **311**: 227-242.
- Flavell, R. B. 1986. Repetitive DNA and chromosome evolution in plants. *Philos Trans R. Soc. London. Ser. B*, **312**: 327-342.
- Flavell, R. B., O. Dell. M. and Hutchinson, J. 1981. Nucleotide sequence organization in plant chromosomes and evidence for sequence translocation during evolution Cold spring Harbor Symp. Quant. Biol. **45**: 501-508.
- Flavell, R. B., Rimpau, J and Smith, D. B. 1977. Repeated sequence DNA relationships in four cereal genomes. *Chromosoma*. **63**: 205-222.
- Foseberg, F. R. 1942. Subspecies and varieties. *Rhodora*. **44**: 153-157.
- Fukuda, I and Grant, W. F. 1980. Chromosome variation and evolution In: *Trillium grandiflorum*. Can. J. Genet Cytol. **22** : 81-91.
- Fukuda, I. 1984. Chromosome banding and biosystematics Pp-97-116. In: Plant Biosystematics (Ed.) Grant, W. F. Academic Press, London.
- Furuta, Y., Nishika,K., Makino,T. 1975. Interspecific variation in nuclear DNA cintent in Aegilops squarrossa. *Japanese Journal of Genetics*. **50**: 257-263.
- Gamal El-Din, A. Y. Ebtissan, H. A. Hussein, H. P. Muller and Stegman A. H. 1984. Phylogenetic studies on Pisum II Electrophoretic identification of taxa. *J. Genet. Cytol.*, **13**: 143-157.
- Gamble, J. S. 1935. Flora of presidency of Madras. Bot. Surv. Of India, Calcutta. Vol. **1**. pp 408.
- Gandhi, S. S. and Patil, V. P. 1994. Meiotic Chromosome Behaviour in *Clitoria Ternatea* L., and C. biflora. *Cytologia*. **59**: 103-107.
- Gaul, H. 1959. A critical survey of genome analysis. Proc. Int. Wheat Genet. Symp. 1: 194-404.
- George, M and Ninan, C. A. 1989. Karyomorphological studies on five varieties of C. ternatea L., *Cytologia*., **54**: 401-407.
- George, M. and George, K. 1978. Reverse somatic mutations in *Clitoria ternatea* L. *Sci. and Cul.*, **44** (10) : 459-461.

- Good, R. 1974. The geography of the flowering plants. Longman Group Ltd, London. Pp.557.
- Goodrich, W.J., Cooke, R. J. and Morgan, A. G. 1985. The Application of Electrophoresis to the Characterisation of Cultivars of *Vicia faba* L. *FABIS newsletter.*, **13** : 8-11.
- Gottleib, L. D. 1977. Electrophoretic evidence and plant systematics. *Ann. Missouri. Bot. Gard.* **64**: 161-180.
- Gottleib, L. D. 1984. Isozyme evidence and problem solving in plant systematics Pp. 343-357. In; Plant Biosystematics (Ed.). Grant, W. F., Academic Press London.
- Grant, V. 1963. The origin of adaptations. Columbia University Press. New-york.
- Grant, W. F. 1987. Genome differentiation in higher plants. In differntiation patterns in higher plants chapter 1 : 9-32 (Ed.). K. M.Umbasta Academic Press.London.
- Greenlee, J. K., Rai, K. S. and Floyd, A. D. 1984. Intraspecific Variation in Nuclear DNA Content in *Collinsia verna* Nutt. (Scrophulariaceae). *Heredity.*, **52** (2) : 235-242.
- Greilhuber, J and Ehrendorfer, F. 1988. Karyological approaches in Plant Taxonomy. *ISI Atlas, Sci; Plants and Animals.* **1**: 289-297.
- Greilhuber, J. 1998. Intraspecific Variation in Genome size: A Critical Reassessment. *Annuals of Botany.*, **82** : 27-35.
- Hall. T. J. 1985. Adaptation and agronomy of *Clitoria ternatea* in Northern Australia. *Trop. Grassland.*, **19** (4): 156-163.
- Hamdi, Y. A. 1982. Legume inoculants, legume inoculation and improving soil fertility. *FAO Soils Bull.*, **45**: 193-2002.
- Hegarty, M.P. and Pound, A. w. 1968. Indospicine, a new hepatotoxic amino acid from *Indigofera speciata*. *Nature*, **217**: 354-355.
- Hemilton, R.I., Lambourne, L. J., Roe, R and Minson, D. J. 1970. Quality of tropical grasses for milk production. Proc. 11th Int. Grassl. Congr., Surfers Paradise. Australia, 860-862.

- Heneen, W.K. 1977. Chromosome polymorphism in isolated populations of *Elymus* (*Agropyron*). *Hereditas.* **86**: 237-244.
- *Heyne, K. 1927. In De Nuttige Planten Netherlandsch. Indie Reygrok. Batavia.
- Hilu, K. W. 1994. Evidences from RAPD markers in the evolution of *Echinochola millets* (Poaceae). *Pt. syst. Evol.* **189**: 247-257.
- Hooker, J. D. 1879. Flora of British India., **II** : 208-209.
- Hore, A. 1976. Cytological studies of the genus *Foeniculum* (Umbelliferae). *Indian Agric.* **20**: 183-191.
- Hore, A. 1977 a . Study of the structure and behaviour of chromosome of the different varieties of *Apium graveolins* . *Cytologia* **42**: 21-28.
- Hore, A. 1977 b. Study of structure and behaviour of chromosomes of different agricultural strains of *Coriander sativum* (Coriander). *Caryologia*. **30**: 445-459.
- Hussain, A., Bushuk, W. and Roca, W. M. 1988. Identification of Cultivars of the Forage Legume *Pueraria phaseoloides* by Electrophoretic Patterns of Storage Proteins. *Euphytica.*, **41** : 71-73.
- Hussain, A., Ramirez, H. Bushuk, W. and Roca, W. 1986. Field Bean (*Phaseolus vulgaris* L.) Cultivar Identification by Electrophoregrams of Cotyledon Storage Proteins. *Euphytica.*, **35** : 729-732.
- Hussain, A., Ramirez, H. R. Bushuk, W. and Roca, W. 1989. Field Bean (*Phaseolus vulgaris* L.) Cultivar Identification by Electrophoregrams of Cotyledon Storage Proteins. *Euphytica.*, **35** : 729-732.
- Hussain, A., Ramirez, H., Bushuk and Roca, W. 1987. Identification of cultivars of forage Legume (Desmodium ovalifolium Grill Et Peu). By their electrophoretic patterns. *Can. J. Plant. Sci.* **67**: 713-717.
- Hussain, E . H and EL-Adibin Salam, A. Z. 1985. Evolutionary relationships amount *Vicia* species as revealed by electrophoretic studies.
- Hutchinson, J. 1926. The Families of Flowering plants Vol. I. Dicotyledons. London. Pp. 328.
- Hutchinson, J. 1964. The Genera of Flowering plants. Clarendon Press. Oxford. Pp. 516.

Hutchinson, J. 1969. Evolution and phylogeny of Flowering plants. Academic Press, London., Pp. 67- 106.

Hutton, E. M. and Bonner, I. 1960. Dry matter and protein yields of four strains of *Leucaena glauca* Benth *J. Aust. Inst. Agric. Sci.*, **26** : 276-277.

Huziwara, Y. 1962. Karyotype analysis in some genera of compositeae. VIII. Further studies on the chromosome of Aster. *Am. J. Bot.* **49**: 16-119.

Index Kewensis. 1885-1985. Royal Botanic Gardens. Published , tu charden press Oxford.

Jackson, R. C. 1971. The karyotype in systematics .*Amm. Rev. Ecol. Syst.* **2**: 327-368.

Jackson, R. C. 1985. Genomic differentiation and its effects on gene flow. *Syst. Bot.* **10**: 391-401.

Jauhar, P. P. and Crane, C. F. 1989: An evaluation of Baum et al., assessment of the genomic system of classification in the triticeae. *Amm. J. Bot.* **76**: 571-576.

Jauhar, P. P. and Joppa, L. R. 1996. Chromosome pairing as a tool in genome analysis: Merits and limitation . In Jauhar, P. P. (Ed.), methods of genome analysis in plants 9-37. CRC Press Inc. Boca Raton, USA.

Jayweera, D. M. 1981. Medicinal plants (indigenous and exotic) used in Ceylon. *The National Science Council of SriLanka, Colombo.* **3**: 191.

Jha, S. S. and Ohri, D. 1996. Phylogenetic Relationships of *Cajanus cajan* (L.) Millsp. (pigeonpea) and its wild Relatives Based on Seed Protein Profiles. *Genet.*

Johnson, B. L and Thein, M. M. 1970. Assessment of evolutionary affinities in *Gossypium* By protein electrophoresis. *Amm. J. Bot.* **57**(9) 1081-1092.

Johnson, B. L. 1969. The protein electrophores is approach to species relationships in wheat. In: Genetic Lectures. Volume. 1 (Ed. Bongart, R). Pp. 18-44. Corvallis: Oregon State Uni. Press.

Johnson, B.L., Barn hart, D., Hall,O. 1967. Analysis of genome and species relationships in the polyploid wheats by protein electrophoresis. *Amm. J. Bot.* **54**: 1089-1098.

- Jones, G. N. 1955. Leguminales, a new ordinal name. *Taxon*, **4**: 172 – 189.
- Jones, K. 1984. Cytology and Biosystematics in Grant, W. F. (Ed.) Plants Biosystematics Pp. 25-39. Academic. Press. Canada. Don Mills Ontario.
- Jones, R. N. and Brown, L. M. 1976. Chromosome evolution and DNA variation in *Crepis*. Heredity. 36: 91 – 104. *Resources. and Plant . Evol.*, **43** : 275-281.
- Kapse, S. S and Nerkar, Y. S. 1985. Polyacrylamide gel electrophoresis of soluble seed proteins in relation to cultivar identification in Cotton. *Seed Sci. and Technol.* **13**: 847-852.
- Katiyar, R. C., Ranjhan, S. K and Shukla, K. S. 1970. Yield and nutrient value of *Clitoria ternatea*-a wild perennial legume for sheep. *Indian J. Dairy Sci.* **23**: 79-81.
- Kelsey, Harlan. P. and William, A. Dayton 1942. Standardised plant names. 2nd edn. Horrace Mc Farland .Co. Harrisburg Pennsylvania.
- Kihara, H. 1930. Genomanalyse bei *Triticum* and *Aegilops* L. *Cytologia*, **2**: 106-156.
- Kimbler, G., Alonso, L. C. and Sallee, P. J. 1981. The analysis of meiosis in hybrids I. *Can. J. Genet. Cytol.* **23**: 209-213.
- Kirtikar, K. R., and Basu, B. D. 1918. Indian medicinal plants. Sudhindranath Basu, Calcutta 448-449.
- Kulkarni, C., J. R. Pattanshetty and G. Amrutraj. 1988. Effect of alcoholic extract of *C. ternatea*. Linn on central nervous system of rodents. *Indian J. Exp. Biol.* **20** (12): 957-960.
- Kunkel, G. 1984. In: Plants for Human consumption; an annotated checklist of the edible phaeogame and ferns. Koeltz Scientific Books Koenigstein Fed. Rep. Germany.
- Labani, R. M. and Elkington, T. T. 1987. Nuclear DNA variation in the genus *Allium* L. (Liliaceae). *Heredity.*, **59** : 119-128.
- Lackey, J. A. 1977. A revised classification of the tribe *Phaseoleae* (Leguminoasae : Papilionoideae) and its relation to canavanine distribution). *Bot. J. Linn. Soc.*, **74** : 163 – 178.

- Lackey, J. A. 1980. Chromosome numbers in *phaseoleae* and their relation to taxonomy. *Amer. J. Bot.*, **67** (4): 595-602.
- LaCour, L. 1941. Aceto-orcein. A new stain fixative for chromosome. *Stain Tech.* **16**: 169-174.
- Ladizinsky, G and Adler, A. 1975. The origin of chickpea *Cicer arietinum* as indicated by seed protein electrophoresis., *Israel. J. Bot.* **24**:183-187.
- Laemmli, U. K. 1970. Cleavage of structural protein during the assembly of the head of bacteriophage T4. *Nature*. **227**: 680-685.
- Ladizinsky, G. 1975. Seed Protein Electrophoresis of the Wild and Cultivated species of Selection of *Faba* of *Vicia*. *Euphytica*. **24** : 785-788.
- Ladizinsky, G. and Hymowitz, T. 1979. Seed Protein Electrophoresis in Taxonomic and Evolutionary Studies. *TAG*. **54** : 145-151.
- Rayburn, L. A., Biradar, D. P., Bullock, D. G., and McMurphy, L. M. 1993. Nuclear DNA content in F₁ hybrids of Maize. *Heredity*. **70** : 294 – 300.
- Rayburn, L. A., Price, H. J., Smith, J. D. and Gold, J. R. 1985. C-band heterochromatin and DNA content in *Zea mays*. *Amm. Jour. Of Bot.* **72**: 1610-1617.
- Laurie, D. A and Bennett, M. D. 1985. Nuclear DNA content in the genera *Zea* and *Sorghum*. Intergeneric, Interspecific and intraspecific variation. *Heredity*. **55**: 307-313.
- Laurie, D. A. and Bennett, M. D. 1985. Nuclear DNA content in the genera *Zea* and *Sorghum*. Intergeneric, interspecific and intraspecific variation. *Heredity*, **55** : 307-313.
- Lavania, V. C and Sharma, A. K. 1983. Chromosome banding in evolutionary plant cytogenetics. *Proc. Indian. Acad. Sci. (P. Sci.)*. **92**: 51-79.
- Lawrence, M. E. 1985. Seneciol. (Asteraceae) in Australia Nuclear DNA amounts. *Australian Journal of Botany*. **65**: 49-56.
- Liener, I. E. 1983. Toxic constituents in legumes, chemistry and Biochemistry of legumes Edward Arnold. London.

- Lillie, R. D. 1951. Simplification of the manufacture of Schief reagent for use in Histochemical procedures, *Stain. Tech.*, **26**: 163-165.
- Lowry, J. B and L. Chew. 1974. On the use of extracted anthocyanin as a food dye. *Econ. Bot.* **28**(1): 61-62.
- Lowry, O. H., N. S. Rosebrough, A. L. Fan and R. J. Randl. 1951. Protein measurement with Folin Reagent. *J. Biol. Chem.* **193**: 265-275.
- McDaniel, R. G. 1970. Electrophoretic characterization of proteins in *Hordeum*. *J. Hered.* **61**: 243-247.
- Mejia, L. and McDaniel, R. G. 1986. Electrophoretic characterization of Lettuce cultivars. *Hort. Science* **21** (2): 278-280.
- Mesa, J. T.R. 1945. In plantas medicinales aromaticas O venenosa as de Cuba. Republica de Cuba Ministerio de Agricultura. Havana.
- Milford, R. 1967. Nutritive values and chemical composition of seven tropical legumes and leucerne grown in subtropical South eastern Queensland. *Aust. J. Exp. Agric. Anim. Husb.* **7**: 540-545.
- Mitra, J. 1974. History of Indian medicine from pre-mauryan to Kusana period, Jyotiralok Prakashan Varnasi.
- Moller, M. and Spoor, W. 1993. Discrimination and Identification of *Lolium* Species and Cultivars by SDS-PAGE electrophoresis of Seed Storage Proteins. *Seed. Sci.A. Technol.*, **21** : 213-223.
- Morton, J. F. 1983. Atlas of Medicinal plants of middle America, Bahamas to Yucatan. Charles C Thomas, Springfield, IL. 303-304.
- Mowforth, M. A and Grime, J. P. 1989. Intera-population variation in nuclear DNA amount, cell size and growth rate in *Poa* annual. *Functional Ecology* **3**: 289-295.
- Mukarji. 1889. *Clitoria*. A dictionary of the economic products of India Supt. Govt. Printing, Calcutta.
- Mukerjee, S and Sharma, A. K. 1990. Interaspecific variation of *Capsicum annuum* L. *Proc. Indian Acad. Sci. (Plant Sci)* 100.
- Muntzing, A. 1937. Effects of chromosomal variation in *Dactylis*. *Hereditas*, **23**: 113-235.

- Nadkarni, K. M. 1927. Indian material medica. Shri. Butkar, Bombay.
- Newman, D. M. R. 1968. A comparison of the nutritional value of *Stylosanthes humilis*, *Stylosanthes guyanensis* and introduced grasses in northern Australia. *Aust. J. Exp. Agric. Anim. Husb.*, **8** : 172-176.
- Oakes, A. J. 1968. *Leucaena leucocephala*: description, culture, utilization. *Adv. Frontiers. Plant Sci.* **20**: 1-114.
- Ohri, D. and Pal, M. 1991. The origin of chickpea (*Cicer arietinum* L.): karyotype and nuclear DNA amount. *Heredity.*, **66** : 367-372.
- Ohri, D. Jha, S. S and Sudarshankumar. 1994. Variability in nuclear DNA content within pigeonpea, *Cajanus cajan* (Fabaceae). *Pl. Syst. Evol.* **189** : 211-216.
- Ohri, D., Khoshoo, T. N. 1986 a. Genome size in gymnosperms. *plant systematics and evolution.* **153** : 119-132.
- Osman, A. E and A. A. A. Diek. 1982. Effects of defoliation on yield and forage quality of some tropical legumes and their mixtures. *Exptl. Agric.* **18** (2): 157-166.
- Panda, R. C., Aniel Kumar, O and Raja Rao, K. G. 1986. The use of seed protein electrophoresis in the study of phylogenetic relationship in chilli pepper (*Capsicum* L.). *Appl. Gen.* **72**: 665-670.
- Pathak, A. N. and Chattopadhyay, N. C. 1989. Characterisation of Jute (*Corchorus* sp.) Cultivars by Polyacrylamide gel Electrophoresis of Soluble Seed Proteins. *Indian. J. Exp. Biol.* **27**: 196-197.
- Polhil, R. M. Raven. P.H and Stirton, C. H. 1981. Evolution and Systematics of the Legume Systyemetics (R.M Polhill and P. H. Raven, Eds). Royal Botanic Gardens. Kew London. Part I Pp- 1-26.
- Polomino, G. Rmo, G. and Zarate, S. 1995. Chromosome Numbers and DNA Content in Some Taxa of *Leucaena* (Fabaceae Mimisoideae). *Cytologia.*, **60** : 31-37.
- Price, H. J. 1988. Nuclear DNA content variation within angiosperm species *Evol. Trends Plants* **2** (1): 53-60.

- Price, H. J., Chambers. K. L and Bachmann,K. 1981. Genome size variation in diploid *Microseris. bigelovis* (Asteraceae). *Bot. Gtaz.* **142**: 156-159.
- Price, J. H and Bachman, K. 1975. DNA content and evolution in the Microseridinae, *Amm. J. Bot.* **62**: 262-267.
- Price, J. H. 1976. Evolution of DNA Content in Higher Plant. *The. Bot. Rev.* **42** : 27-52.
- Price, J. H., Bachman, K., Chamber, K. L and Riggs, J. 1980. Detection of interaspecific variation in nuclear DNA amount in *Microseris douglaii*. *Bot. Gaz.* **141**(2): 195-198.
- Price, J. H., Jhonston, J. S. 1996. Influence of light on DNA content of *Helianthus annuus* L., Proeedings of the *Natural Academy of Science USA*. **93**: 11264-11267.
- Price, J. H.1976. Evolution of DNA content in higher plants .*The Botanical Review.*, **42** : 27 - 52.
- Quisumbing, E. 1951. Medicinal plants of the Philippines. Dept. Agric & Nat. Resources, Philippines, *Tech. Bull.* **16**: 387-389.
- Rai, P. K and Kanodia, K. C 1980. Seasonal variation in forage production and chemical constituents in the tropical legumes under rainfed conditions. *Indain J. of Ecol.* **2**: 268-275.
- Raina, S. N. 1990. Genome organiztion and evolution and evolutionin the genus *Vicia*. In: S. Kawano, (Ed). Biological approaches and Evolutionary trends in plants Pp-183-201. Academic press., London.
- Raina, S. N. and Bisht,M. S. 1988. DNA amount and chromosome compactness in *Vicia*, *Genetica* (The Hague) **77**: 65-77.
- Raina, S. N. and Rees, H. 1983. DNA – variation between and within Chromosome Complements of *Vicia* species. *Heredity.*, **51**: 335-346.
- Rant, A. 1922. Einige beobachitungen bei *Clitoria ternatea* L. *Bull. Jard. Bot. Buitenz.*, **4** : 241-246.
- Rees, H and Hazarika, M. H. 1967. Chrcmosome evolution in *Lathyrus* Pp-158-165 in C. D. Darlington and K. R. Lewis (editors). *Chromosomes Today*. Volume. 2. Plenum Press New-York.

- Rees, H. and Jones, R. N. 1972. The origin of the wide species variation in nuclear DNA content Int. Rev. Cytol., **32** : 53 – 92.
- Rees, R. W., Fox, D. P and Mahler, E. P. 1976. DNA content reiteration and satellites in Dermesters Ceur. Chrom. Res., (K. Jones and Brandmann. P. E Ed.) Elsevier/North Holland. Bio-medical Press. Amsterdam.Pp. 33-41.
- Richardson, W. L. 1958. A technique of emasculating small grass florets. Ind. J. Genetic. Plant Breeding. 18: 69-73.
- Riley, R and Chapman, V. 1958: Genetic control of the cytological diploid behaviour of hexaploid wheat, *Nature*. **183**: 713-715.
- Rogi, S and Branka Javornik. 1969. Seed protein variation for identification of common buck wheat (*Fogopyrum esculentum* Moench) Cultivars. *Euphytica*. **87**:111-117.
- Rosenberg, O. 1909. Cytologische und morphologische studien an *Drosera longifolia* x *rotundifolia* K. sven. Vetenskapsacad Hand 43: 1-64. (In German).
- Rotar, P. P. 1965. Tannins and crude proteins of tick cloves (*Desmodium* Spp.). *Trop. Agric. (Trinn)*., **42**: 333-337.
- Rumphius, G. E. 1786. Herbarium Amboinense. Tab. 31. M . Uytwerf. Amesterdam. 5: 56.
- Saldanha, C. J. 1984. Flora of Karnataka Oxford and IBH Publishing Co., New Delhi. Vol. **1**. Pp.535.
- Sanjappa, M. and Dasgupta, A. 1977. In IOPB chromosome number reports. LVI. *Taxon.*, **26** : 266-267.
- Saroja, T. L. 1961. Observations on the actinomorphic form of *Clitoria ternatea* L. (Leguminaceae) Bulletin. *Bot. Sur. India.*, **3** (34): 409-410.
- Sen, N. K and Krishnanan, R. 1961 b. Breakdown of the papilionaceous structure in the double flower of *Clitoria ternatea* L. and its inheritance. *Curr. Sci.*, **30** (11) : 435-436.
- Sensarma, P. 1989. Plants in the Indian Puranas, An Ethanobotanical Investigations. Naya Prakash Calcutta.

- Shechter, Y. 1975. Biochemical systematic studies in *Sorghum bicolor*. *Bull. Torrey. Bot. Club.* **102**: 334-339.
- Sheriff, M. 1891. *Materia medica of Madras*. Madras Govt. Press, Madras, India.
- Siddiq, E. A., Nerkar, Y. S. and Mehta, S. L. 1972. Intra and Inter Subspecific Variation in Soluble Proteins of *Oryza sativa* L. *TAG.*, **42** : 351-356.
- Sikka, K. and Sharma, A. K. 1979. Chromosome evolution in certain genera of brassicaceae. *Cytologia* **44**: 467-477.
- Simmonds, N. W. (Ed.) 1976. Evolution of crop plants. Longman, London.
- Singh, A. K., Gurth, S. and Jambunathan, R. 1994. Phylogenetic Relationships in the Genus *Arachis* based on Seed Protein Profiles. *Euphytica.*, **74** : 219-225.
- Singh, A. K., Sivaramakrishnan, S., Mengesha, M. H. and Ramaiah, C. D. 1991. Phylogenetic Relations in Section *Arachis* Based on Seed Protein Profile. *TAG.*, **82** : 593-597.
- Singh, R.J. Kollipara,K.P and Hymowitz, T. 1988. Further data on the genomic relationships among wild perennial species. ($2n=40$) of the genus *Glycine* wild. *Genome*. **30**: 166-176.
- Singh, K. P., Raina, S. N and Singh, A. K. 1996. Variation in chromosomal DNA associated with the evolution of *Arachis* species *Genome.*, **39**: 890-897.
- Skerman, P. J., Cameron, D. G and Riveros, F. IInd (Ed.). 1988. Tropical forage legumes. Food and Agriculture Organization of the United Nations. Rome. Pp.535.
- Snustad, D. P and Simmons, M. J. 2000. Principles of Genetics John Willey and Sons Corporation New-York. 795.
- Solbrig, O. T. 1968. Fertility, sterility and the species problem. In Modern methods in plant taxonomy. Pp. 77-96. (Ed.). V. H. Haywood. Academic press. London.
- Soltis, D. E and Soltis, P. S. (Eds.) 1989. Isoenzymes in plant biology, Dioscorides, Portland. USA.

- Somaroo, B. H. and Grant, W. F. 1972. Interspecific Hybridisation between Diploid species of *Lotus* (Leguminosae). *Genetica.*, **42** : 353 - 367.
- Sparrow, A. H., Price, H. J. and Underbrink, A. G. 1972. A survey of DNA content per cell and per chromosome of prokaryotic and eukaryotic organisms: some evolutionary considerations. Brookhaven. *Symp. Biol.*, **23** : 451 – 494.
- Srivastav, P. K. and Raina, S. N. 1980 a. A new basic number of *Clitoria ternatea* L. *Curr. Sci.*, **49** : 915-916.
- Srivastav, P. K. and Raina, S. N. 1982. Cytogenetics of *Clitoria* L., Induced Autotetraploidy in *C. ternatea* L., *Cytologia.*, **47** : 99 – 107.
- Srivastav, S and Lavania, U. C. 1991. Evolutionary DNA variation in *Papaver*. *Genome.*, **34**: 763-768.
- Stebbins, G. I. 1971. Chromosomal evolution in higher plants, Edward Arnold (publs.) Ltd., London.
- Stebbins, G. L. 1950. Variation and evolution in plants. Columbo Univ. Press. New-York.
- Taing. Aung and Walton, P. D. 1989. Morphology and cytology of the reciprocal hybrids between *Elymus trachycaulus* and *Elymus Canadensis*.
- Takhtajan, A. 1959. Die Evolution der Angiospermen. Fischer Verlag Jena.
- Tanksley, S. D., Young, N. D., Paterson, A. H., Bonierbale, M. W., 1989. RFLP mapping in plant breeding: New tool for an old science. Biotech 7: 257-264.
- *Taubert, P. 1894. Leguminosae. In Engler and Prantl. Die Naturlichen pflanzenfamilien III (**3**) Leipzig. Pp. 70 -388.
- Thombre, P. G. and Atale, S. B. 1974. A note on spontaneous mutation in Gokharana (*Clitoria ternatea* L.). *Sci. and Cul.*, **40** : 75-76.
- Tjio, J. H. and Levan, A. 1950. The use of oxyquinoline in chromosome analysis. *Ann. Estae. Exp. Aula. Dei.*, **2**: 21-64.
- Tsuchiya, T. and Gupta, P. K. (Eds.) 1991: In chromosome engineering inplant genetics, breeding and evolution. Elsevier Sci. Publs., Amsterdam. The Netherlands.

*Tureson, G. 1936. Rasenökologie und Pflanzengesetzmäßigkeit. Bot. Notiser. 420.

VantHof, J. 1965. Relationship between mitotic cycle duration. S period duration and average rate of DNA synthesis in the root meristem cells of several plants. *Exp. Cell. Res.* 39: 46-58.

Verdcourt, B. 1970. Studies in the Leguminosae -papilionoideae. II. *Kew. Bull.*, **24** : 235-308.

Vickery, R. K. Jr. 1984. Biosystematics 1983. In Grant, W. F. (ED.). Plant Biosystematics Pp.1-24. Academic Press. Canada Don. Mills. Ontario.

Vijaya, R. 1990. Cytotaxonomical and Electrophoretical Studies in *C. ternata*. M. Phil Dissertation Karnatak University. Karnatak, India.

Vosa, C. G. 1975. The use of Giemsa and other staining techniques in karyotype analysis *Curr. Adv. Pl. Sci.*, **6**: 495-510.

Watt, George. 1989. A Dictionary of the Economic products of India. Vol. II. Govt. Printing Calcutta. India. pp 375-377.

Whyte, R.O., G. Nilsson-Lessner and H. C. Trumble. (1953). Legumes in Agriculture, FAO Agricultural studies No. 21 FAO United Nations Rome Pp- 262-263.

Willson colour chart. 1938 and 1941. I and II (ed.). The British colour council.

*Winkler, H. 1920. Verbreitung und Ursache der parthenogenesis im Pflanzen- und Tierreiche. Jena (In German).

*Original not seen.