

REFERENCES

- Ader,R.(2001).*Psychoneuroimmunology*. New York: Academic Press.
- Agrawal, A., Sartor, C.E., Lynskey,M.T., Grant, J.D., Pergadia, M.L., Gruzza, R., Bucholz, K.K., Nelson, E. C. (2006). Evidence for an Interaction between Age at First Drink and Genetic Influences on DSM-IV Alcohol Dependence Symptoms. *Alcoholism: Clinical and Experimental Research*, **33**, 2047.
- Albert, M., Butters, N., Rogers, S., Pressman, J., & Geller, A. (1982). A preliminary report: National levels and cognitive performance in chronic drug abusers. *Drug and Alcohol Dependence*, 9 (2), 131-142.
- Albert, M.S., Butters, N., & Levin. (1979). Temporal gradients in the retrograde amnesia of patients with alcoholic korsakoff's disease. *Achieves of Neurology*, 36, 211-216.
- Albert,M.,Butters, N., Rogers, S., Pressman, J. & Geller, A. (1982). A preliminary report: National levels and cognitive performance in chronic alcohol abusers. *Drug and Alcohol Dependence*, 9(2), 131-142.
- Albert, M.S., Butters, N., & Levin, J.(1979). Temporal gradients in the retrograde amnesia of patients with alcoholic korsakoff's disease. *Achieves of Neurology*,36,211-216.
- Alcoholism and drug addiction research foundation of Ontario. (1961).It's best to know about alcoholism. *Toronto, Ontario: Alcoholism and Drug Addiction Research Foundation of Ontario*.
- Ambrose, M.L., Bowden, S.C., and Whelan.G. (2001). Thiamin treatment and working memory function of alcohol-dependent people: Preliminary findings. *Alcoholism: Clinical and Experimental Research* ,25(1),112–116.

- American Heritage Dictionaries, Editors. (12 April 2006). *The American Heritage Dictionary of the English Language* (4 Ed.). Boston: Houghton Mifflin.
- American Psychiatric Association (2000a). Substance use disorders: alcohol, cocaine, opioids. *In Practice Guidelines for the Treatment of Psychiatric Disorder: Compendium* (pp.139-238). Washington, Dc: Author.
- American Psychiatric Association. (1987). *Diagnostic and Statistical Manual of Mental Disorders, third addition, revised*. Washington, Dc: American Psychiatric Association.
- American Psychiatric Association. (1987).*Diagnostic and Statistical Manual of Mental Disorders (3rd ed) (DSM-III-R)*. Washington, DC: American Psychiatric Association.
- American Psychiatric Association. (1994). *Diagnostic and Statistical Manual of Mental Disorders (4th edition)*. Washington, Dc: Author.
- American Psychiatric Association. (2000b). Schizophrenia. *In Practice Guidelines for the Treatment of Psychiatric Disorders: Compendium 2000*, (pp.200-412). Washington, Dc: Author.
- American Psychiatric Association. (31 July 1994). *Diagnostic and Statistical Manual of Mental Disorders: DSM-IV*. Washington, DC: Author.
- Armeli, S., Carney, M.N., Tennen, H., Affleck, G., & Neil, T.P. (2000) .Stress and alcohol use: A daily process examination of the stressor vulnerability model. *Journal of Personality and Social Psychology*, 78, 979- 994.
- Ashton, T.S. (1995). An economic history of England: *The Eighteenth Century*. London: Methuen and company.
- Atkinson, R.M. & Mishra, S. (2002). Mental disorders and symptoms in older alcoholics. In : A.M. Gurnack , R. Atkinson , and N.J. Osgood, Eds, *Treating Alcohol and*

- Drug Abuse in the Elderly* , New York ,NY : Springer publishing company, Incorporation. (pp. 50-71) .
- Atkinson, R.M. (1990). Aging and alcohol use disorders: Diagnostic issues in elderly. *International Psychiatrics*, 2, 55-72.
- Austin, G.A. (1985). Alcohol in western society from antiquity to 1800: *A chronological History*. Santa Barbara, CA: ABC – CLIO.
- Austin,G.A.(1985).Alcohol in western society from antiquity to 18000:A chronological History. Santa Barbara, CA:ABC-Clio.
- Babor,T.(1986). Alcohol: Customs and rituals, New York: Chelsea house.
- Baddeley, A, Eysenck, M.W., & Anderson, M.C. (2009). *Memory*, New York, N: Psychology Press.
- Baddeley, A. (1998).Competes Rendus de L’ Academic des Sciences- Serie III, 321(2-3), 167-173.
- Bakalkin, G. (2008). Alcoholism associated molecular adaptation in brain neuro cognitive circuits. *Eurekalert Organization*.
- Baker, K.G., Harding, A.J., Halliday, G.M. (1999). Neuronal loss in functional zones of the cerebellum of chronic alcoholics with and without Wernicke’s encephalopathy. *Neuroscience*, 91, 429–438.
- Balazs, E. (1964). Chinese civilization and bureaucracy. *New Haven, CT: Yale university press*.
- Baron, S. (1962). *Brewed in America: A History of Beer and Ale in the United States*, Boston: Little, brown and company.
- Becker, J.T. & Jaffe, J.H. (1984). Impaired memory for treatment relevant information in inpatient men alcoholics. *Journal of Studies on Alcohol* 45, (4), 339-343.

- Berggren ,U., Fahlke ,C., Aaronson, E .(2006). The taqI DRD2 A1 allele is associated with alcohol-dependence although its effect size is small. *Alcohol and alcoholism*, 41 (5), 479–85.
- Berggren, U., Eriksson, M., Fahlke, C., & Balldin, J. (2002). Is long term heavy alcohol consumption toxic for brain serotonergic neurons? *Drug and Alcohol Dependence*, 65(2), 159-165.
- Bergman, H., Axelsson, G., Idestrom , C.M., Borg, S., Hindmarsh, T., Makower, J., & Mutzell, S. (1983). Alcohol consumption, neuropsychological status and computer- tomographic findings on a random sample of men and women from the rural population. *Pharmacology Biochemistry & Behavior*, 18(suppl.1), 501-505.
- Bierut, L.J., Schuckit, MA., Hesselbrock, V., Reich, T. (2000). Co-occurring risk factors for alcohol dependence and habitual smoking. *Alcohol Research and Health*, **24** (4), 233–41.
- Billings, A.G., & Moos, R.H. (1981). The role of coping responses and social resources in attenuating the impact of stressful life events. *Journal of Behavioral Medicine*, 4, 139-157.
- Birren, J., & Cunningham, W. (1985). Research on the Psychology of aging: Principles, concepts and theory. In J. Birren & K.W. Schaie , *Handbook of the Psychology of Aging* (2nd Edition.). New York: Van Nostrand Reinhold.
- Black, D.W., Yates, W., Petty, F. Noyes, R., & Brown, K. (1986). Suicidal Behavior in alcoholic males .*Comprehensive Psychiatry*, 273(3), 227-233.
- Blacker, E. (1966). Sociocultural factors in alcoholism. *International Psychiatry Clinics*, 3, 51-80.
- Blansjaar , B.A., Thomassen ,R., & Van Schaick , H.W.(2000). Prevalence of dementia in centenarians. *International Journal of Geriatric Psychiatry*, 15(3), 219-225.

- Blass, J.P. & Gibson, G.E. (1977). Abnormality of a thiamine-requiring enzyme in patients with wernicke – korsakoff syndrome. *The New England Journal of Medicine* 297(25), 1367-1370.
- Blass, J.P., & Gibson, G.E. (1977). Abnormality of a thiamine–requiring enzyme in patients with Wernicke– Korsakoff syndrome. *New England Journal of Medicin*, **297,1367–1370.**
- Blazer, D. (1999). Geriatric Psychiatry. In R.E. Hales, S.C.Yudofsky, J.A.Talbot(eds), *Textbook of Psychiatry*, Washington,D.C.American Psychiatric Press.
- Blessed, G., Tomlinson, B.E. & Roth, M. (1968). Blessed-Roth Dementia Scale. *Pschopharmacol bulletin* , 24(4), 705-708.
- Blum, R.H. (1969). *Society and drugs* .San Francisco, CA: Jossey Bass.
- Boffeta, P.& Garfinkel,L.(1990). Alcohol drinking and mortality among men enrolled in an America cancer society prospective study. *Epidemiology*, 1,342-348.
- Bolger, N. (1990). Coping as a personality process: A prospective study. *Journal of Personality and Social Psychology*, 59, 525-537.
- Bolger, N., & Eckenrole, J. (1991). Social relationships, personality, and anxiety during a major stressful event. *Journal of Personality and Social Psychology*, 61, 440-449.
- Bowden, S.C., Crews, F.T., Bates, M.E., Fals-Stewart, W., Ambrose, M.L. (Feb 2000). Neurotoxicity and neurocognitive impairments with alcohol and drug-use disorders: potential roles in addiction and recovery. *Alcohol: Clinical and Experimental Research*, **25** (2), 317–21.
- Braidwood, R .J, Sauer, J.D., Helbaek, H.M., Paul, C., Coon, C.S., Linton, Ralph , Steward, Julian & Oppenheim,H.(1953) . Symposium: Did man once live by beer alone? *American Anthropologist*, **55, 515.**

- Braudel, F. (1974). *Capital and Material Life, 1400-800*. Translated by Miriam Kochan. New York, NY: Harper and Row.
- Braun, S. (1996). *Buzz (I)*, New York: Oxford University Press.
- Brewer, K.J., Mouris, S., Blow, F.C., Young, J.P., & Hill, E.M.(1994). Severity and treatment of alcohol withdrawal in elderly versus younger patients. *Alcoholism: Clinical and Experimental Research*, 18,196-201.
- Brown, S.A., Vik, P.W., Patterson, T.L., Grant, I., & Schuckit, M.A.(1995). Stress, vulnerability, and adult alcohol relapse. *Journal of Studies on Alcohol* ,56(5),538-545.
- Brown, S.A., Vik, P.W.,McQuaid, J.R.,Patterson, T.L.,Irwin, M.R., & Grant, I.(1990). Severity of psychosocial stress and outcome of alcoholism treatment. *Journal of Abnormal Psychology* ,99(4),344-348.
- Brown, E.L., M.C., Avay, G., Rave, P., Moses, S., & Bruce, M.(2003). Recognition of depression among elderly recipients of home care service. *Psychiatric Services*, 54, 208-213.
- Butters, N., & Cermark, L.S. (1980). *Alcoholic Korsakoff's Syndrome*, New York: Academic Press.
- Calingasan, N.Y., Chun, W.J., Park, L.C. (1999). Oxidative stress is associated with region-specific cell death during thiamine deficiency. *Journal of Neuropathology and Experimental Neurology* ,58(9), 946-958, Cambridge:MA, MIT press.
- Cannon, W. B. (1929). *Bodily Changes in Pain, Hunger, Fear and Rage: An Account of Recent Research into the Function of Emotional Excitement*, 2nd edition. New York: Appleton.
- Carlen, P.L., M.C., Andrew, M.P., Weiss, R.T. (1994). Alcohol-related dementia in the institutionalized elderly. *Alcoholism: Clinical and Experimental Research*, 18(6), 1330-1334.

- Carpenter, K.M. & Hasin, D.S. (1999) .Drinking to cope with negative affect and DSM IV alcohol use disorders: A test of three alternative explanations. *Journal of Studies on Alcohol*, 60(5), 694-704.
- Chafetz, M.E. (1965). *Liquor: The servant of man*. Boston: little brown and company
- Charness, M.E.(1993).Brain lesions in alcoholics. *Alcoholism: Clinical and Experimental Research* 17,2–11.
- Chastain, G. (October 2006). Alcohol, neurotransmitter systems, and behavior. *The Journal of General Psychology* ,133 (4), 329–35.
- Cherrington, E.H. (1925-1930).*Standard Encyclopedia of the Alcohol Problem*. 6 volumes. Westerville, OH: American Issue publishing company.
- Chris, M. (2004). Goodbye Mr. wonderful. *Alcohol Addiction and Early Recovery*,London: Jessica Kingsley publishers.
- Christie, B. (2001). Maureen forester’s life out of the spotlight. National Post.
- Claudian, J. (1970). History of usage of alcohol.In:tremoiliers, J.(ed).*International Encyclopedia of Pharmacology and Therapeutics*.Section 20, volume 1(pp.3-26) .Oxford: Pergamon.
- Cloninger, C.R. (1987). Neurogenetic adaptive mechanisms in alcoholism. *Science*, 236,410-416.
- Colby, B. N. (1987). Well-being: A theoretical program. *American Anthropologist*, 89, 879-895.
- Colsher, R.L.,&Wallace, R.B.(1990).Elderly men with histories of heavy drinking : Correlates and consequences. *Journal of Studies on Alcohol*, 51,528-535.
- Commenges, D., Scotet, V., Renaud,S., Jacqmim-Gadda,H., Barberger-Gateau, P., & Dartigues, J.F. (2000) .Intake of flavonoids and risk of dementia. *European Journal of Epidemiology*, 16,357-363.

- Compas, B.E., Banez, G.A., Malearene, V., & Worsham, N (1991). Perceived control and coping with stress: A development perspective. *Journal of Studies Issues*, 47(4), 23-34.
- Cook, P.J., & Moore, M.J. (1993). Economic perspective on reducing alcohol related violence. Alcohol and interpersonal violence. *Research Monograph*. Rockville, MD: NIAAA, PP-193-212.
- Cornelius JR, Bukstein O, Salloum I, Clark D (2003). Alcohol and psychiatric comorbidity. *Recent Development in Alcoholism*, 16, 361–74.
- Cosci, F., Schruers, K.R., Abrams, K., Griez, E.J. (June 2007). Alcohol use disorders and panic disorder: a review of the evidence of a direct relationship. *Journal of Clinical Psychiatry*, **68** (6), 874–80.
- Cowley, D.S. (1992). Alcohol abuse, substance abuse, and panic disorder. *American Journal of Medicine*, **92** (1A), 41S–48S.
- Coyne, J., Aldwin, C., & Lazarus, R. S. (1981). Depression and coping in stressful episodes. *Journal of Abnormal Psychology*, 90,439-447.
- Crews, F., He, J., Hodge, C. (Feb 2007). Adolescent cortical development: a critical period of vulnerability for addiction. *Pharmacological Biochemistry Behavior*, **86** (2), 189–99.
- Cutting, J.C. (1988). Alcohol cognitive impairment and aging: Still an uncertain relationship. *British Journal of Addiction*, 83(9), 995-997.
- Darby, W.J., Ghaliounqui, P& Grivetti, L. (1977).*Food: The Gift of Osiris*. Volumes 1and2. London: Academic press.
- Dart, R.C. (1 December 2003). *Medical Toxicology* (3rd Ed.). USA: Lippincott Williams & Wilkins. pp. 139–140.

- Das, S.K., Dhanya, L., Vasudevan, D.M. (2008). Biomarkers of alcoholism: an updated review. *Journal of Clinical Laboratory Investigation* ,**68** (2), 81–92.
- Dawson, D.A., Goldstein, R.B., Grant, B.F. (2007). Rates and correlates of relapse among individuals in remission from DSM-IV alcohol dependence: a 3-year follow-up. *Alcoholism: Clinical and Experimental Research*, **31**,2036.
- Dawson, D.A., Grant, B. F., Stinson, F. S., Chou, P. S., Huang, B., Ruan, W. (2005). Recovery from DSM-IV alcohol dependence: United States, 2001-2002. *Addiction* ,**100** (3), 281.
- Delabry, L.O.,Glynn, R.J.,Levenson, M.R., Hermos, J.A.,Locastro, J.S& Vokonas, P.S. (1992). Alcohol consumption and mortality in an American male population: recovering the U shape curve finding from the normative aging study. *Journal of Studies on Alcohol*, **53**, 25-32.
- Devanand, D.V. (2000). Comorbid psychiatric disorders in late life depression. *Biological Psychiatry*, 51(3), 236-242.
- Dhalla, S., Kopec, JA. (2007). The CAGE questionnaire for alcohol misuse: a review of reliability and validity studies. *Journal of Clinical Investigation and Medicine*, **30** (1), 33–41.
- Donovan, D.M.,Walker, R.D.&Kivlahan, D.R.(1987). Recovery and remediation of neuropsychological function: Implications for alcoholism rehabilitation process and outcome. In: *Parsons, O.A., Butters, N.,and Nathan, P.E.,eds. Neuro Psychology of Alcoholism : Implication for Diagnosis and Treatment*. New York: The Guilford Press. Pp.339-360.
- Doxat, J. (1971). *The world of drinks and drinking*. New York: Drake publishing.
- Dufour, M.C., Archer, L., & Gorden, E. (1992). Alcohol and elderly. *Clinics in Geriatric Medicine*, 8,127-141.

- Dunn, N. C. (March 1999). Psychiatric aspects of alcohol misuse. *Hospital Medicine*, **60** (3), 169–72.
- Dyer, C.B., Pavlik, V.N., Murphy, K.P., & Hyman, D.J. (FEB.2000). High prevalence of depression and dementia in elder abuse and neglect. *Journal of the American Geriatrics Society*. Volume 48(2), 205-208.
- Eckardt, M J. & Martin, P.R. (1986). Clinical assessment of cognition in alcoholism. *Alcoholism: Clinical and Experimental Research*, 10(2), 123-127.
- Eckardt,M.J.,Rawlings,R.R.,Graubarb,B.I.,Faden,V.,Martin,P.R.,&Gottschalk,L.A.(1988). Neuropsychological performance and treatment outcome in male alcoholics. *Alcoholism: Clinical and Experimental Research*, 12(1), 88-93.
- Ehlers, C.L.(1995). Stress, gender, and alcoholism risk: Findings in humans and animal models. In: Hunt, W., & Zakhari, S., eds. *Stress, Gender, and Alcohol-Seeking Behavior*. National Institute on Alcohol Abuse and Alcoholism Research Monograph No 29. Bethesda, MD: the Institute.
- Ellis, A., & Harper, R.A.(1975).*A New Guide to Rational Living*. North Hollywood, CA:Wilshire book company.
- Emmerson, R.Y., Dustman, D.A., & Shearer, D.E. (1985). Neuropsychological performance of young nondrinkers, social drinkers, and long and short-term sober. *Alcoholism: Clinical and Experimental Research* ,12(5), 625-629.
- Enoch, MA. (Dec 2006). Genetic and environmental influences on the development of alcoholism: resilience vs. risk. *Annals of New York Academy of Science*, 1094,193–201.
- Epstein, S., & Meier, P. (1989). Constructive thinking: A broad coping variable with specific coping components. *Journal of Personality and Social Psychology*, 57,332-350.

- Errico, A.L., Parsons, O.A., & King, A.C. (1991). Assessment of verbosequential and visuospatial cognitive abilities in chronics. *Psychological Assessment*, 3,693-696.
- Eskay, R.L., Chautard, T., Torda, T., & Hwang, D.(1993). The effects of alcohol on selected regulatory aspects of the stress axis. In: Zakhari, S., ed. *Alcohol and the Endocrine System*. National Institute on Alcohol Abuse and Alcoholism Research Monograph No. 23. Bethesda, MD: the Institute.
- Evert, D.L., & Oscar-Berman, M. (1995). Alcohol-Related cognitive impairments: An overview of how alcoholism may affect the working of the brain. *Alcohol Health & Research World*, 19,89-96
- Ewing, J.A.(October 1984). Detecting alcoholism. The CAGE questionnaire. *JAMA : The Journal of the American Medical Association*, **252** (14), 1905–7.
- Eysenck, H. J. (1988). Personality and stress as causal factors in cancer and coronary heart disease. In: M. P. Jaisse, ed. *Individual Differences, Stress, and Health Psychology*, New York: Springer-Verlag.
- Fei-Peng, Z. (1982).The drinking and drug practice surveyor, number18, 12-15.
- Ferguson, R.K., Soryal, I.N., and Pentland, B. (1997). Thiamine deficiency in head injury: A missed insult? *Alcohol and Alcoholism*, 32(4),493–500.
- Finn, P.R., Justus, A, Mazas, C., & steinmetz, J.E.(1999). Working memory, executive processes and the effects of alcohol on go\no-go learning: testing a model of behavioral regulation and impulsivity. *Psychopharmacology*, 146,465-472.
- Flier, J.S., Underhill, L.H., & Lieber, C.S. (1995). Medical disorders of alcoholism. *New England Journal of Medicine*, 333(6), 1058-1065.
- Folkman, S., Lazarus, R.S. (1988). Way of coping questionnaire. *Consulting psychologists' press*, U.S.A.

- Folkman, S., & Moskowitz, J.T. (2000a). Stress, positive emotions and coping. *Current Directions in Psychological Science*, 9, 115-118.
- Folkman, S., & Moskowitz, J.T. (2000b). Positive affect and other side of coping. *American Psychologist*, 55, 647-654.
- Forber, R.J. (1948). Short history of the art of distillation. Leiden: E.J. Brill.
- Frankenhaeuser, M. (1986). A psychobiological framework for research on human stress and coping. In: M. H. Appley & R. Trumbull, eds. *Dynamic of Stress: Physiological, Psychological, and Social Perspectives*. pp. 101-116. New York: Plenum.
- French, H.V. (1890). Nineteen centuries of drink in England: A history. 2nd edition. London: National temperance publication depot.
- Friedman, L. C., Nelson, D. V., Baer, P. E., Lane, M., Smith, F. E., & Dworthkin, R. J. (1992). The relationship of dispositional optimism, daily life stress, and domestic environment of coping methods used by cancer patients. *Journal of Behavioral Medicine*, 15: 127-141.
- Gabbard. (2001). *Treatments of Psychiatric Disorders*. Published by the American Psychiatric Association: 3rd edition.
- Galanter, M., & Herbert, D. (2008). *The American Psychiatric Publishing Textbook of Substance Abuse Treatment (4th ed)* (pp. 58). United States of America: American Psychiatric Publishing.
- Galanter, M.K & Herbert, D. (1 July 2008). *The American Psychiatric Publishing Textbook of Substance Abuse Treatment (4th ed.)* (pp. 58). United States of America: American Psychiatric Publishing.
- Gartner, E.T., Gollan, J.K., & Jacobson, N.S (1997). Psychological aspects of perpetrators of domestic violence and their relationship with the victims. *Psychiatric Clinic of North America*, 20(2), 327-352.

- Gary, K.H., Lantenschlager, R.J, Tait & Osvaldo, P.A. (2005). *International Psychogeriatrics*: Cambridge University Press.
- Gastineau, C.F., Darby, W.J., & Turner, T.B. (1979). *Fermented foods in nutrition*. New York: Academic press.
- Gatz, M., & Pearson, C.G. (1988). Ageism-revised and the provision of psychological services. *American Psychology*, 43,184-188.
- Gavaler, J.S. & Van Thiel, D.H. (1992). The association between moderate alcoholic beverage consumption and serum estradiol and testosterone levels in normal post menopausal women: relationship to the literature. *Alcohol: Clinical and Experimental Research*, 16, 87-92.
- George, L.K., Landoman, R., Blazer, D.G., & Anthony, J.C. (1991). Cognitive impairment. In L.N.Robins & D.A. Regier (eds), *Psychiatric Disorders in America* (pp-291-327). New York: free press.
- Georgy ,B. (8 July 2008). Alcoholism-associated molecular adaptations in brain neurocognitive circuits.
- Gernet, J. (1962). *Daily life in china on the eve of the Mongol invasion*. Stanford, CA: Stanford University press.
- Ghaliounqui, P. (1979). Fermented Beverages In Antiquity. In: Gastineau, Clifford. F., Darby, W.J., & Turner, T.B. (eds). *Fermented Food Beverages In Nutrition*, (pp3-19). New York: Academic Press,pp. 3-19.
- Gibson, G.E., Ksiezak-Reading, H., Sheu, K.F.R. (1984). Correlation of enzymatic, metabolic, and behavioral deficits in thiamine deficiency and its reversal. *Neurochemical Research* ,9,803-814.
- Gifford, Maria. (22 October 2009). *Alcoholism*. (pp.89-91). Greenwood Press.

- Gitlow, Stuart (1 October 2006). *Substance Use Disorders: A Practical Guide* (2nd ed.) (pp.52&103-121). USA: Lippincott Williams and Wilkins.
- Godfrey, H.P.D., Spittle, B.J., & Knight, R.G.(1985).Cognitive Rehabilitation of amnesic alcoholics: A twelve month follow up study. *New Zealand Medical Journal*, 98(784),650-651.
- Goldman, M.S. (1986). Neuropsychological recovery in alcoholics:Endogenous and Exogenous processes. *Alcoholism: Clinical and Experimental Research* ,10 (2),136-144.
- Goldman,M.S.(1987) The role of time and practice in recovery of function of alcoholics.In:Pearsons O.A.,Butters, N.,and Nathan, D.E.,(eds).*Neuropsychology of Alcoholism:Implications for Diagnosis and Treatment*. New York:Guilford press.
- Granet, M. (1957). *Chinese civilization*. London: Barnes and noble.
- Grant BF, Harford TC (October 1995). Comorbidity between DSM-IV alcohol use disorders and major depression: results of a national survey. *Drug Alcohol Dependence*, **39** (3), 197–206
- Grant, B.F& Dawson, DA. (1997). Age at onset of alcohol use and its association with DSM-IV alcohol abuse and dependence: results from the National Longitudinal Alcohol Epidemiologic Survey. *Journal of Substance Abuse*, 9, 103–10
- Grant, B.F. (1997).Prevalence and correlation of alcohol use and DSM-IV alcohol dependence in the United States: Results of the national longitudinal alcohol epidemiologic survey. *Journal of Studies on Alcohol*. 58(5), 464-473.
- Grant, I., Adams, K.E., & Reed, R. (1984). Aging, abstinence and medical risk factors in the prediction of neuro psychological deficit among long term alcoholics. *Achieves of General Psychiatry*, 41,710-718.

- Grattan-Miscio, K.E., & Vogel-Sprott, M. (2005). *Effects of Alcohol and Performance Incentives on Immediate Working Memory*. (pp.188-196). Springer Berlin: Heidelberg.
- Gustafson, R. (1994). Alcohol and aggression. *Journal Offender Rehabilitation*, 21(3/4), 41-80.
- Guthrie, S., Cooper, R.L., Thurman, R., & Linnoila, M. (1987). Pharmacodynamic and pharmacokinetics of ethanol, diazepam and pentobarbital in young and aged rats. *Pharmacology and Toxicology*, 61,308-312.
- Harford,T.C.,&Parker,D.A.(1996).Antisocial behavior family history and alcohol dependence symptoms. *Alcoholism*, 18,265-268.
- Harper, C. (1998). The neuropathology of alcohol-specific brain damage, or does alcohol damage the brain? *Journal of Neuropathology and Experimental Neurology*, 57,101-110.
- Harper, C., Rodriguez, M., Gold, J., and Perdices, M. (1988). The Wernicke-Korsakoff syndrome in Sydney—prospective necropsies study. *Medical Journal of Australia* 149,718-720.
- Haslin, D.S., & Grant, B.F. (2002). Major depression in 6050 former drinkers: Association with past alcohol dependence. *Archives of General Psychiatry*, 59(9), 794-800.
- Heim, E., Augustiny, K., Schaffner, L., & Valach, L. (1993). Coping with breast cancer over time and situation. *Journal of Psychosomatic Research*, 37,523-542.
- Helzer, J.E., & Canino, G. (1992). Comparative Analyses Alcoholism In 10 Cultured Regions. In J. Helzer & G. Canino, *Alcoholism North America, Europe and Asia: A coordinated analyses of population data from ten regions* (pp.131-155). London: Oxford university press.

- Hewitt, T.F. (1980). A biblical perspective on the use and abuse of alcohol and other drugs. Raleigh, NC: *North Carolina Department of Human Resources, Pastoral Care Council on Alcohol and Drug Abuse*.
- Higley, J.D., Hasert, M.F., Suomi, S.J., & Linnoila, M. (1991). Nonhuman primate model of alcohol abuse: Effects of early experience, personality, and stress on alcohol consumption. *Proceedings of the National Academy of Sciences United States of America*, 88, 7261-7265.
- Hilakivi-Clarke, L., & Lister, R.G.(1992). Social status and voluntary alcohol consumption in mice: Interaction with stress. *Psychopharmacology*, 108 (3), 276-282.
- Hoaland, K.Y. (1992). Introduction to the special section on the emotion concomitants of brain damage. *Journal of Consulting and Clinical Psychology*, 60, 327-328.
- Holmes, D., & Rahe, R. (1967). The Social Readjustment Rating Scale. *Journal of Psychosomatic Research*, 11, 213-218.
- Holmes, T.S., & Rahe, R.H. (1967). The social readjustment rating scale, *Journal of Psychosomatic Research* , 11, 213-218.
- Hoyumpa, A.M. (1980). Mechanisms of thiamine deficiency in chronic alcoholism. *American Journal of Clinical Nutrition*, 33, 2750–2761.
- Hucker, C.O. (1975). *Chinas Imperial Past*. Stanford, CA: Stanford university press.
- Hung, S.C., Hung, S.H., Tang, D.C.(2001). Thiamine deficiency and unexplained encephalopathy in hemodialysis and peritoneal dialysis patients. *American Journal of Kidney Disease* ,38(5),941–947.
- Hunt, W.A. (1993). Are binge drinkers more at risk developing brain damage? *Alcohol*, 10,559-61.
- Hyams, E. (1965). *Dionysus: A Social History of The Wine*. New York: Mackmillan.

- Idemudia, S.O., Bhadra, S., & Lal, H. (June 1989). The pentylenetetrazol-like interoceptive stimulus produced by ethanol withdrawal is potentiated by bicuculline and picrotoxinin. *Neuropsychopharmacology*, **2** (2), 115–22.
- Idemudia, S.O., Bhadra, S., & Lal, H. (June 1989). The pentylenetetrazol-like interoceptive stimulus produced by ethanol withdrawal is potentiated by bicuculline and picrotoxinin. *Neuropsychopharmacology*, **2** (2), 115–22.
- Isralowitz, Richard (2004). *Drug Use: A Reference Handbook*. (pp-122-123). Santa Barbara, California: ABC-CLIO. pp. 122–123.
- Issa, A.M., Rowe, W., Ganthier, S., & Meanry, M.J. (1990). Hypothalamic-pituitary-adrenal activity in aged ,cognitively impaired and cognitively unimpaired rats. *Journal of Neuroscience* ,10,3247-3254.
- Jackson, R.S.R., & Beaglehole, R. (1991). Alcohol consumption and risk of coronary heart disease. *British Medical Journal*, 303,211-215
- Jackson, J.E., Kogal, K., & Renvall, M.J. (1998). Effect of alcohol abuse on adverse behaviours in patients with Alzheimer’s disease. *Journal of the American Gastroenterology Society*, 46(9), p2006.
- James, W. (1890) *Principles of Psychology* (vol.1). New York: Holt, Richard & Winson.
- Jellinek, E.M. (1976). Drinkers and alcoholics in ancient Rome. *Journal of Studies on Alcohol*, 37, 1718-1741.
- Jennison, K.M.(1992). The impact of stressful life events and social support on drinking among older adults: A general population survey. *International Journal of Aging and Human Development*, 35(2), 99-123.
- Johansson, B.A., Berglund, M., Hanson, M., Pohlen ,C. & Persson, I. (November 2003). Dependence on legal psychotropic drugs among alcoholics. *Alcohol*, **38** (6), 613–8.

- Johnson, B.A., Ait-Daoud, N., & Bowden, C.L. (May 2003). Oral topiramate for treatment of alcohol dependence: a randomized controlled trial. *Lancet*, **361** (9370), 1677–85.
- Johnson, B.A., Rosenthal, N., & Capece, J.A. (October 2007). Topiramate for treating alcohol dependence: a randomized controlled trial. *JAMA: the Journal of the American Medical Association*, **298** (14), 1641–51.
- Jones, AW. (2006). Urine as a biological specimen for forensic analysis of alcohol and variability in the urine-to-blood relationship. *Toxicol Review*, **25** (1), 15–35.
- Kalant, H.(1990). Stress-related effects of ethanol in mammals. *Critical Reviews in Biotechnology* ,9(4),265-272.
- Kandel, D.B., Huang, F.Y., & Davies, M. (October 2001). Comorbidity between patterns of substance use dependence and psychiatric syndromes. *Drug Alcohol Dependence*, **64** (2), 233–41.
- Kasl, S.V., Chisholm, R.F., & Eskenazi, B. (1981). The impact of the accident at the Three Mile Island on the behavior and well-being of nuclear workers. Part II: Job tension, psychophysiological symptoms, and indices of distress. *American Journal of Public Health*, 71 (5), 484-495.
- Katz, S.H. & Voigt, M.M. (1987). Bread and beer: The early use of cereals in the human diet. *Expedition*, 28, 23-34.
- Keller, M. (1970).The great Jewish drink mystery
- Kimmel, D.C. (1988). Ageism, psychology and public policy. *American Psychology*, 43(3), 175-178.
- King, D.A. & Markus, H.E. (2000). Mood disorders in older adults, in *Psychopathology in Later Life*. (pp.141-172).S. Krauss Whitbourne (ed.) John Wiley Publishing.

- Kobasa, S. (1979). Stressful life events, personality and health: An inquiry into hardiness. *Journal of Personality and Social Psychology*, 37, 1-11.
- Kosten, T.R., & Zeiedonis, D.M.(1997). *Substance Abuse and Schizophrenia: Editors Introduction. Schizophrenia Bulletin*, 23(2), 181-86.
- Kramer, J.H., Blusewicz, M.J., Preston, K.A.(1989). The premature aging hypothesis: old before its time? *Journal of Consulting and Clinical Psychology*, 57, 257-262.
- Krampel, H., Stawicki, S., & Wagner, T. (January 2006). Follow-up of 180 alcoholic patients for up to 7 years after outpatient treatment: impact of alcohol deterrents on outcome. *Alcoholism, Clinical and Experimental Research*, 30 (1), 86–95.
- Kranzler, H.R., Del Boca, F.K., & Rounsaville, B. (1997). Comorbid psychiatric diagnosis predict 3 years outcome in alcoholics: A post treatment natural history study. *Journal of Studies on Alcohol*, 57(6), and 619-26.
- Krishnan, S., Nash, Jr., J.F., & Maickel, R.P.(1991). Free-choice ethanol consumption of rats: Effects of ACTH4-10. *Alcohol*, 8(5), 401-404.
- Laforenza, U., Patrini, C., Gastaldi, G., and Rindi, G. (1990). Effects of acute and chronic ethanol administration on thiamine metabolizing enzymes in some brain areas and in other organs of the rat. *Alcohol and Alcoholism*, 25, 591–603.
- Langdana, F.K. (27 March 2009). *Macroeconomic Policy: Demystifying Monetary and Fiscal Policy* (2nd ed.) (pp.81). Springer :New York.
- Larbin, J.P., & Selter, B. (1994). Alcohol abuse and Alzheimer’s disease. *Hospital and Community Psychiatry*, 45 (10), 1040-1041.
- Lausanne, e. (1969). *The great book of wine*. New York: world publishing company.
- Lavoie, J., & Butterworth, R.F. (1995). Related activities of thiamine–dependent enzymes in brains of alcoholics in the absence of Wernicke’s encephalopathy. *Alcoholism: Clinical and Experimental Research*, 19, 1073–1077.

- Lazar, I., & Ford, J. (1977). Untitled reaction of review panel In: Lauderdale, Michael I. an analysis of the control theory of alcoholism. *Denver, Co- Education Commission of the States*, pp 29-34.
- Lazare, D. (1989, October 1824). Drug 'R' US. *In the Alzheimer setimes* pp. 12-13.
- Lazarus, R.S., & Folkman, S. (1984). *Stress, Appraisal, and Coping*. New York: Springer.
- Lazarus, R.S. (1981). The stress and coping paradigm. Eisdorfer, C., Cohen, D., Kleinman, A & Maxim, P. (Eds), *Models for Clinical Psychopathology* (pp. 177-214) New York: spectrum (medical & scientific books).
- Lazarus, R.S. (1981). The stress and coping parading. Eisdorfer, C., Cohen, D., Klleinman, A., & Maxim, P. In c. eisdorfer, D. Cohen, A Klein man & p. maxim (Eds), *Models for Clinical Psychopathology* (pp. 177-214) New York: spectrum (medical & scientific books).
- Lazarus, R.S. (1991). *Emotion and adaptation*. New York: oxford press.
- Lazarus, R.S., & Folkman, S. (1984). *Stress, appraisal and coping*. New York: Springer.
- Lazarus, R.S., & lavnier, R. (1978). Stress-related transactions between person and environment. In to Pervin, A., & Levis, M. (Eds), *Perspectives in Instructional Pschoneurology*. (pp. 278-327). New York: plenum.
- Lazarus, R.S., de longis, A., Folkman, S., & Graven. (1985). Stress and adaptation out comes. *American psychologist*, 40, 770-779
- Lazaus, R.S. (1981, July). Little hassles can be hazardous to health. *Psychology Today*, pp 58-62.
- Le Bon, O., Murphy, J.R., Staner, L., Hoffmann, G., Kormoss, N., Kentos, M., Dupont, P., Lion, K., (August 2003). Double-blind, placebo-controlled study of the efficacy of trazodone in alcohol post-withdrawal syndrome: polysomnographic

- and clinical evaluations. *Journal of Clinical Psychopharmacology*, **23** (4), 377–83.
- Leahy, J.M. (1992-3). Comparison of depression in women bereaved of a spouse, child or a parent omega, *Journal of Death and Dying*. Volume 26(3),207-219.
- Lee, H., Tarter, J., Holburn, G., (1995). In vivo localized proton NMR spectroscopy of thiamine–deficient rat brain. *Magnetic Resonance Medicine* ,34,313–318.
- Leevy, C.M., and Baker, H. (1968). Vitamins and alcoholism. *American Journal of Clinical Nutrition*, (pp. 21, 1325–1328) Leicester: BPS Books.
- Levin, W.C. (1988). Age stereotyping. *College Student Evaluation Research on Aging*, 134-148.
- Lindsay, S.J.E., Powell, Graham E. (28 July 1998). *The Handbook of Clinical Adult Psychology* (2nd ed.). Routledge. p. 402.
- Lishman, W.A., Jacobson, R.R.,& Acker, C.(1987). Brain damage in alcoholism: current concepts. *Acta Medica Scandinavica* , (Suppl.717), 5-17.
- Luch singer, J.A., Tang, M-X., siddique, M. (2004). *I am Geriats*. New York: Colombia University, 52, 540-546.
- Lucia, S.P. (1963). *A History of Wine as Therapy Philadelphia, PA: J: B lippincoti*.
- Lucia, S.P. (1963b). The antiquity of alcohol in diet and medicine. In. Lucia, Salvatore (*Alcohol and Civilization*. New York: Me Grew hill, pp.151-166.
- Lutz, H.F. (1922) .*Viticulture and Brewing in the Ancient orient*. New York. J.C: Hein riches.
- Magee, M. (1980). *1000 years of Irish whiskey*. Double, Ireland: O’ Brien press.
- Maher, J.J. (1997). *Exploring Effects on Liver Function Alcohol Health & Research*, 2(1), 5-12.

- Maier, S.F., & Watkins, L.R.(2000). Cytokines for psychologists:Implications of bidirectional immune-to-brain communication for understanding behavior , mood and cognition .*Psychological Review*, 105(1),83-107.
- Marcimak, M.L, filters & Siphons. (1992). In wine and beer production and dicing customs in ancient Egypt paper presumed at annual alcohol epidemiology symposium of the kettil brown society for social and epidemiological research on alcohol. Toronto Ontario.
- Martin, P.R., Adinoff, B., Weingatner, H., (1986). Alcoholic organic brain disease: Nosology and pathophysiologic mechanisms. *Progress in Neuro–Psychopharmacological and Biological Psychiatry*, 10,147–164.
- Martinotti, G., Nicola, M.D., Reina, D., Andreoli, S., Focà, F, Cunniff, A., Tonioni, F., Bria, P. (2008). Alcohol protracted withdrawal syndrome: the role of anhedonia. *Substance Use Misuse*, **43** (3-4), 271–84.
- Matthews, P. (1959). The brewing industry in England, 1700-1830. Cambridge. Cambridge university press.
- Mattlin, J., Wethington, E., & Kessler, R. (1990). Situational determinants of coping and coping effectiveness. *Journal of Health and Social Behavior*, 31,103-122.
- Mc cool, S.G., Plonk, S.G., Martin, P.R., & Singleton, C.K. (1993). Cloning of human transketolase DNAs and comparison of the nucleotide sequence of the coding region in Wernicke–Korsakoff and non–Wernicke–Korsakoff individuals. *Journal of Biological Chemistry*, 268, 1397–1404.
- Mc entee, W.J., & Mair, R.G. (1980). Memory enhancement in korsakoff’s psychosis by clonidine, further evidence for a hordevengic deficit. *Annals of Neurology* ,7(5),466-470.
- Mc Even, B.S. (1999). Stress and hippocampus plasticity. *Annual Review of Neuroscience*, 22, 105-122.

- Mc Fadden, K.L. (1997). Policy improvements for prevention of alcohol misuse by airline pilots. *Human Factors*, 39(1), 1-8.
- McCully, C.(2004). *Goodbye Mr. Wonderful. Alcohol Addiction and Early Recovery.*. London: Jessica Kingsley Publishers.
- Meany, M.J.,Diorio, J., O'Donnell, D., Smythe, J.W., Parent, A., & Sharma, S. (1995).Serotonin as a mediator of the effects of environmental events on the development of the hypothalamic-pituitary-adrenal axis. In: Hunt, W., & Zakhari, S., eds. *Stress, Gender, and Alcohol-Seeking Behavior*. National Institute of Alcohol Abuse and Alcoholism Research Monograph No 29. Bethesda, MD: the Institute.
- Mechanic, D. (1978). *Students Under Stress: A Study in the Social Psychology of Adaptation*. Madison: University of Wisconsin Press.
- Miczek, K.A. (1997). Alcohol. GABAA-Benzodiazepine receptor complex and aggression. In: Glanter, *Development in Alcoholism*.volume-13. New York: Plenum Press. pp.139-171.
- Miles, C. (1977). Conditions predisposing to suicide. A review. *Journal of New Mental Disorders*, 164, 232-46.
- Miller, N.S., & Mahler, J.C. (1991). Suicide risk associated with drug and alcohol dependence. *Journal of Addictive Diseases*, 10(3), 49-61.
- Miller, N.S., Mahler, G. (1991). Suicide risk associated with drug and alcohol dependence. *Journal of Addictive Diseases*, **10** (3), 49–61.
- Monckton, H.A. (1966). A history of English alcohol and beer. London: bodley used.
- Morgan, M.Y. (1982). Alcohol and Nutrition. *British Medical Bulletins*, 38, 21–29.
- Morno, C.A, Saxton, J.,& Butters, M.A. (2001). Alcohol dementia: cortical or sub cortical dementia. *Archives of Chemical Neurophysiology*, 16, 523-533.

- Morris, C. (1990). *Contemporary Psychology and Effective Behavior* (7thed.). Glenview, IL: Scoti, Foreman.
- Morse, R.M., & Flavin, D.K. (August 1992). The definition of alcoholism. The Joint Committee of the National Council on Alcoholism and Drug Dependence and the American Society of Addiction Medicine to Study the Definition and Criteria for the Diagnosis of Alcoholism. *JAMA :The Journal of the American Medical Association*, **268** (8), 1012–4.
- Mortimer, J.A., Schulman, L.M., & Prench, L.R. (1981). Epidemiology of dementia illness. In J.A. Mortimer & L.M. Shuman, Eds. *The Epidemiology of Dementia*. New York: Oxford University press.
- Mukherjee, A.B., Svoronos, S., Ghazanfari, A. (1987). Transketolase abnormality in cultured fibroblasts from familial chronic alcoholic men and their male offspring. *Journal of Clinical Investigation* ,79,1039–1043.
- Muller D, Koch RD, von Specht H, Volker W, Munch EM (March 1985). Neurophysiologic findings in chronic alcohol abuse (in German). *Psychiatrie Neurologie Medizinische Psychologie, (Leipzig)*, **37** (3), 129–32.
- Nakada, T., & Knight, R.T. (1984). Alcohol and the central nervous system. *Medical Diseases of North America*, 68,121-131.
- Nash, J.F., & Maickel, R.P.(1988). The role of the hypothalamic-pituitary-adrenocortical axis in post-stress induced ethanol consumption by rats. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 12,653-671.
- Nixon, P.F., Kaczmarek, M.J., Tate, J., (1984). An erythrocyte transketolase isoenzyme pattern associated with the Wernicke–Korsakoff syndrome. *European Journal of Clinical Investigation* ,14,278–281.
- Noonberg, A., Goldstein, G., & Page, A. (1985). Premature aging in male alcoholics: “Accelerated aging” or increased vulnerability. *Alcoholism: Chemical and Experimental Research*, 9,334-338.

- Numberger, Jr., John I., & Bierut, L. J. (2007) Seeking the Connections: Alcoholism and our Genes. *Scientific American*, Vol. 296, Issue 4.
- O' Brien, J.M., & Seller, S.C. (1982). Attributes of alcohol in the Old Testament. *The Drinking and Drug Practices Survey*, No. 18, 18-24.
- O'Connor, R., & Sheehy, N. (29 Jan 2000). *Understanding Suicidal Behaviour*. (pp. 33–37). Leicester: BPS Books.
- Olmsted, C.L., & Kockler, D.R.(October 2008). Topiramate for alcohol dependence. *Annals of Pharmacotherapy*, **42** (10), 1475–80.
- Oscar-Berman, M. & Marinkovic, K. (2003). Alcoholism and the brain: An overview. *Alcohol Research Health*, 27(2), 125-33.
- Oscar-Berman, M., & Marinkovic, K. (2003). Alcoholism and the brain: an overview. *Alcohol Research Health* ,**27** (2), 125–33.
- Oscar-Berman, M., Shagein, B., Everl, D.L., & Epstein, C. (1997). *Impairment of Brain and Behavior Alcohol Health and Research World*, 21, (1), 65-75.
- Oslin, D.W., & Carey, M.S. (2003). Alcohol related dementia. Validation of diagnostic criteria. *American Journal Geriatrics Psychiatry*, 11, 441-447.
- Parker, D.A., Parker, E.S., Brody, J.A., & Schoen Bery, R. (1983). Alcohol use and cognitive loss among employed men and women. *American Journal of Public Health*, 73(5), 521-526.
- Parker, E.S., & Noble, E.P. (1977). Alcohol consumptions and cognitive functioning in social drinkers. *Journal of Studies on Alcohol*, 38 (7), 1224-1232.
- Parker, S. J. & Barrett, D. E. (1992). Maternal Type A behavior during pregnancy, neonatal crying, and early infant temperament: Do Type A women have Type A babies? *Pediatrics*, 89: 474-479.

- Parks, M.H., Dawant, B.M., Riddle, W.R., (2002). Longitudinal brain metabolic characterization of chronic alcoholics with proton magnetic resonance spectroscopy. *Alcoholism: Clinical and Experimental Research*, 26(9), 1368–1380.
- Parks, M.H., Morgan, V.L., Pickens, D.R., (2003). Brain FMRI activation associated with self-paced finger tapping in chronic alcohol-dependent patients. *Alcoholism: Clinical and Experimental Research*, 27(4),704–711.
- Parons, O.A, & Nixon, S.J. (1993). Behavioral disorders associated with central nervous system dysfunction. In P.B Sutker & H.K Adama (Eds). *Comprehensive Handbook of Psychopathology* (pp.689-733). New York: Plenum Press.
- Parsad, D & Wig, N.N. (1971). PGI Memory Scale. National Psychological Corporation, Agra.
- Parsons, O.A .,& Leber, W.R .(1981). The relationship between cognitive dysfunction and brain damage in alcoholics. Causal, interactive, or epiphenomenal? *Alcoholism: Clinical and Experimental Research*, 5,326-342.
- Parsons, O.A. (1986). Congruities functioning in sober social drinkers: A review and critique. *Journal of Studies on Alcohol*, 47 (2),101-114.
- Patai, R. (1980). From journey into Jewish mind- alcoholism. In Blaine, Allan(Ed) alcoholism and the Jewish community. (Pp. 61-87). *New York: commission on synagogue Relations, Federation of Jewish Philanthropies of New York*,
- Patrick, C.H. (1952). *Alcohol Culture and Society*. Durham Duke University press. Reprint edition by AMS press, New York.
- Paulus, M.P., Tapert, S, F., Pulio,C., & Schuckit, M.A. (2006). Alcohol attenuates load-related activation during a working memory task: *Relation to Level of Response to Alcohol*. Department of Psychiatry, University of California.

- Philips, S.C., Harper, C., and Kril, J. (1987). A quantitative histological study of the cerebellar vermis in alcoholic patients. *Brain*, 110, 301–314.
- Pickworth, W.B., Rohrer, M.S., & Frant, R.V. (1997). Effects of abused drugs on psychomotor performance. *Experimental and Chemical Psychopharmacology*, 5(3), 235-41.
- Pohorecky, L.A.(1991). Stress and alcohol interaction: An update of human research. *Alcoholism: Clinical and Experimental Research*,15(3),438-459.
- Popham, R.E. (1978). The social history of the tavern. In, psrael. Yedy, Glaser, Frederick, b, kalant world, popham, roberl, E, Schmidt, Wolfgang and smart, Reginald, G (Eds). *Research Advances in Alcohol and Drug Problems*. Vol.4. (Pp.2.25-302). New York: Plenum press
- Porjesz, B, Begleiter, G. (1981). Human evoked brain potentials and alcohol. *Alcoholism: Clinical and Experimental Researc*, 59(2): 304-317.
- Porter, R. (1990). Introduction In: souruia, Jean-Charles. *A History of Alcoholism*. Teraus. By Nick uindley and Gareth. (PP. 9-16).Oxford: basic black well.
- Poulos, C.X., & Zack, M. (November 2004). Low-dose diazepam primes motivation for alcohol and alcohol-related semantic networks in problem drinkers. *Behavioral Pharmacology*, **15** (7), 503–12.
- Poupon, R.E., Gervaise, G., Riant, P. (1990). Blood thiamine and thiamine phosphate concentrations in excessive drinkers with or without peripheral neuropathy. *Alcohol and Alcoholism*, 25,605–611.
- Pruchno, R.A & Resch, N.L. (April, 1989). Husbands and wives as care givers, antecedents of depression and stress. *Geuon ton gist*. Vol. 29(2), 159-165.
- Ragan, P.W., Singeleton, C.K., & Martin, P.R. (1999). Brain injury associated with chronic alcoholism. *Central Nervous System Spectrums*, 4(1), 66–87.

- Rahe, R. H., Herrig, L., & Rosenman, R. H. (1978). Heritability of Type A behavior. *Psychosomatic Medicine*, 40, 478-486.
- Rajgopal, A., Edmondson, A., Goldman, I.D., & Zhao, R. (2001). SLC19A3 encodes a second thiamine transporter ThTr2. *Journal of Biochemical and Biophysical Methods ACTA*, 1537(3),175–178.
- Raymond, I.W. (1927). *The Teaching of the early church on the use of wine and strong Drink*. New York: Colombia University press.
- Razay, G, Heaton, K.W, Button, C.H, & Hughes, A.O. (1992). Alcohol consumption and its relation to be cardiovascular risk factors in brutish women. *British Medical Journal*, 304, 80-83.
- Reifman, A.F., & Welte, J. (2001). Depressive symptoms in the elderly: differences by adult-drinking history. *Journal of Applied Gerontology*, 20(3), 322-337.
- Richard, D, (2003). *Medical Toxicology (3rd ed)*. (pp.139-140). USA: Lippeincott Williams &Wilkins.
- Richard, I. (2004). *Drug use: A Reference Handbook*. (pp.122-123).Santa Barbara, Calif: ABC-CLIO.
- Rindi, G., Casirola, D., Poggi, V. (1992). Thiamine transport by erythrocytes and ghosts in thiamine–responsive megaloblastic anemia. *Journal of Inherited Metabolic Diseases*, 15, 231–242.
- Rivier, C., Imaki, T., & Vale, W.(1990). Prolonged exposure to alcohol: Effect on CRF mRNA levels, and CRF- and stress-induced ACTH secretion in the rat. *Brain Research*, 520, 1-5.
- Rodgers, B., Winsor, T.D., Antsy, K.J., Dear, K.B.G., Jorm, A.F., & Christensen. (2005). *Addition*, 100 (19) pp,1280-1290.

- Ron, M.A. (1988). Organic psycho syndromes in chronic alcoholics. *British Journal of Addiction*, 74, 353-358.
- Rosenman, R. H. (1978). The interview method of assessment of the coronary-prone behavior pattern. In: T. M. Dembroski, eds. *Coronary-Prone Behavior*. New York: Springer- Verlag.
- Rovner, S. (1990). Dramatic overlap of addition, mental (7) pluses. *Washington Post Health*, 14-15.
- Sadava, S.W., & Pak A.W. (1993). Stress-related problem drinking and alcohol problems: A longitudinal study and extension of Marlatt's model. *Canadian Journal of Behavioral Science*, 25(3), 446-464.
- Sandburg, O., Franklin, K.A., Bucht, G., & Gustafson, G. (2001). Sleep apnea, delirium, depressed mood, cognition, and ADL ability after stroke. *Journal of the American Geriatric Society*, 49 (4), 391-397.
- Sanna, E., Mostallino, M.C., Busonero, F., Talani, G., Tranquilli, S., Mameli, M., Spiga, S., Follesa, A.P. (2003). Changes in GABA (A) receptor gene expression associated with selective alterations in receptor function and pharmacology after ethanol withdrawal. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 23 (37), 117, 11-24.
- Sapolsky, R.M. (1996). Why stress is bad for your brain? *Science*, 273, 749-750.
- Sapolsky, R.M., Krey, L.C., & Meehan, B.S (1986). The neuroendocrinology of stress and again. *The Glucocorticoid Cascade Hypothesis. Endocrine Review*, 7, 284-301.
- Sapolsky, R.M. (1993). Neuroendocrinology of the stress response. In Becker, J.B, Breedlove, S.M. and Craves, D., eds. *Behavioral Endocrinology* (pp 287-324).
- Saults, J.S., Cowan, N., Sher, K.J., & Moreno, M.V. (2007). Differential effects of alcohol on working memory. Distinguishing multiple processes. *Experimental and Clinical Psychopharmacology*, 15(6), 576-587.

- Saxion, J., Butters, M.A., & Shetton, C. (1999). Alcoholism, dementia, and Alzheimer's disease. Neuropsychological characteristics and differential diagnosis. *St Francis Journal of Medicine*, 5(1), 72-77.
- Schade, J. P. (October 2006). *The Complete Encyclopedia of Medicine and Health*. (pp. 132–133). Foreign Media Books.
- Schade, J.P. (2006). *The complete Encyclopedia of Medicine and Health*. Foreign media books.pp-132-133.
- Schneider, B., & American, E. (1995). Chemical protocol series for care managers in community based long true care. *Depression Philadelphia Corporation for a gain*, Philadelphia, P.A.
- Schneider, J., & Briskly, M. (1996). The relationship between alcohol intoxication, stressors and injury in urban violence. *Bridles Journal of Criminology*, 36(4) 546-66.
- Schuckit, M.A. (November 1983). Alcoholism and other psychiatric disorders. *Hospital Community Psychiatry*, **34** (11), 1022–7.
- Schuckit, M.A, Smith ,T.L., & Danko, G.P. (November 2007). A comparison of factors associated with substance-induced versus independent depressions. *Journal of Studies of Alcohol and Drugs*, **68** (6), 805–12.
- Schuckit, M.A. (June 1997). Alcoholic patients with secondary depression. *American Journal of Psychiatry*, **140** (6), 711–4.
- Schuckit, M.A., Tipp ,J.E., Bucholz, K.K. (October 1997). The life-time rates of three major mood disorders and four major anxiety disorders in alcoholics and controls. *Addiction*, 92 (10), 1289–304.
- Schuckit, M.A.,Tipp, J.E., Bergman, M., Reich, W., Hesselbrock, V.M., & Smith, T.L. (July 1997). Comparison of induced and independent major depressive disorders in 2,945 alcoholics. *American Journal of Psychiatry*, **154** (7), 948–57.

- Seto, M.C., & Barbaree, H.E. (1995). The role of alcohol in sexual aggression. *Chemical Psycho Neurology Review*, 15 (6), 545-66.
- Seyle, H. (1956). *The Stress of Life*. New York: McGraw-Hill.
- Shepherd, J., & Brickley, M.(1996). The relationship between alcohol between alcohol intoxication, stressors and injury in urban violence. *British Journal of Criminology* , 36(4),546-66.
- Sherman, W. (2006). Test Targets Addiction gene. New York: Daily News.
- Singh, G., Kaur, D., & Kaur, G. (1971). Presumptive stressful life events scales. *National Psychological Corporation*. Agra.
- Singleton, C.K., & Martin, P.R.(2001). Molecular mechanisms of thiamine utilization. *Current Molecular Medicine*, 1(2), 197–207.
- Smart, R.G. (April 1976). Spontaneous recovery in alcoholics: a review and analysis of the available research. *Drug and Alcohol Dependence*, 1 (4), 277–85.
- Smith, S.G., Touquet, R., Wright, S., Das , N. (September 1996). Detection of alcohol misusing patients in accident and emergency departments: the Paddington alcohol test (PAT). *Journal of Accident and Emergency Medicine* (British Association for Accident and Emergency Medicine), 13 (5), 308–312.
- Sonnenberg, C.M., Beckman, A.T.F., Deeg, D.J.H., & van Tilburg, W. (2000).Sex differences in late life depression. *ACTA Psychiatrica Scandinavica*. Vol. 101 (4), 286-292.
- Spencer, R.L, & McEwen, B.S. (1990). Adaptation of the hypothalamic-pituitary-adrenal axis to chronic ethanol stress. *Neuroendocrinology*,52(5),481-489.
- Stojek, A., Madejski, J., Dedelis, E., & Janicki, K (May-June 1990). Correction of the symptoms of late substance withdrawal syndrome by intra-conjunctival

- administration of 5% homatropine solution (preliminary report). *Psychiatria Polska*, **24** (3), 195–201.
- Stuart, G. (2006). *Substance use disorders: A practical guide (2nd edition)*. (pp.103-121). USA: Lippeincott Williams & Wilkins.
- Suith, D.M., & Atkinson, R.M. (1995). Alcoholism and dementia *International Journal of the Addictions*, 30-(13-14), 1843-1869.
- Swartz, L., Elk, R., & Teggin, A. F. (1983). Life events in Xhosas in Cape Town. *Journal of Psychosomatic Research*, 27, 223-232.
- Swift, R.M. (May 2003). Topiramate for the treatment of alcohol dependence: initiating abstinence. *Lancet*, **361**, (9370), 1666–7.
- Tabakoff, B., & Petterson, R.C. (1988). Brain damage and alcoholism. *The Counselor*, 6(5), 13-16.
- Tallaksen, C.M.E., Bohmer, T., & Bell, H.(1992). Blood and serum thiamin and thiamin phosphate esters concentrations in patients with alcohol dependence syndrome before and after thiamin treatment. *Alcoholism: Clinical and Experimental Research*, 16,320–325.
- Tarter, R.E., & Edwards, K.L. (1988). Multifactorial etiology of neuropsychological impairment in alcoholics. *Alcoholism: Clinical and Experimental Research*, 10 (2),128-135.
- Tasigos, C., & Chrousos, G.P. (1995).The neuroendocrinology of the stress response. In: Hunt, W., & Zakhari, S., eds. *Stress, Gender, and Alcohol-Seeking Behavior*. National Institute on Alcohol Abuse and Alcoholism Research Monograph No. 29. Bethesda, MD: the Institute.
- Taylor, S. (1991). *Health Psychology*, 2nd edition. New York: McGraw-Hill.

- Teri, L., & Wagner, A. (1992). Alzheimer's disease and depression. *Journal of Consulting and Clinical Psychology*, 60, 379-391.
- Testino, G. (2008). Alcoholic diseases in hepato-gastroenterology: a point of view. *Hepatogastroenterology*, 55 (82-83), 371-7.
- Thomas, S. (2001). Alcohol abuse, cognitive impairment and mortality among older people. *American Geriatrics Society*, 49(4), 415-420.
- Thomas, V.S., & Rockwood, K.J. (2001). Alcohol abuse, cognitive impairment and mortality among older people. *American Geriatrics Society*, 49(4), 415-420.
- Tivis, R., Beatty, W.W., Nixon, S.J., & Parsons, O.A. (1995). Patterns of cognitive impairment among alcoholics: Are there subtypes? *Alcoholism: Clinical and Experimental Research*, 19, 496-500.
- Tjonneland, A., Gronbaek, M., Stripp, C., & Overvad, K. (1998) Wine intake and diet in a random sample of 48,763 Danish men and women. *American Journal of Clinical Nutrition*, 69, 46-54.
- Todd, K., & Butterworth, R. (1999). Early microglial response in experimental thiamine deficiency: An immunohistochemical analysis. *Glia*, 25, 190-198.
- Torvik, A. (1987). Brain lesions in alcoholics: Neuropathological observations. *Acta Medica Scandinavica*, 717(Suppl.), 47-54.
- Uno, H., Tarara, R., Else, J.G., Suleman, M.A., & Saplosky, R.M. (1989). Hippocampal damage associated with prolonged and fatal stress in primates. *Journal of Neuroscience*, 9, 1705-1711.
- Vaillant, G.E. (2003). A 60-year follow-up of alcoholic men. *Addiction (Abingdon, England)*, 98 (8) 1043-51.
- Van Ree, J.M. (1996). Endorphins and experimental addiction. *Alcohol*, 13(1), 25-30.

- VandenBos, G.R. (15 July 2006). *APA dictionary of psychology*. Washington, DC: American Psychological Association.
- Verfaellie, M., Cermak, L.S., Blackford, S.P. (1990). Strategic and automatic priming of semantic memory in alcoholic korsakoff patients. *Brain and cognition*, 13(2), 178-192.
- Viau, V., Sharma, S., Plotsky, P.M., & Meaney, M.J. (1993). Increased plasma ACTH responses to stress in nonhandled compared with handled rats require basal levels of corticosterone and are associated with increased levels of ACTH secretagogues in the median eminence. *The Journal of Neuroscience*, 13(3): 1097-1105.
- Victor, M., Davis, R.D., & Collins, G.H. (1989) *The Wernicke–Korsakoff Syndrome and Related Neurologic Disorders Due to Alcoholism and Malnutrition*. Philadelphia: F.A. Davis.
- Victor, M. & Laureno, R. (1978). Neurologic complications of alcohol abuse: *Epidemiologic Aspects Advances in Neurology*, 19, 603-617.
- Visser, P.J., Verhey, F.R.J., Ponds, R.W., Kester, A., & Jolles, J. (2000). Distinction between preclinical Alzheimer's disease and depression. *Journal of the American Geriatrics Society*. volume 48 (5), 479-484.
- Vitaliano, P.P., Mainro, R.D., Russo, J., & Becker, J. (1987). Raw versus relative scores in the assessment of coping strategies. *Journal of Behavioral Medicine*, 10, 1-18.
- Vogel-Sprott, M., & Barrett. (1984). Age, drinking habits and effects of alcohol. *Journal of Studies on Alcohol*, 4, 547-521.
- Volpicelli, J.R. (1987). Uncontrollable events and alcohol drinking. *British Journal of Addiction*, 82(4), 381-392.
- Waltman, C., Blevins, J.R., L.S., Boyd, G., & Wand, G.S. (1993). The effects of mild ethanol intoxication on the hypothalamic-pituitary-adrenal axis in nonalcoholic men. *Journal of Clinical Endocrinology and Metabolism*, 77(2), 518-522.

- Wand, G.S., & Dobs, A.S.(1991). Alterations in the hypothalamic-pituitary-adrenal axis in actively drinking alcoholics. *Journal of Clinical Endocrinology and Metabolism*, 72(6), 1290-1295.
- Weber, A.L. (1991). *Introduction to Psychology*. New York: Harper Collins.
- Wernicke Wang, J.J.L., Martin, P.R., & Singleton, C.K.(1997). A transketolase assembly defect in a Korsakoff syndrome patient. *Alcoholism: Clinical and Experimental Research* ,21,576–580.
- Wetterling, T., & Junghanns, K. (September 2000). Psychopathology of alcoholics during withdrawal and early abstinence. *European Psychiatry* ,15 (8),483–8.
- Wilkinson,D.A.(1987).C.T scan and neuropsychological assessment of alcoholism. In: Parson.O.A., Butters, N., and Nathan, P. E., eds. (pp.76-102). *Neuropsychology of Alcoholism: Implications for Diagnosis and Treatment*. New York: the Guilford press.
- Wilson, R., & Kolander, C. A. (2003). *Drug Abuse Prevention: A School and Community Partnership*. Sudbury, Mass.: Jones and Bartlett. pp. 40–45.
- Wiscott, R., Koperafrye, K., & Seifert, L. (2001). Possible consequences of social drinking in the stages of Alzheimer disease. *Geriatric Nursing*, 22(2), 100-104.
- Woodburn, K., & Johnstone, E. (1999). Measuring the decline of a population of people with early onset dementia in Lothian, Scotland. *International Journal of Geriatric Psychiatry*, 14(5), 355-361.
- Woodhill, J.M., & Noble, S.(1972). Thiamine in the 1970 Australian diet with special reference to cereals and the assessment of thiamine status. *International Journal of Vitamin and Nutrition Research*, 42,435–443.
- World Health Organization (2010). "Alcohol". http://www.who.int/topics/alcohol_drinking/en/.

World Health Organization. (2005). Alcohol policy in the WHO European Region: current status and the way forward.

Yamamoto, J., Silva, A., Sasao, T., Wang, C., & Nguyen, L. (1993). Alcoholism in Peru. *American Journal of Psychiatry*, 150, 1059-1062.

York, J.L. (1983). Increased responsiveness to ethanol with advancing age in rats. *Pharmacology Biochemistry and Behavior*, 19, 687-691.