



ACKNOWLEDGEMENT

I am deeply indebted to Dr. S.T. Tilak under whose guidance and encouragement I had the opportunity to work. In spite of his various engagements he evinced great interest in my work and I shall remain ever grateful to him for his inspiring guidance and unfailing efforts to bring this work to completion.

I wish to thank Shri. B.R.Ganjwe, Secretary, Wanded Education Society, Wanded for keen interest shown in present investigation. I also thank Dr. B.R.Keshavan, Principal, Science College, Wanded and Dr. D.S.Deshpande, Vice-Principal, Science College, Wanded for encouragement and laboratory facilities.

I am thankful to Dr. K.S.Deshpande, Head of the Department of Botany, Science College, Wanded and Dr. R.L.Kulkarni, Head of the Department of Botany, Pratibha Niketan Mahavidyalaya, Wanded for their interest; Dr. A.M. Mungikar for his continuous help in various ways; Shri. Raoji Patil for allowing me to carry on the work in Orange field at Limbgaon; Shri. Sitaram Pappu for allowing me to carry on the work in Mung and CSH-1 Hybrid Jowar fields at Wanded; Shri. V.A. Chaudhary, A.B.Joshi and Chakre for their help.

IV

Lastly I must thank my parents, relatives and friends who have continuously encouraged me to complete this work.

February - 1976.

B.N. Pande.