

*Bibliography*

- ADJEI, E. L., BARNES, A., & LESTER, R. J. G. (1986). A method for estimating possible parasite related host mortality, illustrated using data from *Callitetrarhynchus gracilis* (Cestoda: *Trypanorhyncha*) in lizard fish (*Saurida* spp.). *Parasitology*, **92**: 227-243
- ANDERSON, R. M., WHITEFIELD, P. J. & DOBSON, A. P. (1978). Experimental studies on infection dynamics: Infection of the definitive host by the cercariae of *Transversotrema patialense*. *Parasitology*, **77**: 189-200
- ANDERSON, R. M. & MAY, R. M. (1982). Population dynamics of human helminth infections: control by chemotherapy. *Nature*, London **297**: 557-563
- ANDERSON, R. M. & GORDON, D. M. (1982). Processes influencing the distribution of parasite numbers within host populations with special emphasis on parasite-induced host mortalities. *Parasitology*, **85**: 373-398
- ANDERSON, R. M. & MAY, R. M. (1985a). Herd immunity to helminth infections and implications for parasite control. *Nature*, London **315**: 493-496
- ANDERSON, R. M. & MAY, R. M. (1985b). Helminth infections of humans: Mathematical models, population dynamics and control. *Advances in Parasitology*, **24**: 1-101
- ANDREWARTHA, H. G. & BIRCH, L. G. (1954). In: *The distribution and abundance of Animals*. The University of Chicago press, Chicago
- ANONYMOUS. *Annual Report* 1995-96 Regional Medical Research Centre (ICMR), Port Blair.
- ANONYMOUS. *Annual Report* 1993-94 Centre for Research in Medical Entomology (ICMR), Madurai.
- ANONYMOUS. Directorate of Census operation Andaman & Nicobar Islands 2001. Census of India 2001-Series 36 Andaman & Nicobar Islands Provisional Population Totals, paper 1 2001.
- BAHR, P. H. (1912). Filariasis and elephantiasis in Fiji. *Jour. London Sch. Trop. Med. Sup.*, **1**: 1-192
- BARRAUD, P. J. (1934). *Fauna of British India*. Vol. V. Diptera. Family Culicidae Tribes Megharhinini and Culicini. Today & Tomorrow's Printers & Publishers, New Delhi
- BASU, P. C. (1958). A note on malaria and filariasis in Andaman and Nicobar. *Bull Nat Soc India Mal Mosq Dis.*, **6**: 193
- BELKIN, J. N. (1961). Non periodic bancroftian filariasis in the South Pacific: its vectors and a hypothesis as to its origin. *Abstr. Symp. Pap. 10<sup>th</sup> Pacif, Sci, Congr., Honolulu*, 426
- BELKIN, J. N. (1962). *The mosquitoes of the South Pacific (Diptera: Culicidae)*. 2 vol. Berkeley: Univ. Calif. Press
- BELKIN, J. N. (1960). *The mosquitoes of the South Pacific*. Univ. of California., Press
- BELKIN, J. N. (1960a). *The mosquitoes of the Robinson-Peabody Museum Expedition to the South West Pacific*
- BEYE, H. K & GURIAN, J. (1960). Epidemiology and dynamics of transmission of *Wuchereria bancrofti* and *Brugia malayi*. *Indian J. Malariol.*, **14**: 415-440

- BEYE, H. K., KESSEL, J. F., HEULS, J., THOORIS, G. C & BAMBRIDGE, B. (1953). Nouvelles recherches sur l'importance, les manifestations cliniques et la lutte contre la filariose a Tahiti, Oceanie Francaise. *Bull. Soc. Path. Exot.*, **46**: 144-163
- BHUMIRATNA, A., KOYADUN, S., SUVANNADABBA S., KARNJANOPAS, K., ROJAANPREMSUK, J., BUDDHIRAKKUL, P., & TANTIWATTANASUP, W. (1999) Field trial of the ICT filariasis for diagnosis of *Wuchereria bancrofti* infections in an endemic population of Thailand. *Southeast Asian J. Trop. Med. Public. Health.*, **30**: 562-568
- BIRCH, L.C. (1948). The intrinsic rate of natural increase of an insect population. *J. Anim. Ecol.*, **17**:15-26
- BISWAS, G., RAINA, V. K., & RAO, C. K. (1996). A revised strategy for the control of lymphatic filariasis in India. Report and recommendations of the WHO sponsored workshop, New Delhi: National Malaria Eradication Programme. pp 1- 43
- BONNET, D. D. & CHAPMAN, H. (1956). The importance of mosquito breeding in tree holes with special problem in Tahiti. *Mosquito News.*, **16**(4): 301-305.
- BRENGUES, J. & BAIN, O. (1972). Passage des microfilaries de l'estomac vers l'hémocèle du vecteur, dans les couples *Wuchereria bancrofti*-*Anopheles gambiae* A, *W.bancrofti*-*Ades aegypti* et *Setaria labiatopappilosa*-*A.aegypti*. *Cahiers ORSTOM, Serie Entomologie medicale et Parasitologie* **10**: 235-249
- BRYAN, J. H & SOUTHGATE, B. A (1976). Some observations on filariasis in Western Samoa after mass administration for diethylcarbamazine. *Trans. R. Soc. Trop. Med. Hyg.*, **70**: 39-48
- BUNDY, D. A. P. (1988). The population ecology of human helminth infections. *Philosophical Transactions of the Royal Society of London.*, B **104**: 214-217
- BURKOT, T. & ICHIMORI, K. (2002). The PacELF programme: will mass drug administration be enough?. *TRENDS in Parasitology.*, **18**(3): 109 - 115
- BURNETT, G. F. (1960). Filariasis research in Fiji 1957-1959. Part I: Epidemiology. *J. Trop. Med. Hyg.*, **63**:153
- BURNETT, G. J. (1959). Summary and conclusions on research on filariasis carried out in Fiji. *World Health Organization/FIL/Int/3*, pp6
- BUSHROD, F. M. (1979). Studies on filariasis transmission in Kwale, a Tanzanian coastal village, and the results of mosquito control measures. *Annals of Tropical Medicine & Parasitology.*, **73**: 277-285
- BUXTON, P. A. (1928). Researches in Polynesia and Melanesia. An account of investigations in Samoa. Tonga, the Ellice Group, and The New Hebrides. In 1924, 1925, Parts V-VII (London, Lond. Sch. Hyg & Trop. Med.) No. 2 of Memoir Series, pp. 139, plates 1-27, figs 7 in text.
- BYRD, E. E., St. AMANT, L. S., AND BROMBERG, L. (1945). Studies on filariasis in the Samoan area. *US Naval Med Bull.*, **44**: 1-20
- CANET, J. (1952). La filariose humaine en Indochine. *Annales de Parasit.*, **27**: 286-310
- CARTEL, J. L., NGUYEN, N. L., SPIEGEL, A., MOULIA-PELAT, J. P., PLICHART, R., MARTIN, P. M. V., MANUELLAN, A. B & LARDEUX, F. (1992). *Wuchereria bancrofti* infection in human and mosquito populations of a Polynesian village ten years after interruption of mass chemoprophylaxis with diethylcarbamazine. *Trans. R. Soc. Trop. Med. Hyg.*, **86**: 414-416

- CHANTEAU, S., MOULIA-PELAT, J. P., GLAZIOU, P., NGUYEN, N. L., LUQUIAUD, P., PLICHART, C., MARTIN, P.M & CARTEL, J. L. (1994). Og4C3 circulating antigen: a marker of infection and adult worm burden in *Wuchereria bancrofti* filariasis. *Journal of Infectious Diseases.*, **170**: 247-250.
- CHRISTOPHERS, R. S. (1969). *Aedes aegypti* (L.) In: *The Yellow Fever Mosquito – Its Life History, Bionomics and structure*. Cambridge University Press.
- CHRISTOPHERS, S.R. (1933). Fauna of British India. Vol. IV. Diptera. Family Culicidae Tribe Anophelini. Today & Tomorrow's Printers & Publishers, New Delhi.
- COBBOLD, T. S (1877). Discovery of the adult representative of microscopic filaria. *Lancet.*, ii: 69
- COLLESS, D. H. (1958). Notes on the culicine mosquitoes of Singapore IV- The *Aedes niveus* sub group (Diptera: Culicidae): Introduction and Description of five new species and of one new subspecies. *Annals of Tropical Medicine & Parasitology.*, **52**: 468-483
- CORBET, P. S (1960). Recognition of nulliparous mosquitoes without dissection. *Nature.*, **187**: 525-526
- CORBET, P. S (1962). The use of external characters to age grade adult mosquitoes (Diptera: Culicidae). *Proc. Int. Congr. Ent.* XI<sup>th</sup> vol. II, pp 387-390.
- CRANS, W. J. (1973). Experimental Infection of *Anopheles gambiae* and *Culex pipiens fatigans* with *Wuchereria bancrofti* in coastal East Africa. *Journal of Medical Entomology.*, **10**: 189-193.
- CROMBIE, J. A. & ANDERSON, R. M (1985). *Schistosoma mansoni* infections in mice repeatedly exposed to infection. *Nature.*, London. **315**: 491-493
- DAS, M. (1976). Vectors of filariasis with special reference to India. *J. Commun. Dis.*, **8**: 101-109
- DAS, M., RUSSEL, S. & RAO. C. K. (1975). Filariasis in Andaman and Nicobar Islands. Part II. Periodicity of microfilaria of *Wuchereria bancrofti*. *J. Commun. Dis.*, **7**: 251-256
- DAS, P. K., MANOHARAN, A, RAMAIAH, K. D., BALARAJAN, K. & DHANDA, V. (1995). Cost analysis of blood surveys for the detection of microfilaria carriers in rural areas. *National Medical Journal of India.*, **8**: 143-144
- DAS, P. K., MANOHARAN, A., SRIVIDYA, A., GRENFELL, B. T., BUNDY, D. A. P & VANAMAIL, P. (1990). Frequency distribution of *Wuchereria bancrofti* microfilariae in human populations and its relationships with age and sex. *Parasitology.*, **101**: 429-434
- DAS, P. K., RAMAIAH, K. D., VANAMAIL, P., PANI, S. P., YUVARAJ, J., BALARAMAN, K. & BUNDY, D. A. P (2001). Placebo controlled community trial of four cycles of single dose diethyl carbamazine or ivermectin against *Wuchereria bancrofti* infection and transmission in India. *Trans. R. Soc. Trop. Med. Hyg.*, **95**: 336-341
- DAS. P. K., SUBRAMANIAN, S., MANOHARAN, A., RAMAIAH, K.D., VANAMAIL, P., GRENFELL, B. T., BUNDY, D. A. P., & MICHAEL, E. (1995) Frequency distribution of *Wuchereria bancrofti* infection in the vector host in relation to human host: evidence for density dependence. *Acta Tropica.*, **60**: 159-165
- DEAN, M. (2000). Launching a lymphatic filariasis campaign in the Pacific Islands. *Lancet.*, **356**:143
- DE MEILLON, B & SEBASTIAN, A. (1967a). Qualitative and quantitative characteristics of adult *Culex pipiens fatigans* populations according to time site and place of capture. *Bull. World Health Organ.*, **36**: 75-80

- DE MEILLON, B. & KHAN, Z. H. (1976b). Examples of the use of simple age-grading in the assessment of *Culex pipiens fatigans* populations. *Bull World Health Organ.*, **36**: 169-174
- DE MEILLON, B. & SEBASTIAN, A. (1967b). The biting cycle of *Culex pipiens fatigans* on man in Rangoon, Burma and the microfilarial periodicity. *Bull World Health Organ.*, **36**: 174-175
- DE MEILLON, B., GRAB, B. & SEBASTIAN, A. (1967). Evaluation of *Wuchereria bancrofti* infection in *Culex pipiens fatigans* in Rangoon, Burma. *Bull World Health Organ.*, **36**: 91-100
- DE MEILLON, B., GRAB, B. & SEBASTIAN, A. (1967c). Evaluation of *Wuchereria bancrofti* infection in *Culex pipiens fatigans* in Rangoon, Burma. *Bull World Health Organ.* **36**: 91-100
- DE MEILLON, B., HAYASHI, S & SEBASTIAN, A. (1967b). Infection and reinfection of *Culex pipiens fatigans* with *Wuchereria bancrofti* and the loss of mature larvae in blood feeding. *Bull World Health Organ.*, **36**: 91-100
- DEMARQUAY (1863). *Gaz. Med. Par.*, **18**: pp 665
- DETINOVA, T. S. (1962). Age grouping methods in Diptera of medical importance with special reference to some vectors of malaria. *Wld. Hlth. Org. Monogr. Ser.*, **47**: pp 216
- DETINOVA, T. S. (1945). The determination of the physiological age of females of *Anopheles* by changes in the tracheal system of the ovaries. *Medskaya Parazit.*, **14**: 45-49.
- DIETZ, K. (1982 a). The population dynamics of Onchocerciasis. In *Population dynamics of Infectious diseases: Theory and Applications* (Ed. Anderson, R. M.) pp 209-241. London: Chapman and Hall.
- DIETZ, K. (1982 b). Overall population patterns in the transmission cycle of infectious disease agents. In *Population Biology of Infectious Diseases*. (Ed. Anderson, R. M & May, R. M) pp 87-102. Berlin: Springer Verlag
- DIETZ, K. (1988) Density-dependence in parasite transmission dynamics. *Parasitol. Today.*, **4**: 91-97.
- DONDERO, T. J., BHATTACHARYA, N. C., BLACK H. R., CHOWDHURY, A. B., GUBLER, D. J., INUI, T. S., & MUKHERJEE, M (1976). Clinical manifestations of bancroftian filariasis in suburb of Calcutta, India. *American Journal of Tropical Medicine and Hygiene.*, **25** : 64-73.
- DRAPER, B. (1960). Canoes, campfires, and carbon 14. *Pacific Discovery.*, **13**: pp14 – 20
- DREYER, G., SANTOS, A., NOROES, J, ROCHA, A & ADDISS, D. (1996). Amicrofilaraemic carriers of adult *Wuchereria bancrofti*. *Trans. R. Soc. Trop. Med. Hyg.*, **90**: 288-289.
- DUDLEY STAMP, L. (1962). Asia- Regional and Economic Geography. Methuen & Co. Ltd., London
- DUKE, B. O. L. (1968). Studies in factors influencing the transmission of Onchocerciasis IV. The biting cycles, infective biting density and transmission potential of "forest" *Simulium damnosum*. *Annals of Tropical Medicine & Parasitology.*, **62**: 95-106.
- DYE, C. & WILLIAMS, B. J. (1995). Non-linearities in the dynamics of indirectly-transmitted infections (or, does having a vector make a difference ?). In *Ecology of Infectious Diseases in Natural Populations* (ed. Grenfell, B. T. & Dobson, A. P.), pp. 260-279. Cambridge University Press, Publications of the Newton Institute, Cambridge.

- DYE, C. (1992) Does facilitation imply a threshold for the eradication of lymphatic filariasis? *Parasitol. Today.*, **8**: -109-110.
- ELLIS, W. (1833). *Polynesian researches*, Vol I (New York J and J. Harper)
- EWERT, A. & HO, B. C. (1967). The fate of *Brugia pahangi* larvae immediately after feeding by infective vector mosquitoes. *Trans. R. Soc. Trop. Med. Hyg.*, **61**: 659-662
- ESTERRE P, PLICHART C, SECHAN Y, NGUYEN N. L. (2001). The impact of 34 years of massive DEC chemotherapy on *Wuchereria bancrofti* infection and transmission: the Maupiti cohort. *Trop Med Int Health.*, **6**(3):190-195.
- FAILLOUX, A. B., RAYMOND, M., UNG, A., GLAZIOU, P., MARTIN, P. M. V. & PASTEUR, N. (1995). Variation in the vector competence of *Aedes polynesiensis* for *Wuchereria bancrofti*. *Parasitology.*, **111**: 19-29
- GILLIES, M. T. (1961). Studies on the dispersion and survival of *Anopheles gambiae* Giles in East Africa by means of marking and release experiments. *Bull. Ent. Res.*, **52**: 99-127.
- GOULD, D. J., BAILEY, C. L. & VONGPRADIST, S (1982). Implication of forest mosquitoes in the transmission of *W. bancrofti* in Thailand. *Mosq News.*, **42**: 560-564.
- GRAHAM, J. E & BRADLEY, I. E. (1972). Changes in the age structure of *Culex pipiens fatigans* Wiedman population in Rangoon, Burma, after intensive larviciding. *J. Med. Entomol.*, **9**: 325-329.
- GRENFELL, B. T., DAS, P. K., RAJAGOPALAN, P. K & BUNDY, D. A. P. (1990). Frequency distribution of lymphatic filariasis microfilariae in human populations: population processes and statistical estimation. *Parasitology.*, **101**: 417- 427
- GUBLER, D. J. & BHATTACHARYA, N. C. (1974). A quantity approach to the study of bancroftian filariasis. *WHO/VBC*. 492
- GUBLER, D. J. & BHATTACHARYA, N. C. (1974). A quantitative approach to the study of bancroftian filariasis. *WHO/FIL/74*.129
- HADDOW, A. J. (1960). Studies on the biting habits and medical importance of East African mosquitoes in the genus *Aedes*.I.Sub genera *Aedimorphus*, *Banskinella* and *Dunninus*. *Bull. Ent. Res.*, **51**:759-779.
- HAIRSTON, N. A. & JACHOWSKI, L. A. (1968). Analysis of the *W. bancrofti* population in people of Western Samoa. *WHO Bulletin.*, **38**: 29-59
- HAIRSTON, N. G & DE MEILLON, B. (1968). On the inefficiency of transmission of *Wuchereria bancrofti* from mosquito to human host. *Bull World Health Organ.*, **38**: 935-941
- HARINASUTA, C., GUPTAVANJI, P., BELL, D. R., WILSON, T., RAMACHANDRAN, C. P & SIVANANDAM, S. (1970a). Studies on nocturnally sub periodic strain of *Wuchereria bancrofti* from West Thailand. *Southeast Asian J. Trop. Med. Public. Health.*, **1**: 152-154
- HARINASUTA, C., SUCHARIT, S., DEESIN, T., SURATHIN, K & VUTIKES, S (1970b). Bancroftian filariasis in Thailand, a new endemic area. *Southeast Asian J. Trop. Med. Public. Health.*, **1**: 233-245.

- HARRISON, B A, RATTANARITHIKUL, R, PEYTON, E L & MONGKOPANYA, K (1990) Taxonomic changes, revised occurrence records and notes on the Culicidae of Thailand and neighboring countries *Mosq Syst*, **22** 196-227
- HATI, A K, GOUTAM CHANDRA, BHATTACHARYA, A, BISWAS, D, CHATTERJEE, K K & DWIBEDI, H N (1989) Annual transmission potential of bancroftian filariasis in an urban and a rural area of West Bengal, India *American Journal of Tropical Medicine & Hygiene*, **40** 365-367
- HAYES, J & DOWNS, T D (1980) Seasonal changes in an isolated population of *Culex pipiens quinquefasciatus* (Diptera: Culicidae) a time series analysis *J Med Entomol*, **12** 167-178
- HAYES, J (1975) Seasonal changes in population structure of *Culex pipiens quinquefasciatus* Say (Diptera: Culicidae) Study of an isolated population *J Med Entomol*, **12** 167-178
- HITCHCOCK, J C Jr (1970) Evaluation of filariasis mosquito surveys based on the physiological age of the vector *Journal of Parasitology*, **56** 149
- HO, B C & EWERT, A (1967) Experimental transmission of filarial larvae in relation to feeding behaviour of the mosquito vectors *Trans R Soc Trop Med Hyg*, **61** 663-666
- ICHIMORI, K (2001) Entomology of the filariasis control programme in Samoa, *Aedes polynesiensis* and *Ae samoanus* *Med Entomol Zool*, **52** 11-21
- INDIAN COUNCIL OF MEDICAL RESEARCH (1961) Report of the committee on the "National Filaria Control Program", India
- INDIAN COUNCIL OF MEDICAL RESEARCH (1961-70) Assessment of National Filaria Control Program (India) *Tech Rep Ser*, **10**
- IYENGAR, M O T (1955) Filariasis investigations in New Caledonia *Q Bull S Pacif Commun*, **5** 27
- IYENGAR, M O T (1954) Preliminary report on an investigation on filariasis in New Caledonia Rept South Pac Comm (Mimeograph), pp 6
- IYENGAR, M O T (1957a) A report on an investigation on filariasis in the Cook Islands *So Pac Comm Tech Inf Circ*, No 21, pp 15
- IYENGAR, M O T (1959e) Filariasis in American Samoa *Tech Inf Circ S Pacif Commun*, No 35
- JACHOWSKI, L A (1954) Filariasis in American Samoa V Bionomics of the principal vector, *Aedes polynesiensis* Marks *Am J Hyg*, **60** 186
- JACHOWSKI, L A Jr, & OTTO, G F (1955) Filariasis in American Samoa IV Prevalence of microfilaraemia in the human population *Amer J Hyg*, **61** 334-348
- JACHOWSKI, L A, Jr, & OTTO, G F (1952) Filariasis in American Samoa II Evidence of transmission outside villages *Amer Jour Trop Med*, **1** 662-670
- JACHOWSKI, L A, Jr, & OTTO, G F (1953) Filariasis in American Samoa IV Studies on the factors influencing the epidemiology of the infection Research Rept (Naval Medical Research Institute, Bethesda, Maryland) **11** 869-940
- JACHOWSKI, L A (1954) Filariasis in American Samoa V Bionomics of the principal vector, *Aedes polynesiensis* Marks *Am J Hyg*, **60** 186

- JACHOWSKI, L. A. Jr, & OTTO, G. F. (1955) Filariasis in American Samoa: Pt IV. Prevalence of microfilaria in the human population. *Amer J. Hyg.*, **61**: 334-348
- JASWANT SINGH & RAGHAVAN, N. G. S. (1953). Filariasis as a public health problem in India and its control. *Bull. Natn. Sci. Ind. Mal. Mosq. Dis.*, **1**: 37-42
- JORDAN, P. (1952). A note on the effect of a blood meal on infective larvae of *Wuchereria bancrofti* in *Culex fatigans*. *Trans. R. Soc. Trop. Med. Hyg.*, **53**: 148-150
- JORDAN, P. (1959). A note on the effect of a blood meal on infective larvae of *Wuchereria bancrofti* in *Culex fatigans*. *Trans. R. Soc. Trop. Med. Hyg.*, **53**: 53-64
- KALRA, N. L. (1974). Filariasis among aborigines of Andaman and Nicobar islands. *J Commun Dis.*, **6**: 40-56
- KARTMAN, L. (1954). Suggestions concerning an index of experimental filarial infections in mosquitoes. *Ann. Trop. Med. Hyg.*, **3**: 329-337
- KAZURA, J. W., SPARK, R., FORSYTH, K., BROWN, G., HEYWOOD, P., PETERS, P & ALPERS, M. (1984). Parasitological and clinical features of bancroftian filariasis in a community in East Sepik Province, Papua New Guinea. *American Journal of Tropical Medicine and Hygiene.*, **33**: 1119-1123
- KESSEL, J. F. (1960). Non-periodic bancroftian filariasis. *Indian J. Malariol.*, **14**: 509-518
- KHAMBOONRUANG, C., THITASUT, P., PAN-IN, S., MORAKOTE, N., CHOOCHOTE, W., SOMBOON, P., & KEHA, P. (1987). Filariasis in Tak Province, northwest Thailand: the presence of subperiodic variant *Wuchereria bancrofti*. *Southeast Asian J. Trop. Med. Public. Health.*, **18**(2): 218-222.
- KHAMBOONRUANG, C., SUKHAVAT, K., PAN-IN S., CHOOCHOTE W., SOMBOON, P., KEHA, P. & MUANGYIMPONG, Y. (1989) Bancroftian filariasis in Tambol Na-Sai, Amphoe Li, Lamphun Province: a preliminary survey for microfilaraemia. *J Med Assoc Thai.*, **72**(6): 321-324.
- KIMURA, E., PENAI, A. & SPEARS, G. F. S. (1985). Epidemiology of sub periodic bancroftian filariasis in Samoa 8 years after control by mass treatment with diethylcarbamazine. *Bull World. Health Organ.*, **63**: 869-878
- KIMURA, E., SPEARS, G. F. S., SINGH, K. I., SAMARAWICKREMA, L., PENAI, P. F., SONE, S., PELENATU, S. T., FAALUASO, L. S., SELF, & DAZO, B. C. (1992). Long term efficacy of single dose mass treatment with diethylcarbamazine citrate against diurnally subperiodic *Wuchereria bancrofti*: eight years experience in Samoa. *Bull World. Health Organ.*, **70**(6): 769-776
- KNIGHT, K. L & HARRISON, B. A. (1987). A new *Aedes* of the Niveus-subgroup. *Mosq. Syst.*, **19** (3): 212-232
- KNIGHT, K. L & MARKS, E. N (1952). An annotated checklist of the mosquitoes of the sub genus *Finlaya*, genus *Aedes*. *Proc. U.S. Nat. Mus.*, **101**: 513-574
- KNIGHT, K. L (1974). A new *Aedes* (*Finlaya*) mosquito from Thailand. *Mosq. Syst.*, **10**: 106-116
- KNIGHT, K. L (1946). The *Aedes Finlaya niveus* subgroup of oriental mosquitoes. *J Wash. Acad. Sci.*, **36**:270-280
- KONIGER (1878). Beobachtung über Elephantiasis auf Samoa. *Arch. Klin. Chir.*, **23**: pp 413-422



- LANG & NOC (1903) *Arch de parasitologie*, **7** 377
- LAI GRET J, FAGNEAUX G, TUIRA E (1980) Mass chemotherapy with spaced doses of diethylcarbamazine effects in Tahiti on microfilaraemia due to *Wucherera bancrofti* var *pacifica* *Bull World Health Organ*, **58**(5) 779-83
- LARDEUX, F & CHEFFORT, J (2001) Ambient temperature effects on the extrinsic incubation period of *Wucherera bancrofti* in *Aedes polynesiensis* implications for filanasis transmission dynamics and distribution in French Polynesia *Medical & Veterinary Entomology*, **15** (2) 167-176
- LARDEUX, F, RIVIERE F, SECHAN Y, KAY B H (1992) Release of *Mesocyclops aspericornis* (Copepoda) for control of larval *Aedes polynesiensis* (Diptera culicidae) in land crab burrows on an atoll of French Polynesia *Medical & Veterinary Entomology*, **29** (4) 571-576
- LAURENCE, B R (1963) Natural mortality in two filanasis vectors *Bull World Health Organ*, **28** 229-234
- LAVOIPERRE, M M & HO, B C (1973) Studies on filanasis II *Brugia pahangi* The escape of infective larvae from the mosquito *J Helminthol*, **47** 339-352
- LE GODINEC, G & FAURAN, P (1984) Survey on filanasis in New Caledonia *Bull Soc Pathol Exot Filiales*, **77**(3) 344-51
- LEWIS, T R (1872) Rep San Comm for India 8<sup>th</sup> Report, Calcutta
- LINDSAY, S W, DENHAM, D A & Mc GREEVY, P B (1984) The effect of humidity on the transmission of *Brugia pahangi* infective larvae to mammalian hosts by *Aedes aegypti* *Trans R Soc Trop Med Hyg*, **78** 19-22
- LLOYD, C (1949) The voyages of Captain James Cook around the world selected from his journals (London, Cresset Press) pp 187
- MACDONALD, G (1957) The Epidemiology and Control of Malana Oxford University Press, London
- MANSON, P (1896) Filanasis in Samoa *Brit Med Journal*, **2** 1379
- MANSON, P (1894) Elephantiasis arabum in the South Sea Islands *Brit Med Journal*, **1** 1186-1187
- MANSON-BAHR, P E C & APTED, F I C (1982) *Manson's Tropical Diseases*, 18<sup>th</sup> edn Bailliere Tindall, London pp 148-180
- MARKS, E N (1951) The vector of filanasis in Polynesia a change in nomenclature *Annals of Tropical Medicine & Parasitology*, **45** 137
- McCARTHY, D D & FITZGERALD, N (1956) Habit, habitat and hyperfilanation in the epidemiology of filanasis in Western Samoa *Trans R Soc Trop Med Hyg*, **50** 58
- McMAHON, J E, MAGAYUKA, S A, KOLSTRUP, N, MOSHA, F W, BUSHROD, F M, ABARU, D E & BRYAN, J H (1981) Studies on the transmission and prevalence of bancroftian filanasis in four coastal villages of Tanzania *Annals of Tropical Medicine & Parasitology*, **75** 415-431
- MER, G G (1932) The determination of the age of *Anopheles* by differences in the size of the common oviduct *Bull Ent Res*, **23** 563-566

- MESSER, A. B. (1876). Contribution a la Geographic Medicale: Les iles Viti ou Fidji considerees principalement au point de vue de l'etat sanitaire de la population blanche. *Arch Med Nav.*, 26: pp 321-336 (Extract from "Statistical Report on the Health of the Navy, for the year 1874, printed for the House of Commons")
- MICHAEL, E., BUNDY, D. A. P & GRENFELL, B. T. (1996). Reassessing the global prevalence and distribution of lymphatic filariasis. *Parasitology.*, 112: 403-406
- MICHAEL, E., BUNDY, D. A. P & OTTESEN, E & RAMACHANDRAN, C. P (1996). Global burden of disease: prevalence of disease in lymphatic filariasis. *Parasitology.*, 112: 409-428
- MONTGOMERY, J. (1831). Journal of voyages and travels by the Rev. Daniel Tyerman and George Bennet, Esq., deputed from the London Missionary Society to visit their various stations in the South Sea Islands, China, India, and etc., between the years 1821 and 1829. Vol I: pp 1-566 (London, Fredrick Westly and A. H. Davis)
- MOULIA-PELAT, J. P., GLAZIOU, P., CHANTEAU, S., NGUYEN-NGOC, L., MARCET, Y., GARDINES, R., MARTIN, P. M., & CARTEL, J. L. (1993). Periodicity of *Wuchereria bancrofti* var. *pacifica* filariasis in French Polynesia. *Trop Med Parasitol.*, 44(2): 83-5
- MUIRHEAD THOMSON, R. C. (1938). The reaction of mosquitoes to temperature and humidity. *Bull. Ent. Res.*, 29: 125-140
- MURRAY, C. J. L. & LOPEZ, A. D Eds (1996). The global Burden of Disease and injury Series. The global burden of Disease: a comprehensive assessment of mortality and disability from diseases, injuries, and risk factors in 1990 and projected to 2020. The Harvard School of Public Health, Boston, MA, USA
- MURRAY, W. D. (1948). Filariasis studies in American Samoa. *U. S. Naval Med. Bull.*, 48: 327-341
- NAIR, C. P & CHAYABEJARA, S (1961). Studies on filariasis in Thailand, Periodicity of microfilaria: *Indian J. Malariol.*, 15: 249-253
- NAIR, C. P. (1961) Filariasis in centrally administered areas. Part II. Survey of Laccadive, Minicoy and Aminidivi islands. *Indian J. Malariol.*, 15: 263-283
- NANDURI, J & KAZURA, J. W. (1989). Clinical and laboratory aspects of filariasis. *Clin Microbiol Rev.*, 2: 39
- NATHAN, M. B. (1981). Bancroftian filariasis in coastal north Trinidad, West Indies: intensity of transmission by *Culex quinquefasciatus*. *Trans. R. Soc. Trop. Med. Hyg.*, 75: 721-730
- NAWAB SINGH & YASUNO, M. (1972). The gonotrophic cycle of *Culex fatigans* in nature. *WHO/ VBC/72.* 380
- NELSON, G. S. (1959). The identification of infective filarial larvae in mosquitoes, with a note on the species found in "wild" mosquitoes on the Kenyan coast. *J. Helminthol.*, 33: 233-256
- NELSON, S & CRUIKSHANK, J. M. (1956). Filariasis in Fiji 1944 -1955. *Med. Dept. Fiji*, pp 50 (Mimeographed)
- NGUYEN, N. L., PLICHART, C, & ESTERRE, P. (1999) Assessment of immunochromatographic test for rapid lymphatic filariasis diagnosis. *Parasite.*, 6(4): 355-358
- O' CONNOR, F. W. (1923). Researches in the western Pacific. *Res. Mem. Lond. Sch. Trop. Med.*, 4

- OMORI, N (1958) Experimental studies on the role of house mosquito *Culex pipiens pallens* in the transmission of bancroftian filariasis 4 Development and longevity in days of filariae in mosquitoes kept at a series of constant temperatures *Nagasaki Med J*, **33** (Suppl) 61-70
- OTTESEN, E A, (1984) Immunological aspects of lymphatic filariasis and Onchocerciasis in man *Trans R Soc Trop Med Hyg*, **78** supplement, 9-18
- OTTESEN, E A, DUKE, B O L, KARAM, M & BEHBEHANI, K (1997) Strategies and tools for the control/elimination of lymphatic filariasis *Bull World Health Organ*, **75** 491-503
- OTTESEN, E A, ISMAIL, M M, HORTON, J (1999) The role of albendazole in programmes to eliminate lymphatic filariasis *Parasitology Today*, **15** 382-386
- OTTESEN, E A & RAMACHANDRAN, C P (1995) Lymphatic filariasis Infection and Disease Control Strategies *Parasitology Today*, **11** 129-31
- OTTESEN, E A (2000) The global programme to eliminate lymphatic filariasis *Tropical Medicine & International Health*, **5**(9) 591-594
- PACALA, S W & DOBSON, A P (1988) The relation between the number of parasites/host and host age population dynamic causes and maximum likelihood estimation *Parasitology*, **96**: 197- 210
- PANI, S P, HOTI, S L, ELANGO, A, YUVRAJ, J, LALL R & RAMAIAH, K D (2000) Evaluation of the ICT whole blood antigen card test to detect infection due to nocturnally periodic *Wucherera bancrofti* in South India *Tropical Medicine & International Health*, **5**(5) 359-363
- PANI, S P, BALAKRISHNAN, N, SRIVIDYA, A, BUNDY, D A P & GRENFELL, B T (1991) Clinical epidemiology of Bancroftian filariasis Effect of age and gender *Trans R Soc Trop Med Hyg*, **85** 260-264
- PANI, S P, DAS, L K, BALAKRISHNAN, N, SADANANDANE, C, RAJAVEL, A R, SUBRAMANIAN, S & VANAMAIL, P (1989) A study on clinical manifestation of bancroftian filariasis in Pondicherry, South India *Indian Medical Gazette*, **123** 111-115
- PARK, C B (1988) Microfilarial density distribution in the human population and its infertility index for the mosquito population *Parasitology*, **96** 265- 271
- PERRY, E L (1912) Malaria in the Jeypore Hill tract and adjoining coastland *Paludism*, **5** 32-40
- PHANTANA, S, SENSATHEIN, S, SONGTRUS, J, KLAGRATHOKE, S, PHONGNIN, K (1999) ICT filariasis test a new screening test for Bancroftian filariasis *Southeast Asian J Trop Med Public Health*, **30**(1) 47-51
- PICHON, G (1974) Etude de la reduction parasitaire chez differents vecteurs naturels ou experimentaux de filarioses *C R Acad Sc, Paris*, **278**, Serie D, 3095-3097
- PICHON, G (2002) Limitation and facilitation in the vectors and other aspects of the dynamics of filarial transmission the need for vector control against Anopheles-transmitted filariasis *Annals of Tropical Medicine & Parasitology*, **96** ( Suppl 2) 143-152
- PICHON, G, PERRAULT, G & LAIGRET, J (1974) Rendement parasitaire chez les vecteurs de filarioses *Bull World Health Organ*, **51** 517-524

- PICHON, G., PRODHON, J. & RIVIERE, F. (1976a). Influence de la "surdispersion" et de l'etat sexe sur la dynamique des populations de parasites. Institute de Recherches medicales "Louis Malarde", Papeete, Tahiti., document Ref. No. 106/IRM/J. 5
- PICHON, G., PRODHON, J. & RIVIERE, F. (1976b). Heterogeneite de l' ingestion des parasites sanguicoles par leurs vecteurs: description quantitative, interpretation et consequences. Institute de Recherches medicales "Louis Malarde", Papeete, Tahiti., note. No. 357/IRM/J. 5
- PICHON, G., MERLIN, M., FAGNEAUX, G., RIVIERE, F., LAIGRET, J., (1980). Etude de la distribution des numerations microfilariennes dans les foyers de filiarose lymphatique. *Tropenmedizin and Parasitologie* 31: 165-80
- POLOVODOVA, V. P. (1949). The determination of the physiological age of female Anopheles by the number of gonotrophic cycles completed. *Med Prazit.*, (Moskow), 18: 352-355
- PUTATUNDA, J. N. & SINGH N. (1967). A short note on filariasis in village Gaur, district Varanasi (Uttar Pradesh, India). *Bull. Nat. Ins. Commun. Dis.*, 4: 147-152
- RACCURT, C. P., MAJON, M & HODGES, W. H. (1984). Parasitological, serological, and clinical studies of *Wuchereria bancrofti* in Limbe, Haiti. *American Journal of Tropical Medicine and Hygiene.*, 33: 1124-1129
- RAJAGOPALAN, P. K., BROOKS, G. D., MENON, P. K. B. & MANI, T. R. (1977b). Observations on biting activity and flight periodicity of *Culex pipiens fatigans* in an urban area. *J. Commun. Dis.*, 9: 22-31
- RAJAGOPALAN, P. K., DAS, P. K., SUBRAMANIAN, S., VANAMAIL, P & RAMAIAH, K. D. (1989). Bancroftian filariasis in Pondicherry, South India I. Pre-control epidemiological observations. *Epidemiology & Infection.*, 103: 685-692
- RAJAGOPALAN, P. K., MENON, P. K. B & BROOKS, G. D (1975). A study on some aspects of *Culex pipiens fatigans* population in an urban area, Faridabad, Northern India. WHO/VBC/75. 539
- RAJAGOPALAN, P. K. (1980). Population dynamics of *Culex pipiens fatigans*, the filariasis vector, in Pondicherry-influence of climate and environment. *Proc. Indian. Natn. Sci. Acad.*, B 46: 745-751
- RAJAGOPALAN, P.K., KAZMI, S. J. & MANI, T. R. (1977). Some aspects of transmission of *Wuchereria bancrofti* and ecology of *Culex pipiens fatigans* in Pondicherry. *Indian J. Med. Res.*, 66: 200-207
- RAKAI, I. M., NASERUA, J. D., MACNAMARA, F. N. & PILLAI, J. S. (1974). Mosquito borne infections in Fiji. IV. Biting times for village mosquitoes and human filaria transmission potential of *Aedes polynesiensis* and *Aedes pseudoscutellaris*. *Journal of Medical Entomology.*, 11: 588-594
- RAMAIAH, K. D & DAS, P. K (1992). Seasonality of adult *Culex quinquefasciatus* and transmission of bancroftian filariasis in Pondicherry, South India. *Acta Tropica.*, 50: 275-283
- RAMAIAH, K. D. (1990). Observations on population trends of *Culex quinquefasciatus* Say, 1823 (Diptera: Culicidae) and transmission indices of bancroftian filariasis during and after integrated vector control programme in Pondicherry. Ph.D. Thesis submitted to University of Pondicherry
- RAMAIAH, K. D., DAS, P. K, & DHANDA, V. (1994). Estimation of permissible levels of transmission of bancroftian filariasis based on some entomological and parasitological results of a 5 - year vector control programme. *Acta Tropica.*, 56: 89-96

- RAMAIAH, K. D., DAS, P. K., ARUNACHALAM, N., RAJAVEL, A. R., & PAILY, K.P. (1992). Observations on population density of *Culex quinquefasciatus* and transmission indices of bancroftian filariasis during and after integrated Vector Management Strategy. *J. Commun. Dis.*, **24**(3): 173-184
- RAMAIAH, K.D., DAS, P.K., MICHAEL, E., GUYATT, H (2000). The economic burden of lymphatic filariasis in India. *Parasitology Today*, **16**: 252-253
- RAMALINGAM, S & BELKIN, J. N. (1964). Vectors of sub-periodic Bancroftian filariasis in the Samoa-Tonga area. *Nature, Lond.*, **201**: 105
- RAMALINGAM, S. (1968). The epidemiology of filarial transmission in Samoa and Tonga. *Annals of Tropical Medicine & Parasitology*, **62**: 305-323
- RAO, C. K., RUSSEL, S & DAS, M. (1976). Filariasis problem in non-endemic states of India. *J. Commun. Dis.*, **8**: 221-229
- RAO, C. K. (1976). National Filaria Control Programme-India. *J. Commun. Dis.*, **8**: 157-166
- RAO, C. K. (1977). Current knowledge on selected aspects in the epidemiology of bancroftian filariasis. *J. Commun. Dis.*, **9**: 185-191.
- RAO, C.K., SEN, T., NARASIMHAM, M.V.V.L., KRISHNA RAO, C & SHARMA, S.P (1977). Variation in clinical pattern of bancroftian filariasis in Kerala and Uttar Pradesh. *J. Commun. Dis.*, **9**: 203-205
- RATH, R. N., DAS, R. K., MISHRA G., MOHAPATRA, B. N & RAMAKRISHNA, C. (1984). Bancroftian filariasis in two selected rural communities in Puri District: Orissa- A comparative study of filariometric data. *J. Commun. Dis.*, **16**: 104-112
- REID, E. C. & KIMURA, E. (1993). Microfilaria prevalence of diurnally sub-periodic *Wuchereria bancrofti* among people having a medical checkup in American Samoa in the past 17 years. *Journal of Tropical Medicine & Hygiene*, **96**(2):118-23
- REISEN, W. K. & ASLAM KHAN, M. C. (1979). A release recapture experiment with the malaria vector *Anopheles stephensi* Liston, with observations on dispersal, survivorship, population size, gonotrophic rhythm and mating behavior. *Annals of Tropical Medicine & Parasitology*, **73**: 251-269
- REISSEN, W. L., MAHMOOD, F. & PARVEEN, T. (1980). *Anopheles culicifacies* Giles: A release capture experiment with cohorts of known age with implications for malaria epidemiology and genetical control in Pakistan. *Trans. R. Soc. Trop. Med. Hyg.*, **74**: 307-317
- REMME, J., DADZIE, K.Y. & KARAM, M. (1986). A force of infection model for Onchocerciasis and its applications in the epidemiological evaluation of the Onchocerciasis Control Programme in the Volta River basin area. *Bull. World Health Organ.*, **64**: 667-681
- REINERT, J. F. (2000). New classification for the composite genus *Aedes* (Diptera: Culicidae: Aedini), elevation of subgenus *Ochlerotatus* to generic rank, reclassification of the other subgenera, and notes on certain subgenera and species. *Journal of the American Mosquito Control Association*, **16**(3): 175-188
- ROSEN, L. (1954). Human filariasis in the Marquesas Islands. *American Journal of Tropical Medicine & Hygiene*, **3**: 742-745
- ROSEN, L. (1955). Observations on the epidemiology of human filariasis in French Oceania. *American Journal of Tropical Medicine & Hygiene*, **61**: 219-248

- ROZEBOOM, L. E., BHATTACHARYA, N. C., & GILOTRA, S. K. (1968). Observations on the transmission of filariasis in urban Calcuttā. *American Journal of Epidemiology.*, **87**: 616-632
- RUSSEL, S., DAS, M., & RAO, C. K (1975). Filariasis in Andaman and Nicobar Islands I. Survey findings- Nancowry, Teresa, Chowra, Car Nicobar and Port Blair. *J. Commun Dis.*, **7**: 15-30
- SAMARAWICKREMA, W. A. (1967). A study of the age composition of natural population of *Culex pipiens fatigans* Wiedmann in relation to the transmission of filariasis due to *Wuchereria bancrofti* (Cobbold) in Ceylon. *Bull World Health Organ.*, **37**: 117-137
- SAMARAWICKREMA, W. A. AND LAURENCE, B. R. (1978) Loss of filarial larvae in a natural mosquito population. *Annals of Tropical Medicine & Parasitology.*, **72** : 561-565
- SAMARAWICKREMA, W. A., SPEARS, G. F. S., SONE, F., ICHIMORI, K., & CUMMINGS, R. F. (1985). Filariasis transmission in Samoa I. Relation between density of microfilaria and larval density in laboratory-bred and wild caught *Aedes (Stegomyia) polynesiensis* (Marks) and wild caught *Aedes (Finlaya) Samoanus* (Gruenberg). *Annals of Tropical Medicine & Parasitology.*, **79**: 89-100
- SAMARAWICKREMA, W. A., KIMURA, E., SPEARS, G. F. S., PENAI, L., SONE, F., PAULSON, G. S & CUMMINGS, R. F. (1987). Distribution of vectors, transmission indices and microfilaria rates of sub-periodic *Wuchereria bancrofti* in relation to village ecotypes in Samoa. *Trans. R. Soc. Trop. Med. Hyg.*, **81**: 129-135
- SAMARAWICKREMA, W. A., SONE, F & CUMMINGS, R. F. (1987). Natural infections of *Wuchereria bancrofti* in *Aedes (Stegomyia) polynesiensis* and *Aedes (Finlaya) samoanus* in Samoa. *Trans. R. Soc. Trop. Med. Hyg.*, **81**: 124-128
- SARMA, R. V. S. N., VALLISHAYEE, R. S., MAYURNATH, S., NARAYANAN, P. R., RADHAMANI, M. P & TRIPATHY, S.P. (1987) Prevalence survey of filariasis in two villages in Chingleput district of Tamil Nadu. *Indian J Med Res.*, **85**: 522-530
- SASA, M & TANAKA, H (1972). Studies on the methods for statistical analysis of the microfilarial periodicity survey data. *Southeast. Asian. J. Trop. Med. Public. Health.*, **3**: 518
- SASA, M. (1976). Human filariasis. A global survey of Epidemiology and Control. University of Tokyo Press
- SASA, M., KURIHARA, T. & HARINASUTA, C. (1965). Studies on mosquitoes and their natural enemies in Bangkok. Part I. Observations on the bionomics of *Culex pipiens fatigans*, Wiedmann. *Jap. J. Exp. Med.*, **35**: 23-49
- SAY, T. (1823). Descriptions of dipterous insects of the United States. *J. Acad. Nat. Sci. Philad.*, **3**: 9-54
- SELF, L. S. & SEBASTIAN, A. (1971). A high incidence of green colouration in newly emerged adult population of *Culex pipiens fatigans* in Rangoon, Burma. *J. Med. Entomol.*, **8**: 391-393
- SELF, L. S., ABDULCADER, M. H. M. & TUN, M. M. (1969). Preferred biting sites of *Culex pipiens fatigans* on adult Burmese males. *Bull. World Health. Organ.*, **40**: 324-327
- SELF, L. S., SALIM USMAN, SAJDIMAN, H., PARTONO, F., NELSON, M. J., PANT, C. P., SUZUKI, T. & MECHFUDIN, H. (1978). A multidisciplinary study on bancroftian filariasis in Jakarta. *Trans. R. Soc. Trop. Med. Hyg.*, **72**: 581-587

- SELF, L. S., ABDULCADER, M. H. M., MATHIS, H. L. & SEBASTIAN, A. (1971). An increase in the proportion of parous females of *Culex pipiens fatigans* after two years of larval control in Rangoon, Burma. *Cah. ORSTOM. Ser. Ent. Med. Parasit.*, **9**: 197-202
- SERVICE, M. W (1976). *Mosquito Ecology: Field sampling methods*. Applied Science Publishers, London
- SHARMA, M. I. D. (1976). Problem of filariasis in India. *J. Commun. Dis.*, **8**: 95
- SHARMA, R. S. BISWAS, H. & SAXENA, N. B. L (1995). National Filaria Control Program, India. Operational Manual. Delhi: Directorate, National Malaria Eradication Programme
- SHARMA, S. P., BISWAS, H., DAS, M & DWIVEDI, S. R. (1983). Present status of filariasis problem in India. *J. Commun. Dis.*, **8**: 53-60
- SHARMA, S. P., DAS, M. & RAO, C. K. (1977). Current estimates of filariasis problem in India. *J. Commun. Dis.*, **9**: 111-116
- SHRIRAM, A. N., SUGUNAN, A. P., MURHEKAR, M. V. & SEHGAL, S. C. (1996). Little Andaman Island, a new focus of infection with nocturnally periodic *Wuchereria bancrofti*. *Indian J. Med. Res.*, **104**: 166 – 170
- SIMONSEN, P. E & DUNYO, S. K (1999). Comparative evaluation of three new tools for diagnosis of bancroftian filariasis based on detection of specific circulating antigens. *Trans. R. Soc. Trop. Med. Hyg.*, **93**(3): 278-82
- SINGH, M. V., RASTOGI, K. C., SINGH, R. P. & SRIVASTAVA, V. K. (1963) Observations on rural filariasis in Sitapur District (Uttar Pradesh). *Indian J. Malariol.*, **17**: 303-310
- SOUTHGATE, B. A & HAMILTON P. J. S. (1974). Problems of clinical and biological measurements in the epidemiology and control of filarial infections. *Trans. R. Soc. Trop. Med. Hyg.*, **68**: 177-186
- SOUTHGATE, B. A (1984). Recent advances in the epidemiology and control of filarial infections including entomological aspects of transmission. *Trans. R. Soc. Trop. Med. Hyg.*, **78** (Suppl): 19-28
- SOUTHGATE, B. A (1992). Intensity and efficiency of transmission and the development of microfilaraemia and disease: Their relationship in lymphatic filariasis. *Journal of Tropical Medicine & Hygiene.*, **95**: 1
- SOUTHWOOD, T. R. E. (1966). *Ecological Methods with Particular Reference to the study of Insect populations*. The English Language Book Society, London.
- SUBRA, R. (1972). Etudes ecologiques sur *Culex quinquefasciatus* Weidmann, 1828, (Diptera: Culicidae) dans une zone urvine de savane soudanienne ouest-africaine. Tendence endoexphages et cycle d'agressivite. *Cah. ORSTOM. Ser. Ent. Med. Parasit.*, **10**: 335-345.
- SUBRAMANIAN, S., MANOHARAN, A., RAMAIAH, K. D. & DAS, P. K. (1994). Rates of acquisition and loss of *Wuchereria bancrofti* infection in *Culex quinquefasciatus*. *American Journal of Tropical Medicine & Hygiene.*, **51**: 244-249
- SUBRAMANIAN, S., PANI, S. P, DAS, P. K. & RAJAGOPALAN, P. K. (1989) Bancroftian filariasis in Pondicherry, South India: II. Epidemiological evaluation of the effect of vector control. *Epidemiology and Infection.*, **103**: 693-702.

- SUBRAMANIAN, S., KRISHNAMOORTHY, K., RAMAIAH, K. D., HABBEMA, J. D. F., DAS, P. K. & PLAISIER, A. P. (1998). The relationship between microfilarial load in the human host and uptake and development of *Wuchereria bancrofti* microfilariae by *Culex quinquefasciatus*: a study under natural conditions. *Parasitology*, **116**: 243-255.
- SUCHARIT, S., HARINASUTA, C., SURATHIN, K., DEESIN, T., VUTIKES, S & RONGSRIYAM, Y. (1981). Some aspects on biting cycles of *Culex quinquefasciatus* in Bangkok. *Southeast. Asian. J. Trop. Med. Public. Health.*, **12**: 74-78
- SUNISH, I. P., RAJENDRAN, R., SATYANARAYANA, K., MUNIRATHINAM, A. & GAJANANA, A. (2001). Immunochromatographic test (ICT) for estimation of true prevalence of bancroftian filariasis in an endemic area in southern India. *Trans. R. Soc. Trop. Med. Hyg.*, **95**: 605-607
- SUZUKI, T. & SONE, F. (1974). The bionomics of filariasis vectors in Western Samoa. *Japanese Journal of Sanitary Zoology.*, **25**: 252-257
- SUZUKI, T. & SONE, F. (1978). Breeding habitats of vector mosquitoes of filariasis and dengue fever in Western Samoa. *Japanese Journal of Sanitary Zoology.*, **29**: 279-286
- SYMES, C. B (1960). Observations on the epidemiology of filariasis in Fiji, Part I. *Journal of Tropical Medicine & Hygiene.*, **63**: 1-14
- SYMES, C. B. (1955). Filarial infections in mosquitoes in Fiji. *Trans. R. Soc. Trop. Med. Hyg.*, **49**: 280
- SYMES, C. B. (1960). Observations on the epidemiology of filariasis in Fiji. *J. Trop. Med. Hyg.*, **63**: 3-67.
- SYMES, C. B. (1960a). Observations on the epidemiology of filariasis in Fiji. Part I: Field studies. *Journal of Tropical Medicine & Hygiene.*, **63**: 1
- SYMES, C. B. (1960b). Observations on the epidemiology of filariasis in Fiji. Part II: Laboratory studies and human infections. *Journal of Tropical Medicine & Hygiene.*, **63**: 31
- TEWARI, S. C. & HIRIYAN, J. (1995). Description of *Aedes (Finlaya) niveus* (Diptera: Culicidae) from Andaman and Nicobar, India. *Mosquito Systematics.*, **27**: 167-176.
- TEWARI, S. C., HIRIYAN, J. H., & REUBEN, R. (1995). Epidemiology of subperiodic *W. bancrofti* infection in the Nicobar Islands, India. *Trans. R. Soc. Trop. Med. Hyg.*, **89**: 163-166
- THORPE, V. G. (1896). *Filaria sanguinis hominis* in the South Sea Islands; with photomicrographs of a *Filaria* from Tonga and the Friendly islands. *BMJ.*, **2**: 922-924
- UDONSI, J. K. (1988). Bancroftian filariasis in the Igwun Basin, Nigeria: an epidemiological, parasitological and clinical study in relation to the transmission dynamics. *Acta Tropica.*, **45**: 171-179
- VANAMAIL, P., SUBRAMANIAN, S., DAS, P. K., PANI, S. P., RAJAGOPALAN, P. K., BUNDY, D. A. P. & GRENFELL, B. T. (1990). Estimation of age-specific rates of acquisition and loss of *Wuchereria bancrofti* infection. *Trans. R. Soc. Trop. Med. Hyg.*, **83**(5): 689-93.
- VANAMAIL, P., SUBRAMANIAN, S., DAS, P. K., PANI, S. P. & RAJAGOPALAN, P. K. (1990). Estimation of fecund life span of *Wuchereria bancrofti* from a longitudinal study of human infection in an endemic area of Pondicherry (South India). *Indian J. Med. Res.*, (A) **91**: 293-297
- VINSON, L. P. E (1858). Elements d'une topographie medicale de la Nouvelle Caledonie et des Iles des Pins. These e Paris, pp. 93



- WALSH, J. F., DAVIEW, J. B., LE BERRE, R. & GRAMMS, R. (1978). Standardization of criteria for assessing the effect of *Simulium* control in Onchocerciasis control programmes. *Trans. R. Soc. Trop. Med. Hyg.*, **72**: 675-676
- WARTMAN, W. B. (1947). Filariasis in American Armed forces in World War II. *Medicine*, **26**: 333-394
- WEBBER, R. H. (1977). The natural decline of *Wuchereria bancrofti* infection in a vector control situation in the Solomon Islands. *Trans. R. Soc. Trop. Med. Hyg.*, **71**: 396-400
- WEIL, G. J., RAMZY, R. M. R., CHANDRASHEKAR R, GAD, A. M. LOWRIE, R.C & FARIS, R. (1996). Parasite antigenaemia without microfilaraemia in bancroftian filariasis. *American Journal of Tropical Medicine & Hygiene.*, **55** : 333-337
- WELLER, P. F., OTTESEN, E. A., HECK, L, TERE, T & NEVA, F. A (1982). Endemic filariasis on a pacific Island: I. Clinical, epidemiological and parasitological aspects. *American Journal of Tropical Medicine & Hygiene.*, **31** (5): 942-952
- WHARTON, R. H. (1962). The biology of *Mansonia* mosquitoes in relation to transmission of filariasis in Malaya. *Institute for Medical Research, federation of Malaya, Bulletin* No. 11
- WHITE, G. B. (1971). Studies on the transmission of bancroftian filariasis in north-eastern Tanzania. *Trans. R. Soc. Trop. Med. Hyg.*, **65**: 819-829
- WIJERS, D. J. B (1977). Bancroftian filariasis in Kenya IV. Disease distribution and transmission dynamics. *Annals of Tropical Medicine & Parasitology.*, **71**: 451-463
- WILCOCK, C. (1944). Medical organization and diseases of Andaman and Nicobar Islands. *Abst Trop Dis Bull.*, **41**: 703
- WILSON, J. (1799). A missionary voyage to the Southern Pacific Ocean performed in the years 1796, 1797, 1798 in the ship "Duff" commanded by Captain James Wilson, (Section XIII). London, compiled from the journals of the officers and missionaries
- WORLD HEALTH ASSEMBLY (1997). Elimination of lymphatic filariasis as a public health problem. *A 50.29*
- WORLD HEALTH ORGANIZATION (1984). Lymphatic filariasis. Fourth report of the WHO expert committee on filariasis, Geneva, WHO, *Tech. Rep. Ser.* No. 702
- WORLD HEALTH ORGANIZATION (1992) *Lymphatic filariasis: The disease and its control. Fifth report of the WHO Expert committee on Filariasis* World Health Organization, Geneva WHO Technical Report Series 821.
- WORLD HEALTH ORGANIZATION (2002). Lymphatic filariasis. *Weekly Epidemiological Record.*, **77**: 125-132
- YASUNO, M., RAJAGOPALAN, P. K., KAZMI, S. J, & La BRECQUE, G. C. (1977). Seasonal changes in larval habitats and population density of *Culex fatigans* in Delhi villages. *Indian J. Med. Res.*, **65** (Suppl): 52-64.
- ZAHAR, A. R., KING, M. & CHOW, C. Y. (1980). A review and an annotated bibliography on sub-periodic bancroftian filariasis with special reference to its vectors in Polynesia, south Pacific. *World Health Organization*, Manila, Philippines (mimeographed document)

- ZIELKE, E. (1975). On the migration of the third stage larvae of *Wuchereria bancrofti* in *Anopheles gambiae*. *Tropen. Parasit.*, **20**: 345-347
- ZIELKE, E. (1976). Studies on quantitative aspects of the transmission of *Wuchereria bancrofti*. *Tropen. Med. Parasit.*, **27**: 160-164
- ZIELKE, E. (1977). On the escape of infective filarial larvae from the mosquitoes. *Tropen. Parasit.*, **28**: 461-466

