

REFERENCES

7. References

- Abak, K., N.Çomlekcioglu, S.Buyukalaca and N.Sari.1998. Use of stomatal characteristics to estimate ploidy level of haploid and diploid pepper plants. Tenth Eucarpia meeting *Capsicum* and Eggplant, Avignon, France, Pp: 179-182.
- Abdul-Hamid,A., Z.Shah, R.Muse and S.Mohamed.2002. Characterisation of anti-oxidant activities of various extracts of *Centella asiatica* (L) Urban. Food chem, 77:465-469.
- Adaniya, S and D.Shira.2001. *In vitro* induction of tetraploid ginger (*Zingiber officinali* Roscoe) and its pollen fertility and germinability. Sci. Hort. 88: 277-287.
- Ahloowalia, B.S. 1975. Regeneration of ryegrass plants in tissue culture. Crop Sci 15: 449–452.
- Ahloowalia, B.S. 1976. Chromosomal changes in parasexually produced ryegrass. In: K. Jones & P Brandham (Eds.), Current Chromosome Research, North Holland, Amsterdam.pp. 115–122.
- Ahloowalia, B.S. 1983. Spectrum of variation in somaclones of triploid ryegrass. Crop Sci 23: 1141–1147.
- Ahloowalia, B.S.1986. Limitations to the use of somaclonal variation in crop improvement. In: J. Semal (Ed.) Somaclonal Variation and Crop Improvement, Martinus Nijhoff, Boston, pp. 14–27.
- Ahmad, R.U.1993. Medicinal plants used in ISM- Their procurement, cultivation, regeneration and import/ export aspect: a review, In: Medicinal Plants, New Vistas of Research, 1: 221-258.
- Ahokas, H. 1999. Spontaneous tetraploidy in strawberry (*Fragaria* spp.)Nordic Journal of Botany. 19: 227–234.
- Aiyer, K.N and M. Koalmmal. 1964. Pharmacognosy of ayurvedic drugs, Department of Pharmacognosy, University of Kerala, Trivandram, Series I, 8: 29.

- Ajalín, I., F.Kobza and J.Dolzel.2002. Ploidy identification of double chromosome number plants in *Viola wittrockiana* Gams. M1-generation. Hort. Sci. (Prague), 29: 35-40.
- Ajitkumar, D and S.Seeni. 1998. Rapid clonal multiplication through *in vitro* axillary shoot proliferation of *Aegle marmelos* (L.) Corr.,a medicinal tree. Plant Cell Rep. 17: 422–426.
- Akerele, O. 1992.WHO Guidelines for the Assessment of Herbal Medicines. Fito-therapia 2:99-110.
- Alberts, B., D. Bray, J. Lewis, M. Raff, K. Roberts and D. Watson. 1994. Molecular Biology of the Cell. 3rd edition.Garland Publishing. New York, NY. 925-927.
- Allard, R.W. 1960. Principals of plant breeding. John Willey and Sons, Inc., New York, pp. 485.
- Allegra, C., G. Pollari and A. Criscuolo. 1981. *Centella asiatica* extract in venous disorders of the lower limbs. comparative clinical and instrumental trial against a placebo. Clinical Therapeutics 99:507–513.
- Al-Sane, K.O., R.A.Shibli, N.M.Freihat and M. K. Hammouri.2005. Cell Suspension Culture and Secondary Metabolites Production in African Violet (*Saintpaulia ionantha* Wendl.). Jordan Journal of Agricultural Sciences, 1 (1):84-92.
- Amiri, S., S.K.Kazemitabaar, G.Ranjbar and M.Azadbakht. 2010. The effect of trifluralin and colchicine treatments on morphological characteristics of jimsonweed (*Datura stramonium* L.).Trakia Journal of Sciences.8(4):47-61.
- Anaso, H.U and J.O. Uzo.1991. Cytology, crossability and characteristics of colchicine-induced polyploid of *Solanum incanum* L. Phillipine Agriculturist 74 (1): 133–148.
- Anjali, A., S.R.Kulkarni, Thengane and K.V.Krishnamurthy. 2000. Direct shoot regeneration from node, internode, hypocotyl and embryo explants of *Withania somnifera*. Plant cell, Tissue and Organ Culture. 62. 203-209.

- Anjana Devkota., Stefano Dall'Acqua, Pramod Kumar Jha and Gabriella Innocenti. 2010. Variation in the active constituents in *Centella asiatica* grown in different habitats in Nepal. *Journal of Plant Science*, 7:43-47.
- Anonymous. 1992. *Wealth of India, Raw Materials*, CSIR, New Delhi 2:48.
- Anonymous. 2001. National Horticultural Research and development Foundation, Nasik, Maharashtra. NHRDF Newsletter.
- Anonymous. 2000. Report of the Task Force on Conservation and Sustainable Use of Medicinal Plants, Government of India Planning Commission, March–2000. 9 - 34.
- Anonymous. 2004. <http://www.anyvitamins.com/apple-cider-vinegarinfo.htm>.
- Appa Rao, M.V.R., K.Srinivasan and T. Koteswara Rao. 1977. The effect of *Centella asiatica* on the general ability of mentally retarded children. *Indian J. Psychiat.* 19 (4), 54-59.
- Appa Rao, M.V.R., K.Srinivasan and K. Rao. 1973. The Effect of Mandookaparni (*Centella asiatica*) on the general ability (Medhya) of mentally retarded children. *J. Res. Ind. Med.* 8-9.
- Asakawa, Y., K.Matsuda and T. Takemoto. 1982. Mono- and sesquiterpenoids from *Hydrocotyle* and *Centella* species. *Phytochemistry* 21:2590–2592.
- Aziz, Z.A., M.R.Davey, J.B.Power, P.Anthony, R.M.Smith and K.C. Lowe. 2007. Production of asiaticoside and madecassoside in *Centella asiatica* *in vitro* and *in vivo*. *Bologia Plantarum*, 51(1):34-42.
- Baatout, S. 1999. Molecular basis to understand polyploidy. *Hematology and Cell Therapy*. 41:169–170.
- Babu, T.D., G.Kuttan and J. Padikkala. 1995. Cytotoxic and anti-tumor properties of certain taxa of Umbelliferae with special reference to *Centella asiatica* (L.) Urban. *J. Ethnopharmacol*, 48: 53–57.
- Baek, Y. W. 1997. Micropropagation of *Centella asiatica* (L.) Urban by *in vitro* cul-

tures and production of triterpene glycosides. Ph.D. thesis, Chonnam University, Guwangju.

Balandrin, N. F., A.D.Kinghorn and N. R. Farnsworth. 1993. In Human Medicinal Agents from Plants Kinghorn, A. D., Balandrin, M. F., eds., ACS Symposium Series 534. pp. 2-12.

Banerjee, S., M.Zehra and S. Kumar. 1999. *In vitro* multiplication of *Centella asiatica*, a medicinal herb from leaf explants. *Curr. Sci.* 76: 147-148.

Bartels, P.G. and J.L. Hilton. 1973. Comparison of trifluralin, oryzalin, pronamide, propham, and colchicine treatments on microtubules. *Pesticide Biochemistry and Physiology.* 3:462-472.

Bayliss, M.W. 1980. Chromosome variation in plant tissues in culture. In: I.K. Vasil (Ed), *Perspectives in Plant cell and Tissue culture.* Int. Rev. Cytol. Suppl., IIB. Academic press, N.Y., pp. 113-144.

Belcaro, G.V., R. Grimaldi and G. Guidi. 1990. Improvement of capillary permeability in patients with venous hypertension after treatment with TTFCA. *Angiology* 41, 533-540.

Bell, C.R. and L. Constance. 1960. Chromosome numbers in Umbelliferae II. *Amer. Jour. Bot.* 47:24-32.

Bengham, E.T. 1980. Maximizing heterozygosity in autotetraploids. In: W.H. Lewis (Ed.), *Polyploidy – Biological Relevance*, pp. Plenum Press, New York. 471-489.

Berteà, C.M., C.M. Azzolin, S. Bossi, G. Doglia and M.E. Maffei. 2005. Identification of an EcoRI restriction site for a rapid and precise determination of β -asarone-free *Acorus calamus* cytotypes. *Phytochemistry*, 66:507-514.

Bhatt, B. and M. R. Heble. 1978. Improvement in solasodine content in fruits of spiny and mutant tetraploids of *Solanum khasianum* Clark. *Env. Exptl. Biol.*, 18: 127-30.

- Bhattacharya, S.C.1956. Constituents of *Centella asiatica* II. Structure of the triterpenic acid. J. Indian Chem Soc. 33:630-634.
- Bhattacharya, S.C.1956a. Constituents of *Centella asiatica* Part I examination of the Ceylonese variety. J. Ind., Chem. Soc., 33:579-586.
- Bhattacharya, S.C. 1956b. Constituents of *Centella asiatica* Part III examination of the Indian variety. J. Ind., Chem. Soc., 33 : 893- 898.
- Bhiravamurthy, P.V and P.Rethy.1984. Origin and evolution of tetraploid forms with the *Solanum nigrum* L. complex. Proc. Indian Acad.Sci.93(5):553-560.
- Blakeslee, A.V and A.G. Avery. 1937. Methods of inducing doubling of chromosomes in plants by treatment with colchicines. J.Hered, 28:393-411.
- Boiteau, P and A. R. Ratsimamanga. 1956. Asiaticoside extracted from *Centella asiatica*, its therapeutic uses in the healing of experimental or refractory wounds, leprosy, skin tuberculosis and lupus. Therapie,11:125–149.
- Boiteau, P and A. R. Ratsimamanga. 1959. Important cicatrizants of vegetable origin and biostimulins of Filatov. Bulletin Soc. Sci. Bretagne 34:307-315.
- Boiteau, P., A.Buzas, E.Lederer and J. Polonsky.1949. Derivatives of *Centella asiatica* used against leprosy. Chemical constitution of asiaticoside. Nature 163:258.
- Bonati, A. 1980. Medicinal plants of Madagascar and Senegal: A comment. J. Ethnopharmacol. 2:91.
- Booncong, P.1989. A Pharmacognostic and Taxonomic Study of *Centella asiatica* (Apiaceae).PhD Thesis, Miami University, Ohio, USA.
- Bose, K. C. 1932. Pharmacopoeia Indica. The book company Ltd, Calcutta, India.
- Bouvie, L.P., P.Guerif, M.Djulbic,C.Durel, E.Chevreau and Y. Lespinasse. 2002. Chromosome doubling of pear haploid plants and homozygosity assessment using isozyme and microsatellite markers. Euphytica. 123:255-262.

- Briggs, D. and S.M. Walters. 1997. Plant variation and evolution. 3rd edition. Cambridge University Press. Cambridge, United Kingdom. 312.
- Brinkhaus, B., M.Lindner, D.Schuppan and E.G. Hahn. 2000. Chemical, pharmacological and clinical profile of the East Asia medical plant *Centella asiatica*. *Phytomedicine*, 7(5):427-488.
- Burnouf-Radosevich, M and N.E.Delfel. 1996. High-performance liquid chromatography of triterpene saponins. *J. Chromatography A*. 368: 433-438.
- Cacho, M., M. Moran, M.T. Herrera and J. Fernandez-Tarrago. 1991. Morphogenesis in leaf, hypocotyl and root explants of *Digitalis thapsi* L. cultured *in vitro*. *Plant Cell Tiss and Org Cult* 25: 117–123.
- Cao, G., E.Sofic and R. L. Prior. 1997. Antioxidant and Prooxidant behavior of flavonoids: structure activity relationships. *Free Radical Biol.Med.*, 22: 749-760.
- Carvalho, J.F., C.R.Carvalho and W.C. Otoni. 2005. *In vitro* induction of polyploidy in annatto (*Bixa orellana*). *Plant Cell Tissue and Organ Culture* 80: 69-75.
- Castiglioni. 1958. A: a history of medicine 2nd Edition. Alfred Aknpf, New York.
- Cesarone, M.R., G.Laurora., M.T.De Sanctis and G. Belcaro. 1992. Activity of *Centella asiatica* in venous insufficiency. *Minerva Cardioangiology* 40: 137–143.
- Cesarone, M.R., L.Incandela., M.T.De Sanctis., G.Belcaro., P.Bavera., M.Bucci and E. Ippolito. 2001. Evaluation of treatment of diabetic microangiopathy with total triterpenic fraction of *Centella asiatica*: A clinical prospective randomized trial with a microcirculatory model. *Angiology* 52 (2): S49–54.
- Chakraborti, S.P, K.Vijayan and B.N.Roy. 1998. *In vitro* induction of tetraploidy in mulberry (*Morus alba*L.). *Plant Cell Rep.* 17: 799–803.
- Chakraborty, T., S.P.Sinha Babu and N.C.Sukul. 1996. Preliminary Evidence of Antifilarial effect of *Centella asiatica* on canine Dirofilariasis. *Fitotrapia*, 67:

110-112.

Chaudhary, R. C. 1997. Introduction to Plant Breeding. Oxford and IBH Publishing Co. Pvt. Ltd. New Delhi. 115 - 129.

Chauvin, J.E., A. Label and M.P. Kermarrec. 2005. *In vitro* chromosome – doubling in tulip (*Tulipa gesneriana* L.). HortScience Biotechnol. 80:693–698.

Chauvin, J.E., C. Souchet., J.P. Dantec and D. Ellisseche. 2003. Chromosome doubling of 2x *Solanum* species by *oryzalin*: method development and comparison with spontaneous chromosome doubling *in vitro*. Plant Cell, Tissue and Organ Culture. 73(9):65-73.

Chen, J.H., Z.H.Xia and R.X.Tan.2003. High performance liquid chromatographic analysis of bioactive triterpenes in *Perilla Frutescence*. Journal of Pharmaceutical and Biomedical Analysis,32(6):1175-1179.

Cheng, Z. M. and S.S. Korban. 2011. *In vitro* ploidy manipulation in the genomics era. Plant Cell Tiss Organ Cult, 104:281-282.

Chew Shio Heong., Kaur., Bhupinder., Nurul Huda., Alias A.Karim and Ariffin Fazilah.2011. Effect of fermentation on the composition of *Centella asiatica* Teas. American Journal of Food Technology, 6(7):581-593.

Chong, N.J and Z. Aziz. 2011. A systematic review on the chemical constituents of *Centella asiatica*. Research Journal of Pharmaceutical, Biological and Chemical Sciences. 2 (3): 445-459.

Chopra R.N., J.C. Chopra, K.L. Handa and L.D. Kapur. 1985. Indigenous Drugs of India, U.N. Dhur and Sons, Calcutta, pp. 351.

Chopra, R.N., S.L. Nayar and I.C. Chopra.1956. Glossary of Indian medicinal plants. New Delhi: CSIR pp. 58.

Chulalaksananukul, W and W.Chimnoi.1999. Polyploid induction in *Centella asiatica* (L.) Urban by colchicine treatment. J Sci Res Chula Univ.24:56-65.

Cohen, D. and J.L. Yao.1996. *In vitro* chromosome doubling of nine *Zantedeschia*

- cultivars. *Plant Cell Tiss. Org. Cult.* 47:43-49.
- Cordeiro, G.M., G.O. Taylor and R.J. Henry. 2000. Characterisation of microsatellite markers from Sugarcane (*Saccharum* sp.) a highly polyploid species. *Plant Science*. 155(2):161-168.
- Cox, D.N., S. Rajasuriya, P.E.Soyso, J. Gladwin and A. Ashworth. 1993. Problems encountered in the community based production of leaf concentrate as supplement for pre-school children in Sri Lanka. *Int. J. Food Sci.Nutr.*, 44:123-132.
- Cragg, G. M., D.J. Newman and K.M. Snader. 1997. Natural products in drug discovery and development. *J. Nat. Prod.* 60:52-60.
- Creissen, S.S and A. Karp.1985. Karyotypic changes in potato plants regenerated from protoplasts. *Plant Cell Tiss Org Cult* 4:171– 182.
- Croteau, R.,T.Kutchan and N.Lewis.2000. Natural products (Secondary metabolites). In: *Biochemistry and Molecular Biology of Plants*. Buchanan, B., Guissem, W., and Jones, R. eds. American Society of Plant Physiologists, Rockville, MD. pp 1250-1318.
- Cruz, N.D., M.S.Boaventura, H.T.M.Conaging, J.H.A.Duttilh, E.R.Forni, E.R.Martins, D.M.Medina, AJT.Mendes, N.I.Pierozzi and Pinto Maglio CAF. 1993. Cinquenta e Tres anos de prequisa em Citogenetica Vegetal. Documents IAC, n. 27. pp.60.
- D'Amato, F. 1977. Cytogenetics of differentiation in tissue and cell cultures. In: J. Reinert and V.P.S. Bajaj (Eds.) *Plant Cell, Tissue, and Organ Culture*, Springer-Verlag, New York, pp. 343–357.
- D'Amato, F. 1985. Cytogenetics of plant cell and tissue culture and their regenerates. *CRC Crit. Rev. Plant Sci.* 3: 73–112.
- Dalve, S.C.2007. Genetic Improvement of Therapeutically Active Compounds in *Centella asiatica* (L.) Urban. Ph. D. thesis submitted in pune universities.

- Das, A and R.Mallick. 1991. Correlation between genomic diversity and asiaticoside content in *Centella asiatica*. Botanical Bulletin of Academia Sinica 32:1-8.
- Datta, T and U.P. Basu. 1962. Triterpenoids Part I. Thankuniside and thankunic acid A new triterpene glycoside and acid from *Centella asiatica* J. Sci. Ind. Res., 21B : 239.
- De Sanctis, M.T., G. Belcaro,L. Incandela, M. R. Cesarone, M. Griffin,E. Ippolito and M. Cacchio.2001. Treatment of edema and increase capillary filtration in venous hypertension with total triterpenic fraction of *Centella asiatica*: A clinical, prospective,randomized, doseranging trial. Angiology, 52 (Suppl 2):S55–59.
- De Smet, P.A.1997. The role of plant-derived drugs and herbal medicines in health-care.Drugs. 54:801-40.
- Decroocq, V., L. Hagen, M. Fave, J. Eyquard and A. Pierronnet. 2004. Microsatellite markers in the hexaploid *Prunus domestica* species and parentage lineage of three European plum cultivars using nuclear and chloroplast simple-sequence repeat. Molecular Breeding. 13(2): 135-142.
- Deepak, M., G. K. Sangli, P. C. Arun and A. Amit.2005. Quantitative determination of the major saponins mixture bacoside A in *Bacopa monnieri* by HPLC. Phytochem. Anal., 16:24-29.
- Derman, H. 1940.Colchicine polyploidy technique.Botanical Reviews. 6:599-635.
- Deshpande,H.A., M.N.Chalse and S.R. Bhalsing. 2010. *Centella asiatica* Linn:Plant regeneration through leaf derived callus. Journal of herbal medicine and toxicology.4(2):119-122.
- Devkota, A., S. Dall’Acqua, S. Comai, G. Innocenti and P.K.Jha.2010A. *Centella asiatica* (L.) Urban from Nepal: quali-quantitative analysis of samples from several sites, and selection of high terpene containing populations for cultivation. Biochemical Systematics and Ecology,38:12-22.
- Devkota, A., S. Dall’Acqua,P.K. Jha and G. Innocenti.2010B. Variation in the active

- constituent contents in *Centella asiatica* grown in different habitats in Nepal. Journal of plant Science,7:43-47.
- Dhawan, O.P and U.C. Lavania. 1996. Enhancing the productivity of secondary metabolites via induced polyploidy: a review. Euphytica. 87: 81-89.
- Dhooghe, E., K. Van Laere, T. Eechhaut, L. Leus and J. Van Huylenbroeck.2011. Mitotic chromosome doublings of plant tissues *in vitro*. Plant Cell Tiss Organ Cult, 104:359-373.
- Dhooghe, E., S. Denis, T. Eechaut, D.Reheul and M.C.Van Labeke.2009. *In vitro* induction of tetraploids in ornamental Ranunculus. Euphytica, 168:33-40.
- Diallo, B., R. Vanhaelenfastre and M. Van-Heusen. 1991. Direct coupling of high speed counter current chromatography to thin layer chromatography – application to the separation of asiaticoside and madecassoside from *Centella asiatica*. Journal of Chromatography, 558:446-450.
- Dijkestra, H. and G. J. Speckmann.1980. Autotetraploidy in Caraway (*Carum carvi* L.) for the increase of aetheric oil content of the seed. Euphytica, 29:89-96.
- Dixon, R.A. 1999. Plant natural products: the molecular genetic basis of biosynthetic diversity. Curr.Opin. Plant Biol. 10:192-197.
- Dora, B and J. Khatri.2011. Review of *Centella asiatica*: The Elixir of Life. International Journal of Research in Ayurveda and Pharmacy, 2(2):431-438.
- Du, Q., G.Jerz, P.Chen and P.Winterhalter.2001. Preparation of ursane triterpenoids from *Centella asiatica* using high speed counter current chromatography with step-gradient elution. Journal of Liquid Chromatography and Related Technology, 27:2004-2007.
- Dubey, N, K., R. Kumar and P. Tripathi.2004. Global promotion of herbal medicines: Indian opportunity. Current Science India, 80:37-41.
- Duncan, R.R. 1997. Tissue culture-induced variation and crop improvement. Adv. Agron. 58: 201–240.

- Dunn, L. and J.T. Lindstrom. 2007. Oryzalin-induced chromosome doubling in *Buddleja* to facilitate interspecific hybridization. *Hort-Science* 42:1326–1328.
- Eeckhaut, T.G., S.P. Werbrouck, L.W. Leus, E.J. Van Bockstaele and P.C. Debergh. 2004. Chemically induced polyploidization in *Spathiphyllum wallisii* Regel through somatic embryogenesis. *Plant Cell Tissue Organ Culture*. 78:241–246.
- Eigsti, O.J. and P.Dustin.1954. Colchicine in agriculture, medicine, biology and chemistry. The Iowa State College Press, USA. Page 1-166.
- El-Morsy Sh. I., M.D.M.Dorra, Elham A.A.Abd El-Hady, Atef A.A.Hiaba and Ahmed Y.Mohamed.2009.Comparative studies on diploid and tetraploid levels of *Nicotiana glauca*. *Academic Journal of Plant Sciences*.2(3):182-188.
- European Pharmacopoeia (5th ed.). 2005. Council of Europe:Strasbourg, Vol.2.pp. 1236.
- Eustice,C. and R. Eustice. 2007. Colchicine: 10 things you should know. About.com. <<http://extoxnet.orst.edu/pips/oryzalin.htm>>.
- Evans, D.A. and W.R. Sharp. 1986. Single gene mutations in tomato plants regenerated from tissue culture. *Science* 221: 949– 951.
- Evan,A.M.1955. The production and identification of polyploids in red clover, white clover and lucerne.*New Phytol* 514:149 – 162.
- Facchini, P.J. 1999. Plant secondary metabolism: out of the evolutionary abyss. *Trends Plant Sci.* 4:382-384.
- Faccini, P.J. 2001. Alkaloid biosynthesis in plants: Biochemistry, cell biology, molecular regulation and metabolic engineering applications. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 52:29-66.
- Farnsworth, N.R and N. Bunyaphatsara.1992. Thai medicinal plants: Recommended for primary health care system. Mahidol University, Thailand.

- Farnsworth, N.R and D.D. Soejarto. 1991. Global importance of medicinal plants. In: Akerele O, Heywood V and Syngé H (eds) Cambridge University Press, Cambridge, UK.
- Fezah, O., M. Radzali., M. Marziah., R. Johari and A.S. Mohd. 2000. Polyphenol and Salicylic Acid Levels in Fresh and Air-dried Powder of *Centella asiatica*, L. (Urban). Proceeding of the 16th National Seminar on Natural Products. Selangor: MARDI. 107-110.
- Gabler, J. 2002. Breeding for resistance to biotic and abiotic in medicinal and aromatic plants: general situation and current results in annual caraway. J. Herbs Spices Med. Plants, 9:1-11.
- Gallardo, M. H., W.J. Bircham, L.R. Honeycutt, R.A. Odeja and N. Kohler. 1999. Discovery of tetraploidy in a mammal. Nature. 401:341.
- Gandhi, S and V. P. Patil. 1997. Colchicine induced autotetraploidy in *Clitoria ternatea* L. Cytologia, 62: 13-18.
- Ganga, M. and N. Chezhiyan. 2002. Influence of the antimetabolic agents colchicine and oryzalin on *in vitro* regeneration and chromosome doubling of diploid banana (*Musa* spp.). Journal of Horticultural Science & Biotechnology, 77:572-575.
- Gao, S. L., B. J. Chen and D.N. Zhu. 2002. *In vitro* production and identification of autotetraploids of *Scutellaria baicalensis*. Plant Cell, Tissue and Organ culture. 70: 289 - 293.
- Gao, S.L., D.N. Zhu, Z.H. Cai and D.R. Xu. 1996. Autotetraploid plants from colchicine treated bud culture of *Salvia miltiorrhiza* Bge. Plant Cell Tiss. Organ Cult., 47:73-77.
- GEN. 1998. Plant derived drugs. Gen. Eng. News. 18:1.
- Giardina, A., G. P. Castelli and A. Ali. 1987. Use of *Centella asiatica* in the topical treatment of tropic ulcers of the lower limbs. Chronol. Dermatol. 18:109-112.

- Goh, S.H., C.H.Chuah, J.S.L.Mok and Soepadmo.1985. Malaysian Medicinal Plants for the Treatment of Cardiovascular Diseases. Kuala Lumpur: Academe Art and Printing Services Sdn. Bhd. 77-78.
- Goldy, R.G. and P.M. Lyrene. 1984. In vitro colchicine treatment of 4x blueberries, *Vaccinium* sp. J Amer. Soc. Hort. Sci. 109: 336–338.
- Gottschalk, W. 1976. Die Bedeutung der polyploidy fur die evolution der pflanzen. Gustav Fischer, Stuttgart.
- Grant, V. 1981.Plant Speciation. Columbia University Press, New York.
- Gunther, B. and H. Wagner.1996.Quantitative determination of triterpenes in extracts and phytopreparations of *Centella asiatica* (L.)Urban. Phytomedicine,3: 59-65.
- Gupta, A.K. and M.Sharma.2007. Reviews on Indian Medicinal Plants, Indian Council of Medical Research, 79(5):965-985.
- Gupta, A.P., M.M.Gupta and S. Kumar.1999. High performance thin layer chromatography of asiaticoside in *Centella asiatica*. J. Indian chem.Soc.76:321-322.
- Gupta, R.C. Manjeet Kaur and P.B. Attri. 2004. Cytomorphological studies on colchipooids of *Bellis Perennis* Linn. J. Ind. Bot.Soc. 83: 71-77.
- Gupta, S.K and S.K.Roy. 1986. Induced colchipoidity in *Nicandra physaloides*. Cytologia. 51: 319-324.
- Haig Derman. 1947. Inducing polyploidy in Peach varieties. J. Heredity.38. 77-82.
- Hansen, N.J.P and S.B.Andersen.1996. *In vitro* chromosome doubling potential of colchicine, oryzalin, trifluralin and APM in *Brassica napus* microspore culture. Euphytica 88: 159-164.
- Hanson, J.R.2003.The biosynthesis of secondary metabolites.In Natural Products, the Secondary Metabolites. The Royal Society of Chemistry: Cambridge, UK: 112-121.

- Hanumantharaya, B.G., B.N.Sathyanarayana and A.A.Waman. 2011. Reduced media salt concentration improves in vitro rooting in Indian Pennywort, *Centella asiatica* (L)Urban. *Journal of Cell and Tissue Research*. 11(2):2771-2774.
- Hanzelka, P and F.Kobza. 2001. Genome induced mutation in *Challistephus chinensis* Nees-1. effect of colchicine application on the early plant development. *Zahradnictvi, Horticultural Science*, 28: 15-20.
- Haralampidis, K., M. Trojanowska and A.E.Osbourn.2002. Biosynthesis of triterpenoid saponins in plants. In *Advances in Biochemical Engineering/ Biotechnology*; Scheper, T, Ed.; Springer Verlag:Berlin, Heidelberg, Germany, Vol. 75:32–49.
- Hartmann, T. 1996. Diversity and variability of plant secondary metabolism: a mechanistic view. *Entomologia Experimentalis Applicata*. 80: 177-188.
- Hassawi, D.S. and G.H.Liang.1991. Antimitotic agents: effects on double haploid production in wheat. *Crop Sci*. 31:723-726.
- Hommo, L. and T.Valanne.1987. Cytological and Morphological analyses of grafted triploid aspens (*Populus tremula* L.) from Nonable Javi area in finnish Lapland. *Rep.Kevo subarectic Res.Stat.*,20:21-25.
- Hugdahl, J.D and L.C. Morejohn. 1993. Rapid and reversible high-affinity binding of the dinitroaniline herbicide oryzalin to tubulin of *Zea mays* L. *Plant Physiology*.102:725–740.
- Hussin, M., A.A.Hamid, S. Mohamad, N. Saari, F.Bakar and S.P.Dek. 2009. Modulation of lipid metabolism by *Centella asiatica* in oxidative stress rats.*J.Food.Sci.*, 74:H72-H78.
- Iizuka, M. and A.Ikeda.1968. Induction of polyploidy in *Lilium formosanum* Wallace.*Japan.J. Genetics* 43:95-101.
- Inamdar, P.K., R.D.Yeole, A.B.Ghogare and N.J.De Souza.1996. Determination of biologically active constituents in *Centella asiatica*. *Journal of Chromatography*, 742:127–130.

- Incandela, L., G. Belcaro, M.T.De Sanctis, M.R. Cesarone, M.Griffin, E.Ippolito, M.Bucci and M.Cacchio. 2001b. Total triterpenic fraction of *Centella asiatica* in treatment of venous hypertension:A clinical, prospective, randomized trial using a combined microcirculatory model. *Angiology* 52 (2): S61–67.
- Incandela, L., M.R.Cesarone, M.Cacchio, M.T.De Sanctis, C.Santavenere, M.G. D'Auro, M.Bucci and G.Belcaro.2001a. Total Triterpenic Fraction of *Centella asiatica* in Chronic Venous Insufficiency and in High-perfusion Microangiopathy. *Angiology* 52 (2): S9–13.
- Indian Herbal Pharmacopoeia Revised.2002. New edition, Indian Drug Manufacturers Association, Mumbai, 123-133.
- Indu Bala Jagnathan and Ng, LeeTiek.1999. Herbs: The Green Pharmacy of Malaysia.Kuala Lumpur: Vinpress Sdn. Bhd. 21-23.
- Ishigaki,G., T.Gondo, K.Suenaga and R.Akashi.2009. Induction of tetraploid ruzigrass (*Brachiaria ruziziensis*) plants by colchicine treatment of in vitro multiple shoot clumps and seedlings. *J Jpn Grassl Sci.*55:164-170.
- Jacinda, T. James and Ian, A. Dubery.2009. Pentacyclic Triterpenoids from the medicinal Herb, *Centella asiatica* (L.) Urban: a review. *Molecules*, 14:3922-3941.
- Jackson,B.P and J.M.Rawson.1953.Alkaloid biogenesis in tetraploid Stramonium. *J. Pharm. Pharmacol.* 5: 778 - 793.
- Jadrna,P., O.Plavcova and F.Kobza. 2010. Morphological changes in colchicine-treated *Pelargonium × hortorum*L.H. Bailey greenhouse plants. *Hort. Sci. (Prague)*.37: 27–33.
- Jahne, A. and H.Lorz.1995. Cereal microspore culture. *Plant Sci.* 109:1-12.
- Jain, S.M. 2000. Mechanisms of spontaneous and induced mutations in plants.Radiation Res Vol. 2. Cong. Proc., pp. 255–258.
- Jain, S.M., D.S. Brar and B.S. Ahloowalia.1998. Somaclonal variation and induced

mutations in crop improvement. Kluwer Academic Publishers, UK.

James, J.T., R. Meyer and I.A. Dubery. 2008. Characterisation of two phenotypes of *Centella asiatica* in Southern Africa through the composition of four triterpenoids in callus, cell suspensions and leaves. *Plant Cell Tiss Organ Cult*, 94:91-99.

Japanese Pharmacopeia. 2004. XIV Ed, Edited by Society of Japanese Yakuji Nippo Ltd: Tokyo, 1330.

Jaskani, M.J., I.A. Khan and S. Husnain. 1996. Morphological description of citrus colchipooids. *Proc. Intl. Soc. Citiculture*. 1:130-132.

Jaskani, M.J., S.W. Kwon and D.H. Kim. 2005. Flow Cytometry of DNA Contents of Colchicine Treated Watermelon As A Ploidy Screening Method At M1 Stage. *Pak. J. Bot.* 37(3):685-696.

Jayatilake, G.S and A.J. Macleod. 1987. Volatile constituents of *Centella asiatica*. in Jr, eds. *Flavour Science and Technology*. Wiley, Chichester, UK, pp.79-82.

Jiang, Z.Y., X. Zhang, J. Zhou and J.J. Chen. 2005. New triterpenoid glycosides from *Centella asiatica*. *Helv. Chim. Acta*, 88:297-303.

Johnson, M., S. Vallinayagam, V.S. Manickam and S. Seeni. 2006. Micro propagation of *Rhinacanthus nasutus* (L.) Kurz-A medicinally important plant. *Phytomorphology*. 52:331-336.

Joliffe, G. H. 1997. Thin layer chromatographic examination of mother tinctures *British Hom. Journal*. 66:197 - 207.

Joshi, A.R and K. Joshi. 2007. Ethnomedicinal plants used against skin diseases in some villages of Kali Gandaki, Bagmati and Tadi Likhu watersheds of Nepal, *Ethnobotanical Leaflets*, 11:235-246.

Joshi, M.C. 1988. Rare and Endangered plants of Gujarat State Forests, *Bull. Med. Ethno. Bot. Res.*, 9 (1-2):31 - 39.

Joshi, P. and C. Rakesh Verma. 2004. High Frequency Production of Colchicine

- Induced Autotetraploids in Faba Bean (*Vicia faba* L.), *Cytol.*, 69: 141-147.
- Joshi, S and S.S.Raghuvanshi. 1970. B chromosomes in *Centella asiatica*. *Genetica Iberica* 22:161–162.
- Kadota, M. and Y.Niimi. 2002. *In vitro* induction of tetraploid plants from a diploid Japanese pear cultivar (*Pyrus pyrifolia* N. cv. Hosui). *Plant Cell Reports*, 21:282–286.
- Kaeppler, S.M. and R.L.Phillips. 1993. DNA methylation and tissue culture-induced variation in plants. *In Vitro Cell Dev. Biol.*29: 125–130.
- Kaeppler, S.M., R.L.Phillips and P.Olhof. 1998. Molecular basis of heritable tissue culture-induced variation in plants. In: Jain *et al.* (Ed.) *Somaclonal Variation and Induced Mutations in Crop Improvement*. Current Plant Science and Biotechnology in Agriculture vol. 32, Kluwer Academic Publishers, Dordrecht, Netherlands, pp. 465–484.
- Kakkar, K.K. 1988. Mandukaparni- medicinal uses and therapeutic efficacy. *Indian Drugs*, 26:92-97.
- Kameshwara, Rao C. 2000. In: Material for the database of medicinal plants. Karnataka State council for Science and Technology for the Dept. of Forests, Environment and Ecology Govt. of Karnataka.pp. 90.
- Kan, W.S. 1986. *Pharmaceutical Botany*. National Research Institute Chinese Medicine, Taiwan.
- Kapoor, R., M.Ali and S.R.Mir.2003. Phytochemical investigation of *Centella asiatica* aerial parts. *Oriental J.Chem.*19:485-486.
- Karthikeyan, K., C.Chandran and S.Kulothungan.2009.Rapid clonal multiplication through in vitro axillary shoot proliferation of *Centella asiatica* L. *Indian Journal of Biotechnology*.8:232-235.
- Kartnig, T.1988. Clinical applications of *Centella asiatica* (L.) Urb.In: Craker LE,Simon JE, eds., *Herbs, spices, and medicinal plants: recent advance in*

- botany, horticulture and pharmacology, Phoenix, AZ, Oryx Press, 3:149-173.
- Kato, A. and J.A. Birchler. 2006. Induction of tetraploid derivatives of maize inbred lines by nitrous oxide gas treatment. *Journal of Heredity*. 97:39–44.
- Kavindra, N.T., N.C.Sharma, V.Tiwari and B.D.Singh. 2000. Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. *Plant Cell, Tissue and Organ Culture*, 63: 179 – 185.
- Keeler, H.K and G.A.Devis. 1999. Comparison of common cytotypes of *Andropogon gerardii* Am. Bot. 86: 974-979.
- Kehr, A.E. 1996. Woody plant polyploidy. *American Nurseryman*. 183:38-47.
- Kermani, M.J., V. Sarasan, A.V. Roberts, A. Yokoya, J. Wentworth and V.K. Sieber. 2003. Oryzalin-induced chromosome doubling in *Rosa* and its effects on plant morphology and pollen viability. *Theory of Applied Genetics*. 107:1195–1200.
- Khan, T., D.Krupadanam and S.Y.Anwar. 2008. The role of phytohormone on the production of berberine in the calli cultures of an endangered medicinal plant, turmeric (*Coscinium fenestratum* L.). *African Journal of Biotechnology*, 7 (18): 244-3246.
- Khanuja, S.P.S.2003. Medicinal and Aromatic plants as Bioresource: scope and opportunities, In: Mathur AK, Dwivedi S, Patra DD, Bagchi GD, Sangwan NS, Sharma A & Khanuja SPS (eds) *Proceedings of First Interactive Meet on Medicinal & Aromatic Plants, CIMAP*, pp 1-7.
- Kihair, H. and K. Tsunewaki. 1960. Production of polyploid wheat by nitrous oxide. *Proceedings Japanese Academy Science*. 36:658–663.
- Kim, O.T., K.H.Bang, Y.S.Shin, M.J.Lee, S.J.Jung, D.Y.Hyun, Y.C.Kim, N.S.Seong, S.W.Cha and B.Hwang. 2007. Enhanced production of asiaticoside from hairy root cultures of *Centella asiatica* (L.) Urban elicited by methyl jasmonate. *Plant Cell Rep.*, 26:1941-1949.

- Kim, O.T., M.Y.Kim, M.H.Hong, J.C.Ahn and B.Hwang.2004. Stimulation of asiaticoside accumulation in the whole plant cultures of *Centella asiatica* (L.) Urban by elicitor. *Plant Cell Rep.*, 23:339-334.
- Kim, O.T., M.Y.Kim, M.H.Hong, J.C.Ahn, M.H.Oh and B.Hwang. 2002. Production of triterpene glycosides from whole plant cultures of *Centella asiatica* (L.) Urban. *Korean J. Plant Biotechnology*.29: 275 - 279.
- King, D.S. 1950a. Tuberculosis. *The New England Journal of Medicine* 243:530–536.
- King, D.S. 1950b. Tuberculosis (concluded). *The New England Journal of Medicine* 243:565–571.
- Kiong,A.L., M.Mahmood, N.M.Fodzillan and S.K.Daud. 2005. Effects of precursor supplementation on the production of triterpenes by *Centella asiatica* callus culture. *Pak. J. Biol. Sci.* 8: 1160-1169.
- Kirhara, H.1951. Triploid watermelons. *Proc Am Soc Hort Sci*.58:217-230.
- Kirtikar, K.R and B.D.Basu. 1987. *Indian Medicinal Plants*. Second edition. Pub LM Basu, Allahabad, India, 2:1193-95.
- Kitamura, S., M. Akutsu and K. Okazaki. 2009. Mechanism of action of nitrous oxide gas applied to as a polyploidizing agent during meiosis in lilies. *Sex Plant Reproduction*. 22:9-14.
- Kobayashi, N., S. Yamashita, K.Ohta andT.Hosoki.2008. Morphological characteristics and their inheritance in colchicine induced *Salvia* polyploids. *J Jpn Soc Hort Sci*.77:186-191.
- Koh,G.C.2002.Tetraploid production of *Moodeungsan watermelon*. *J. Kor. Soc. Hort. Sci*.43:671-676.
- Koo,H.M and Suhaila Mohamed.2001. Flavonoid (Myricetin, Quercetin, Kaempferol, Luteolin, and Apigenin.) Content of Edible Tropical Plants.*Journal Agriculture Food Chemistry*. 49(6): 3106-3112.

- Krishnan, R.1995.Steroid bearing *Solanums*.Advances in Horticulture Vol.11- Medicinal and Aromatic Plants. Edited by K.L. Chadha and Rajendra Gupta, Malhotra Publishing House,New Delhi. 605 - 625.
- Krishnan, R.1998.Role of *Solanum virum* as an Industrial source of steroidal raw material in India.Prospects of Medicinal Plants, Indian Society of Plant Genetic Resources, New Delhi. 223 - 233.
- Kulkarni,A.A, S.R.Thengane and K.V.Krishnamurthy.1996. Direct *in vitro* regeneration of leaf explants of *Withania somnifera* L. Dunal. Plant Science. 119: 163 -168.
- Kunta, R and Mani, N.Sarada. 2011. Effect of hormones and sucrose on maturation of somatic embryos in *Centella asiatica* and it's qualitative analysis. Current Pharma Research, 2(1):450-452.
- Kurian, A and M.A.Sankar.2007. Medicinal plants. Horticulture Science, Series-2.New India Publishing Agency, Delhi.
- Kuroda, M., Y.Mimaki,H.Harada,H.Sakagami and Y.Sashida.2001. Five new triterpene glycosides from *Centella asiatica*. Nat.Med. 55:134-138.
- Ladizinsky, G and Y.Shefer.1982. Polyploidy in the *Vicia sativa* aggregate. New Phytol.91:541-547.
- Larkin, P.J and W.R.Scowcroft. 1983. Somaclonal variation and crop improvement. In: T. Kosuge *et al.* (Eds.) Genetic Engineering of Plants: An Agricultural Perspective, Plenum, New York, 289–314.
- Larkin, P.J and W.R.Scowcroft.1981. Somaclonal variation: a novel source of variability from cell cultures for plant improvement. Theor. Appl. Genet. 60: 197 –214.
- Larkin, P.J. 1987. Somaclonal variation: history, method, and meaning. Iowa State J. 61: 393–434.
- Lavania, U.C and S.Srivastava.1991. Enhanced productivity of tropane alkaloids and

- fertility in artificial autotetraploids of *Hyoscyamus niger* L. *Euphytica*. 52: 73-77.
- Lavanaia, U.C. 1988. Development of fertile autotetraploid strain in *Hyoscyamus muticus* L. *Trop. Agric.* 65:277-278.
- Lawrence, W.J.C. 1980. Melhoramento genético vegetal. V.6. EDUSP, Sao Paulo, pp. 75.
- Lee, M.L. and R.L. Phillips. 1988. The chromosomal basis of somaclonal variation. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 39: 413–437.
- Leitch, I.J. and M.D. Bennett. 1997. Polyploidy in angiosperms. *Trends In Plant Science*. 2:470–476.
- Levin, D.A. 1983. Polyploidy and novelty in flowering plants. *Am. Nat.* 122:1-25.
- Ling, A.P.K., M.Marziah and S.E.Tan.2000. Triterpenoids Distribution in Whole Plant and Callus Cultures of *Centella asiatica* Accessions. Proceeding of the 16th National Seminar on Natural Products. Selangor: MARDI. 165-168.
- Liu, M., B.E.van Wyk and P.M.Tilney. 2003. A Taxonomic Evaluation of Fruit Structure in the Family Apiaceae. Ph.D thesis, University of Johannesburg, Auckland Park, South Africa.
- Liu, Z and S.L.Gao.2007. Micropropagation and induction of autotetraploid plants of *Chrysanthemum cinerariifolium* (Trev.) Vis. *In vitro Cell Dev Biol.*43:404-408.
- Liu, T.S., C.Y.Chao and T.I.Chuang. 1961. Umbelliferae of Taiwan. *Quart Jour. Taiwan Mus.*14:15-47.
- Love, S. L., B. B. Rhodes and P. E. Nugent.1986. Controlled pollination transfer of a nuclear male sterile gene from a diploid to a tetraploid watermelon line. *Euphytica*. 35: 633–635.
- Maheshwar, D.L. 1983. Pachytene Analysis, Interspecific hybridization and response to chromosomal doubling in two steroid bearing *Solanum viarum* Du-

nal and *Solanum mammosum* Linn. Ph.D. Thesis. University of Agricultural Science, Bangalore, India.

- Mangas, S., E.Moyano, L.Osuna, R.M.Cusido, M.Bonfill and J. Palazon.2008. Triterpenoid saponin content and the expression level of some related genes in calli of *Centella asiatica*. *Biotechnol Lett*, 30:1853-1859.
- Manickam, V.S., R. Elango Mathvan and Antionisamy. 2000. Regeneration of Indian ginesing plantlets from stem callus. *Plant Cell, Tissue and Organ Culture*. 62: 181-185.
- Maquart, F.X., G.Bellon, P.Gillery, Y.Wegrowski and J.P.Borel.1990. Stimulation of collagen synthesis in fibroblast cultures by a triterpene extracted from *Centella asiatica*. *Connective Tissue Research* 24: 107–120.
- Maquart, F.X., F. Chastang, A. Simeon, P. Birembaut, P. Gillery and Y.Wegrowski.1999. Triterpenes from *Centella asiatica* stimulate extracellular matrix accumulation in rat experimental wounds. *Eur J. Dermatol* 9: 289–296.
- Martelli, L., E.Berardesca and J.Martelli. 2000. Topical formulation of a new plant extract complex with refining properties: Clinical and non-invasive evaluation in a double-blind trial. *Int J Cosmetics Sci* 22: 201–206.
- Masterson, J. 1994. Stomatal size in fossil plants: evidence for polyploidy in majority of angiosperms. *Science*. 264: 421-423.
- Matsuda, H., T.Morikawa, H.Ueda and M.M.Yoshikawa.2001.Medicinal foodstuffs. XXVI.Inhibitors of aldose reductase and new triterpene and its oligoglycoside, centellasapogenol A and centellasaponin A, from *Centella asiatica* (Gotu Kola). *Heterocycles*,55:1499-1504.
- McGregor, C.E., C.A. Lambert, M.M. Greyling, J.H. Louw and L. Warnich. 2000. A comparative assessment of DNA fingerprinting techniques (RAPD, ISSR, AFLP and SSR) in tetraploid potato (*Solanum tuberosum* L) germplasm. *Euphytica*. 113: 135–144.

- Mehlquist Gustav A.L., Charls O. lodgett and Lawrence Bruscia. 1947. Colchicine Induced Tetraploidy in *Delphinium cordinale*. The Journal Heredity: 189 - 191.
- Memelink, J., R.Verpoorte and J. Kijne. 2001. ORCANization of jasmonate-responsive gene expression in alkaloid metabolism. Trends Plant Sci. 6:212-219.
- Merce Bonfill, Susana Mangas, Rosa M Cusido, Lidia Osuna, M.Teresa Pinol and Javier Palazon. 2006. Identification of triterpenoid compounds of *Centella asiatica* by Thin-layer Chromatography and Mass Spectrometry. Biomed. Chromatogr, 20: 151-153.
- Mercy, S., R. Nair and D. Ganesh. 2011. Influence of genotype on regeneration of adventitious roots from leaf derived callus of *Centella asiatica*. International Journal of Biological Technology, 2(2):50-56.
- Meyer, E.M., D.H. Touchell and T.G. Ranney. 2009. *In vitro* regeneration and polyploidy induction from leaves of *Hypericum* species. HortScience 44:1957–1961.
- Mishra, B.K., S.Pathak, A.Sharma, P.K.Trivedi and S.Shukla.2010. Modulated gene expression in newly synthesized auto-tetraploid of *Papaver somniferum* L. S Afr J Bot, 76:447-452.
- Mishra,M.K.1997.Stomatal characteristics at different ploidy levels in *Coffea* L. Ann.Bot.80:689-692.
- Mitsukuri, Y and Y.Kurahori. 1959. Cytogenetical studies in Umbelliferae. II. The chromosome numbers and karyotypes of some Japanese species. Kromosomo, 40:1354-1361.
- Moharana, D and S.Moharana. 1994. A clinical trial of Mentat in children with various types of epilepsy. Probe, 33: 160–162.
- Morganti, P., A.Fionda, U.Elia and L.dan Tiberi. 1999. Extraction and analysis of cosmetic active ingredients from an anti-cellulitis transdermal delivery sys-

- tem by high-performance liquid chromatography. *Journal of Chromatographic Science*.37(2): 51-55.
- Morrisette, N. S., A. Mitra, D. Sept and L.D. Sibley. 2004. Dinitroanilines bind alpha-tubulin to disrupt microtubules. *Molecular Biology Cell*. 15: 1960-1968.
- Motosugi, H., K.Okudo, D.Kataoka and T.Naruo. 2002. Comparison of growth characteristics between diploid and colchicine-induced tetraploid grape rootstocks. *Journal of the Japanese Society for Horticultural Science*, 71:335–341.
- Mukhopadhyay, S. 1998. Conservation, Protection and Biodiversity of Medicinal Plants.Prospects of Medicinal plants, Indian Society of Plant Genetic Resources, New Delhi.15 -28.
- Mukundan,U., M.Shrotri and R.Gavhane.2004.*In vitro* plant regeneration of *Centella asiatica* and determination of Asiaticoside using HPTLC. *J.Tropi.Med.Plants*.5(1):89-94.
- Murashige, T and F.Skoog.1962. A revised mediumfor rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant*. 15: 473-497.
- Murashige,Tand R.Nakano. 1966. Tissue culture as a potential tool in obtaining polyploidy plants. *Journal of Heredity* 57: 115-118.
- Murthy,P.B.S.,V.R.Raju,T.Ramakrishna,M.S.Chakravarthy,K.V.Kumar,S.Kannababu and G.V.Subbaraju.2006. Estimation of twelve *Bacopa* saponins in *Bacopa monnieri* extracts and formations by high-performance liquid chromatography. *Chem Pharma Bull*, 54:907-911.
- Mustafa,R.A.,A.A.Hamid,S.Mohamed and F.A.Bakar.2010.Total phenolic compounds,flavonoids and radical scavenging activity of 21 selected tropical plants. *J.Food Sci.*,75:C28-C35.
- Nadkarni, K.M. 1986. *Indian Materia Medica*, Popular Prakashan Bombay,Rep., 662.

- Nagendra Prasad and E.K.Janakiammal.1985. Chromosome count of *Centella asiatica* (Linn.) Urban. Current Science 54: 706-707.
- Naik, P.M., S.H.Manohar, N.Praveen and H.N.Murthy.2010.Effects of sucrose and pH levels on *in vitro* shoot regeneration from leaf explants of *Bacopa monnieri* and accumulation of bacoside A in regenerated shoots. Plant Cell Tiss Organ Cult, 100:235-239.
- Nath, S and A.K. Buragohain.2003. *In vitro* method of propagation of *Centella asiatica* (L.) Urban by shoot tip culture. J Plant Biochem Biot.12: 167 - 169.
- Nath, S and A.K.Buragaohain.2005.Establishment of callus and cell suspension culture of *Centella asiatica*. Biol Plantarum, 49(3):411-413.
- Nsumbu, N.1979. Etude des plants et des meristemes apicaux de *Coffea canephora* après traitement par la colchicine. Cafe, Cacao, thé. 23(4): 255–266.
- Ohwi, J. 1965.Flora of Japan, National Science Museum, Tokyo, p.669.
- Olhoft, P.M. and R.L.Phillips.1999. Genetic and epigenetic instability in tissue culture and regenerated progenies. In: H.R. Lerner (Ed.) Plant Responses to Environmental Stresses: From Phytohormones to Genome Reorganization, Marcel Dekker, New York, pp. 111–148.
- Olivera Vaness M., R. Eliana, Forni-Martins, M. Pedro, Magalhaes and Marcos N. Alves.2004. Chromosomal and morphological studies of diploid and polyploid cytotypes of *Stevia rebaudiana* (Bertoni) Bertoni (Eupatoriaceae, Asteraceae). Genetics and molecular Biology, 27 (2): 215–222.
- Orton, T.J. 1984. Genetic variation in somatic tissues: method or madness? Adv. Plant Path. 2: 153–189.
- Osborn,A.2003.Saponins and plant defence– A soap story. Trends in Plant Science.1:4-9.
- Otto, S.P and J.Whitton.2000. Polyploid incidence and evolution. Annual Review of Genetics. 34:401–437.

- Oyedeki, O.A and A.J. Afolayan.2005. Chemical composition and antibacterial activity of the essential Oil of *Centella asiatica* growing in South Africa. *Pharmaceutical Biology* ,43: 249-252.
- Ozer, I and S.Sagsoz.1991. Cok yillik diploid cavdar (*Secale montanum* Guss.) bitkilerinin yapay tetraploidlerinin elde edilmesi ve bunlarm bazi sitolojik ve morfolojik ozelliklerinin karsilastirilmast. *Turkiye-2,Tarla Bitkileri Kongresi*.594-602.
- Pandey, N.K., K.C.Tiwari, R.N.Tiwari, G.C.Joshi, V.N.Pandey and G.Pande.1993. Medicinal plants of Kumaon himalaya strategies for conservation. In: Dhar U (ed) *Himalayan Biodiversity Consvration Strategies*, Himvikas Publications, Nainital. 3: 293 –302.
- Paramageetham,C., G.P.Babuand J.S.Rao.2004.Somatic embryogenesis in *Centella asiatica* L. an important medicinal and neutraceutical plant of India. *Plant Cell Tissue Organ Cult.*, 79:19-24.
- Pareek, S.K. 1998. Medicinal Plants in India: Present Status and Future Prospects. *Prospects of Medicinal Plants*, Indian Society of Plant Genetic Resource, New Delhi, 5-14.
- Patra, A., B.Rai, G.R.Rout and P. Das.1998. Successful Plant Regeneration from Callus Culture of *Centella asiatica* (L) Urban. *Plant Growth Regul.* 24: 13-16.
- Peiris, K.H.S and S.J.Kays.1996. Asiatic pennywort [*Centella asiatica* (L.) Urban]: a little known vegetable crop. *Horticulture Technology*, 6: 13–18.
- Pelletier, P.S. and J.Caventon.1820. *Chim. Phys.* 14:69.
- Perry, C.M.1998. *Medicinal plants of East and Southeast Asia: attributed properties and uses*. Mass, USA: MIT Press.
- Perry, J.M and P.M. Lyrene.1984. *In vitro* induction of tetraploidy in *Vaccinium darrowi*, *V. elliotti*, and *V. darrowi* x *V. elliotti* with colchicine treatment. *J Amer Soc Hort Sci* 109 (1): 4–6.

- Peschke, V.M. and R.L.Phillips.1992. Genetic implications of somaclonal variation in plants. *Adv. Genet.* 30: 41–75.
- Petersen, K.K., P. Hagberg and K. Kristiansen.2002. Plant *in vitro* doubling of *Miscanthus sinensis* A. *Plant Breeding.* 121:445-450.
- Petersen, K.K., P. Hagberg and K. Kristiansen.2003. Colchicine and oryzalin mediated chromosome doubling in different genotypes of *Miscanthus sinensis*.*Plant Cell Tissue Organ Cult.* 73:137–146.
- Pezzuto, J. M.1997. Plant-derived anticancer agents.*Biochemical Pharmacology.* 53: 121-133.
- Physicians Desk Reference for Herbal Drugs.2000. Medical Economics Company Montvale, New Jersey, 359-361.
- Pick Kiong, A.L. 2004. Triterpene production in *Centella asiatica* (L.) Urban callus and cell suspension cultures.Ph.D. Thesis, School of Graduate Studies, Putra University, Malaysia.
- Poehlman, J.M.1987. *Breeding Field Crops*.3rd Edition. Van Nostrand Reinhold, New York.
- Pointel, J.P., H.Boccalon, M.Cloarrec, C.Ledebehat and M.Joubert.1987. Titrated extract of *Centella asiatica* (TECA) in the treatment of venous insufficiency of the lower limbs. *Angiology*,38: 46-50.
- Prakash, E., P.S.Sha Valli Khan, P.Sairam Reddy and K.R.Rao.1999. Regeneration of plants from seed-derived callus of *Hybanthus enneaspermus* L. Muell., a rare ethnobotanical herb. *Plant Cell Rep.* 18: 873–878.
- Prum, N., B.Illel and J.Rayanaud.1983.Flavonoid glycosides from *Centella asiatica* L. (Umbelliferae). *Pharmazie*,38:423.
- Pryor, R.L. and L.C. Frazier.1968. Colchicine induced tetraploid azaleas. *HortScience*.3:282-286.
- Pundir,R.P.S., N.K.Rao and L.J.G.Maesen.1983.Induced autotetraploidy in Chickpea

(*Cicer arietinum* L.). Theor. Appl. Genet. 65:119-122.

- Quan, K., L.Guolu, G.Qigao and L.Xiaolin.2004. Polyploid induction of *Arctium lappa* by colchicine. Plant physiology communication, 40: 157-158.
- Radzali, M., O.Fezah, M.Marziah, R.Johari, S.M. Aspollah and A.H.Azizah.2001. Qualitative and Quantitative Analyses of Flavonoids (Apigenin, Kaempferol, Quercetin and Rutin) from *Centella asiatica* (L) Urban. Proceeding of Conference on Functional Food –Latest Development. Putra Jaya: UPM. 187-191.
- Rafamantanana, M.H., E.Rozet, G.E.Raelison, K.Cheuk, S.U.Ratsimamanga, P.H.Hubert and J.Quetin-Leclercq.2009. An improved HPLC-UV method for the simultaneous quantification of triterpenic glycosides and aglycones in leaves of *Centella asiatica* (L.) Urb (Apiaceae). J.Chromatogr.B, 877:2396-2402.
- Raghu, A.V., G.Martin, V.Priya, S.P.Geetha and I.Balachandran.2007. Low Cost alternatives for the micropropagation of *Centella asiatica*. J.Plant Sci., 2:592-599.
- Rahaman, M.M., P.K.Roy, M.A.Mannan and S.K.Roy.1999. Clonal propagation of *Embllica officinalis* through in vitro culture. Plant Cell Tissue Organ Cult. 9:12-17.
- Raina, R., P.L.Gautam and L.J. Srivastav.1998. Strategies for promising sustainable use of medicinal plants. Prospects of Medicinal Plants, Indian Society of Plant Genetic Resources, New Delhi. pp. 37-41.
- Ramulu, K.S., H.A.Verhoeven and P.Dijkhuis.1991. Mitotic blocking, micronucleation and chromosome doubling by oryzalin, amiprophosmethyl and colchicines in potato. Protoplasma 160: 65-71.
- Randriamampionona, D., B.Diallo, F.Rakotoniriana, C.Rabemanantsoa, K.Cheuk, A.M.Corbisier, J.Mahillon, S.Ratsimamanga and M.E.Jaziri.2007. Comparative analysis of active constituents in *Centella asiatica* samples from Madagascar: application for ex situ conservations and clonal propagations. Fi-

toterapia, 78:482-489.

- Rao, P. S and R. T. Seshadri.1969. Variation in the chemical composition of Indian samples of *Centella asiatica*. Current Science,4: 77-79.
- Rao, R.S and G.A.Ravishankar.2002. Plant tissue cultures; chemical factories of secondary metabolites. Biotechnol. Adv. 20: 101-153.
- Rastogi, R.P., B.Sarkar and M.L.Dhar.1960. Chemical examination of *Centella asiatica* L. Isolation of the checmial constituents.J Sci Ind Res (India) 19B:252-257.
- Ratsimamanga, A.R., M.Nigeon-Dureuil and P.Boiteau.1958. Comparison of effects of a triterpene derivative of the amyryn series (asiaticoside) and of biostimulins on cicatrization of the traumatized cornea. Comptes Rendus Society of Biology 152:1103–1106.
- Rawat, R.B.S.2003.Strategy to development of medicinal plant sector in India. In: Mathur AK, Dwivedi S, Patra DD, Bagchi GD, Sangwan NS, Sharma A & Khanuja SPS (eds) Proceedings of First National Interactive Meet on Medicinal & Aromatic Plants, 24- 28.
- Rawson, J.M. 1944. Increased alkaloidal contents of induced polyploids of *Datura*.Nature, No.3898. July 15: 81-82.
- Reza Omidbaigi., Saba Yavari, Mohammad Esmail Hassani and Sara Yavari.2010. Induction of Autotetraploidy in Dragonhead (*Dracocephalum moldavica* L.) by Colchicine Treatment. Journal of Fruit and Ornamental Plant Research, 18 (1):23-35.
- Rhodes, M. 1994. Physiological roles for secondary metabolites in plants: some progress, many outstanding problems. Plant Mol. Biol. 24: 1-20.
- Romero-Aranda R., B.R.Bondada, J.P.Syvvertsen and J.W.Grosser.1997.Leaf characteristics and net gas exchange of diploid and autotetraploid Citrus. Ann. Bot., 79: 153 -160.

- Rose, J.B., J.Kubba and K.R.Tobutt.2000. Induction of tetraploidy in *Buddleia glabosa*. Plant Cell Tiss Org Cult.63:121-125.
- Roth, R., I. Ebert and J. Schmidt.1997. Trisomy associated with loss of maturation capacity in a long-term embryogenic cultures of *Abies alba*. Theor Appl Genet 95: 353–358.
- Rouillard-Guellec, F., J.R.Robin, A.R.Ratsimamanga, S.Ratsimamanga and R.Rasaoanaivo.1997. Comparative study of *Centella asiatica* of Madagascar origin and Indian origin. Acta Bot.Gall. 144:489-493.
- Roy, A.T., G.Leggett and A.Koutoulis.2001. *In vitro* tetraploid induction and generation of tetraploids from mixoploids in hop (*Humulus lupulus* L.). Plant Cell Rep. 20: 489-495.
- Roy, S.K., P.K.Roy, M.Rahaman and Hossain.1995. Clonal propagation of *Rauwolfia serpentina* through in vitro culture. Acta Hortic.390:141-145.
- Sagsoz, S.1982. Farkli Ingiliz Cimi Cesitlerinde Poliploid Bitki Elde Etme Olanaklari Uzerine Bir Arastirma. Erzurum.
- Saharkhiz, M.J.2007. The effects of some environmental factors and ploidy level on morphological and physiological characteristics of feverfew (*Tanacetum parthenium* L.) medicinal ornamental plant. Ph.D. thesis, Tarbiat Modarres University, Iran.
- Sahoo, Y and P.K.Chand.1998. Micropropagation of *Vitex negundo* L.a woody aromatic medicinal shrub, through high-frequency axillary shoot proliferation. Plant Cell Rep. 18: 301–307.
- Sahu, N.P., S.K.Roy and S.B.Mahato.1989. Spectroscopic determination of structures of triterpenoid trisaccharides from *Centella asiatica*. Phytochemistry, 28: 2852–2854.
- Sakina, M.R and P.C.Dandiya.1990. A psychoneuropharmacological profile of *Centella asiatica* extract, Fitoterapia, 61:291-296.

- Sakshi Singh., Asmita Gautam, Abhimanyu Sharma and Amla Batra.2010. *Centella asiatica* (L.): A Plant with Immense Medicinal Potential but Threatened. In-ternational Journal of Pharmaceutical Sciences Review and Research, 4 (2): 9 – 17.
- Sari,N., K.Abak and M.Pitrat.1999.Comparison of ploidy level screening methods in watermelon: *Citrullus lanatus* (Thunb.) Matsum and Nakai.Sci.Hortic.82:265 -277.
- Sastri, B. N. 1950. The Welth of India, Vol II, Council of Scientific and Industrial Research, New Delhi, pp. 116.
- Satyavati, G.V.1976.Medicinal Plants of India, Volume I, ICMR, New Delhi, p. 216.
- Schaneberg, B.T., J.R. Mikell, E. Bedir and I.A. Khan. 2003. An Improved method for quantitative determination of six triterpenes in *Centella asiatica* extract and commercial products. Pharmazie. 58: 381-384.
- Schuettpelez, E., A.L. Grusz, M.D. Windham and K.M. Pryer.2008. The utility of nuclear gap Cp in resolving polyploidy fern origins. Systematic Botany. 33:621 -629.
- Schulte, K.E., G.Ruecker and E.Abdul Bary.1973. Constituents of medical plants. XXVII. Polyacetylenes from *Hydrocotyle asiatica*. Arch.Pharm.306:197-209.
- Shah and Quadary. 2002. Pharmacognosy and Pharmacobiotechnology 12th Edition, B.S. Shah Prakashan, Ahmedabad, India.432-462.
- Shakir Jamil., Qudsia Nizami and Mehboobus Salam.2007. *Centella asiatica* (Linn.) Urban 6A Review. Natural Product Radiance, 6(2): 158 – 170.
- Shanti-Batra. 1952. Induced tetraploidy in Muskmelons. J. Heredity,43. 141-148.
- Sharan, R and R.Khare.1991. A clinical trial of mentat in children with behavioral problems. Probe 31:12–22.
- Sharma Arun Kumar and Archana Sharma.1980. Chromosome techniques Theory and Practice, Butter Worths Pub. 21-22.

- Sharma Ravindra.2003. Medicinal plants of India an Encyclopedia. Daya Publishing House Delhi. pp. 52-53.
- Sharma, A .K and A.Sharma.1957. Investigations leading to a new theory of differentiation in plant cells. *Genetics Iberica*, 9:143-157.
- Sharma, A. K and C.Ghosh.1954. Cytogenetics of some of the Indian Umbellifers. *Genetica* 27:17-44.
- Sharma, A.K and N.K.Bhattacharya.1959. Further investigation on several genera of Umbelliferae and their interrelationships. *Genetica*, 30:61-68.
- Sharma, A.K and N.K.Bhattacharya.1960. An investigations on the scope of a number of pretreatment chemicals for chromosome studies in different groups of plants. *Japanese Jour.Bot.*17:152-162.
- Sharma, B.L and A.Kumar. 1998. Biodiversity of Medicinal Plants of Trigugi Narain (Garhwal Himalaya) and their conservation. National Conference on recent trends in spices and medicinal plant research,78: 2-4.
- Sharma, D.N.K., R.L.Khosa, J.P.N.Chansuria and M.Shashi.1996. Antistress Activity of *Tinospora* and *Centella asiatica*. *Phytotherapy Research*, 10: 181-183.
- Sharma, P.C., M.B. Yelne and T.J. Dennis.2000. Database on medicinal plants Used in Ayurveda. Central Council for Research in Ayurveda And Siddha Department Of ISM&H, Ministry of Health And Family Welfare (Govt. of India). 1: 264 - 279.
- Sharma, P.D., S.J.Surana, R.B.Jadav and P.H.Patel.2011. Bioanalytical HPLC method development and validation for quantification of asiatic acid from *Centella asiatica* Linn. *International Journal of Pharmaceutical Sciences Review and Research*, 10(2):46-50.
- Sharma, R.K. and R. Arora.2006. Herbal drugs a twenty first century perspective, 1 st edition, Jaypee Brothers Medical Publishers (P)Ltd, New Delhi-38.
- Shepard, J.F., D.Bidney and E.Shahin.1980. Potato protoplasts in crop improvement.

Science 208: 17–24.

Shi, Y., Q. Wang, G.Zhou and J.Wang.1992. Genome engineering breeding of apple *in vitro*. *Acta Horticulturae*, 317:13–22.

Shilpashree,H.P and R.Ravishankar.2009. *In vitro* plant regeneration and accumulation of flavonoids in *Hypericum mysorense*. *International Journal of Integrative Biology*, 8:43-49.

Shiva,M.P and D.C. Mahatolia.1998. Strategies to Overcome Problems for Utilization of Medicinal Plants. *Prospects of Medicinal Plants*, Indian Society of Plant Genetic Resources, New Delhi. pp. 131-136.

Sholapur, H.N and F.S.Dasankoppa.2011.Effect of sub culturing and phytohormones on accumulation of asiaticoside in callus culture of *Centella asiatica* (L.) Urban. *Indian Journal of Noval Drug Delivery*, 3(2):149-153.

Singh, H.G.1989. Himalayan herb and drugs, importance and extinction threat, *J. Sci Res. Plants Med*, 10:47-52.

Singh, P., U.P.Singh and J.S.Singh.1999. The effect of leaf extract of *Centella asiatica* and *Andrographis paniculata* on spore germination of some fungi. *Journal of Plant Protection in the tropics*, 12 (2): 106-112.

Singh, P., U.P.Singh and J.S.Singh.2000. Antifungal activity of methanolic extracts of *Centella asiatica* and *Andrographis paniculata*. *Mycobiology* 28: 185-189.

Singh, R. H., K. Narsimhamurthy and G.Singh.2008.Neuronutrient impact of Ayurvedic Rasayana therapy in brain aging. *Biogerontology* 9: 369-374.

Singh,B and R.P.Rastogi.1968. Chemical examination of *Centella asiatica* Linn III constitution of Brahmic acid. *Phytochemistry*, 7 : 1385 -1393.

Singh,B and R.P.Rastogi.1969. A reinvestigation of the triterpenes of *Centella asiatica*. *Phytochemistry* 8 : 917 - 921.

Singh,S., Z.Rathod and O.P.Saxena.2010. Multiple shoot regeneration from the cal-

- lus culture of *Centella asiatica* under the influence of various concentrations of PGRS. Journal of pure and Applied Sciences.18:18-20.
- Si-Qi, H and C.Huei-Fang.1980. Isolation and identification of asiaticoside from *Centella asiatica*. Chung Ts'ao Yao,11:244-246.
- Smetanska, I.2008. Production of secondary metabolites using plant cell cultures. Adv. Biochem. Eng. Biotechnol. 111: 187 – 228.
- Soltis, P.S and D. E. Soltis.2000. The role of genetic and genomic attributes in the success of polyploids. ONAS. 97: 7051-7057.
- Song, P., W. Kang and E.B.Peffley.1997. Chromosome doubling of *Allium fistulosum* X *A.cepa* interspecific F₁ hybrids through colchicine treatment of regenerating callus. Euphytica, 93:257-262.
- Souret, F.F. 2002. Transcriptional regulation of terpenoid genes in transformed roots of *Artemisia annua* L. Ph.D. Thesis, Biotechnology. Worcester Polytechnic Institute, MA, USA.
- Southern Agriculture Insecticides Inc.1998.Surflan® A.S. Pre-emergent Herbicide Label.Palmetto, Fl.
- Sparg, S.G., M.E.Light and J.Van Staden.2004. Biological activities and distribution of plant saponins. J.Ethnopharmacol, 94: 219–243.
- Srivastava, R., Y.N.Shukla and S.Kumar.1997. Chemistry and pharmacology of *Centella asiatica*: a review. Journal of Medicinal & Aromatic Plant Science 19:1049 -1056.
- Staba, E.J.1980. Plant Tissue Culture as a source of biochemicals. CRC Press, Boca Raton, Florida.
- Stapczynski, J.S., R.J. Rothstein, W.A. Gaye and J.T. Niemann.1981. Colchicine overdose: report of two cases and review of the literature. Annuals Emergency Medicine. 10(7): 364-369.
- Stebbins, L. 1971. Chromosomal evolution in higher plants. London: Edward Arnold

Ltd Publisher.

- Stockigt J, P.Obitz, H.Falkenhagen, R.Lutterbach and S.Endress.1985. The natural product and enzymes from plant cell culture. *Plant Cell Tissue and Organ Culture* 43:97-109.
- Storchova, Z. and D. Pellman.2004. From polyploidy to aneuploidy, genome instability and cancer. *Nature Reviews Molecular Cell Biology*. 5:45–54.
- Subathra, M., S.Shila,M.A.Devi and C.Panneerselvam.2005. Emerging role of *Centella asiatica* in improving age-related neurological antioxidant status, *Exp.Gerontol*, 40(8-9):707-715.
- Subban Ravi., A.Veerakumar, R.Manimaran, K.M.Hashim and B.Indira.2008. Two new flavonoids from *Centella asiatica* (Linn.), *J Nat Med.*, 62: 369-373.
- Subramanian, D.1986. Cytotaxonomical studies in South Indian Apiaceae. *Cytologia*, 51:479-488.
- Suguna, L., P.Sivakumar and G.Chandrakasan.1996. Effect of *Centella asiatica* extract on dermal wound healing in rats. *Ind. J.Exp. Biol.* 34, 1208–1211.
- Sun, Z.X. and K.L.Zheng.1990. Somaclonal variation in rice. In: Y.P.S. Bajaj (Ed.) *Biotechnology in Agriculture and Forestry*, Vol. 3, Springer-Verlag, Berlin, pp. 288–325.
- Sunderland, N. 1973.Nuclear cytology. In: H.E. Street (Ed.) *Plant Tissue and Cell Culture*, 2nd ed., Blackwell, Oxford, pp. 177–205.
- Sunderland, N.1977. Nuclear cytology. In: H.E. Street (Ed.), *Plant Tissue and Cell Culture*, Blackwell, Oxford. pp. 177–205.
- Suresh Wagh.2006. Anek Wan, Bgharpur Aushadhi Gun, Sandhichi Khan. *Udyojak*. JUNE. pp. 13 - 16.
- Susana, M., M.Elisabeth, O.Lidia, M.C.Rosa, B.Mercedes and P.Javier.2008. Triterpenoid saponin content and the expression level of some related genes in calli of *Centella asiatica*. *Biotechnol Lett*, 30:1853-1859.

- Sushma, T., G.Sangeeta and I.S.Gambhir.2011. *Centella asiatica*: A Concise Drug Review with Probable Clinical Uses. Journal of Stress Physiology and Biochemistry, 7(1):38-44.
- Suying, T., H.Xiuqiang,L.Jiwei and L.Wenge.2005. Raising the frequency of inducing tetraploid watermelon by treating with colchicine. Acta Hort. 402:18-22.
- Taira, T., Z.Z.Shao, H.Hamawaki and E.N.Larter.1991. The effect of colchicine as a chromosome doubling agent for wheat-rye hybrids as influenced by pH, method of application, and post -treatment environment. Plant breeding, 109: 329-333.
- Tal, M.1980. Physiology of Polyploids. In: W.H. Lewis (Ed.), Polyploidy Biological Relevance, Plenum Press, New York, pp.61 – 75.
- Tambong, J.T. V.T. Sapra and S. Garton.1998. *In vitro* induction of tetraploids in colchicine-treated *Cocoyam* Plantlets. Euphytica, 104: 191-197.
- Tanavat, K., S.Puangpaka, S.Noppamas and P.Sompop.2011. *In vitro* induction of polyploidy in *Centella asiatica* (L.) Urban. Plant Cell Tiss Organ Cult, 107:187-194.
- Tang, Z.Q., D.L.Chen, Z.J.Song, Y.C.He and D.T.Cai.2010. *In vitro* induction and identification of tetraploid plants of *Paulownia tomentosa*. Plant Cell Tiss Organ Cult, 102:213-220.
- Tao, R., M. Gao, T. Esumi, Y.Kitamura and A. Yamada.2009. High frequency ploidy variation observed in seedlings of a hexaploid persimmon cultivar ‘Fujiwaragoshō’. Acta Horticulture. 833:131-134.
- Tavaud, M., A. Zanetto, J.L. David, F. Laigretand E. Dirlewanger.2004. Genetic relationships between diploid and allotetraploid cherry species (*Prunus avium*, *Prunus gondouinii* and *Prunus cerasus*). Heredity. 93:631-638.
- Thao, N.T.P., K. Ureshino, I. Miyajima, Y. Ozaki and H. Okubo.2003. Induction of tetraploids in ornamental *Alocasia* through colchicine and oryzalin treatments. Plant Cell Tissue Organ Culture, 72: 19-25.

- The Wealth of India.1992. A Dictionary of Indian Raw Materials and Industrial Products – Raw Materials Series, (Publications and Information Directorate, CSIR, New Delhi), Rev Ser, (Ca-Ci), 3: 428-430.
- Thomas, J. 1997. Medicinal and aromatic plants research in India. In UNDP.
- Tiwari, K.N., N.C.Sharma, V.Tiwari and B.D.Singh.2000. Micropropagation of *Centella asiatica* (L.), a valuable medicinal herb. Plant Cell Tissue Organ Cult 63:179–185.
- Tiwari, R.K., S.Chanda, M.Deepak, B.Murli and A.Agarwal. 2010. HPLC method validation for simultaneous estimation of madecassoside, asiaticoside and asiatic acid in *Centella asiatica*. Journal of chemical and pharmaceutical research, 2(3):223-229.
- Tiwari, S., S. Gehlot and I.S.Gambhir. 2011. *Centella asiatica*: A concise drug review with probable clinical uses. Journal of stress physiology and biochemistry,7(1):38-44.
- Topho, S and T.K.Ghosh.1997. Comparision of epidermal character of *Cassia Linn*.Columban J.Life Sci.5(1 and 2):239 – 242.
- Tsurumi, K., Y.Hiramatsu, M.Hayashi and H.Fugimura.1973. Effects of Madecassol on wound healing. Oyo Yakuri 7:833–843.
- Udall,J and J.Wendel.2006. Polyploid and crop improvement. The Plant Genome:Review and Interpretation (supplement to Crop Science). 1:S3–S14.
- Ullah, M.O.,S.Sultana,A.Haque and S.Tasmin.2009. Antimicrobial, cytotoxic and antioxidant activity of *Centella asiatica*. Eur.J.Sci.Res., 30:260-264.
- Vadawale, A.V., P.Mehta-Bhatt and A.M.Dave.2004. Rapid *in vitro* propagation of Ashwagandha (*Withania somnifera*) through axillary bud multiplication and indirect organogenesis. Phytomorphology.54:59-64.
- Van Tuyl, J., M. B. Meijer and M .P. van Din.1992. The use of oryzalin as an alternative for colchicine in *in vitro* chromosome doubling of *Lilium* and *Nerine*.

Acta Horticulture. 325: 625-630.

- Van Wky, B.E., B.van Oudtshoorn and N.Gericke.1997. Medicinal Plants of South Africa. Pretoria, Briza Publications, pp. 78–79.
- Vaniserce, M., C.Lee, S.N.Nalawade, C.Y.Lin and H.Tasy.2004. Studies on the production of some important secondary metabolites from medicinal plants by plant tissue culture. Bot Bull Acad Sinica, 45:1-22.
- Varma, R.K., K.G.Bhartariya, M.M.Gupta and Sushil Kumar.1999. Reverse-phase high performance liquid chromatography of asiaticoside in *Centella asiatica*. Phytochem.Anal.10:191-193.
- Veilleux, R.E. and A.T.Johnson.1998. Somaclonal variation: molecular analysis, transformation interaction, and utilization. Plant Breed.Rev. 16: 229–268.
- Verpoorte, R.1999. Secondary metabolism. In: Metabolic engineering of plant secondary metabolism. Verpoorte, R., and Alfermann, A.W. eds. Klumer Academic Publishers, the Netherlands. pp 1-29.
- Vimala, S., Mohd Ilham Adenan, Abdull Rashih Ahmad and Rohana Shahdan.2003. Nature's choice to wellness: antioxidant vegetables/ulam. Siri Alam dan Rimba No. 7. Kuala Lumpur: FRIM. 90-92.
- Wallaart, T.E., N.K.Pras and W.J.Quax.1999. Seasonal variations of artemisinin and its biosynthetic precursors in tetraploid *Artemisia annua* plants compared with the diploid wild-type. Planta Med, 65:723-728.
- Wan, Y., J.F.Petolino and J.M.Widholm.1989.Efficient production of doubled haploid plants through colchicine treatment of anther derived maize callus. Theor.Appl.Genet.77:889-892.
- Weathers, P.J., G.Bunk and M.C.McCoy.2005. The effect of phytohormones on growth and artemisinin production in *Artemisia annua* hairy roots. In Vitro Cellular & Developmental Biology, Plant, 41 (1): 47-53.
- Widgerow, A.D., L.A.Chait,R.Stals and P.J.Stals.2000. New innovations in scar

- management. *Aesthetic Plast Surg*, 24: 227–234.
- William, A.E. 1985. The ethnopharmacology of *Centella asiatica* (L.) Urban (Apiaceae), *J.Ethnobiol*, 5(2):101-107.
- Wink, M. 1999. Introduction: Functions of plant secondary metabolites. In: *Functions of Plant Secondary Metabolites and their Exploitation in Biotechnology*. Wink, M. ed. Sheffield Academic Press Ltd., England. pp 1-16
- World Health Organisation. 1999. *Herbae Centellae*. In *WHO Monographs on Selected Medicinal Plants*, World Health Organisation: Geneva, Switzerland, 1:77-85.
- World Health Organization. 2002. *WHO Traditional Medicine Strategy 2000-2005*.
- Wright, J. W. 1944. Genotypic variation in white ash. *Journal of Forestry*. 42:489-495.
- Wu, H.Z., S.Zheng, Y.He, G.Yan, Y.Bi and Y.Zhu. 2007. Diploid female gametes induced by colchicine in oriental Lilies. *Scientia Horticulturae*, 114: 50-53.
- Yoshida, M., M.Fuchigami, T.Nagao, H.Okabe, K.Matsunaga, J.Takata, Y.Karube, R.Tsuchihashi, J.Kinjo, K.Mihashi and T.Fujioka. 2005.
- Yoshinori, A., M.Reiko and T.Tsumematsu. 1982. Mono and sesquiterpenoids from *Hydrocotyle* and *Centella* species. *Phytochemistry*, 21:2590–2592.
- Zainol, M.K., A.Abd-Hamid, S.Yusof and R.Muse. 2003. Antioxidant activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L) Urban. *Food Chem*. 81:575–581.
- Zeng, S., C.Chen, H.Liu, J.Liu and X.Deng. 2006. *In vitro* induction, regeneration and analysis of autotetraploids derived from protoplasts and callus treated with colchicine in Citrus. *Plant Cell, Tissue and Organ Culture*, 87:85–93.
- Zhang, Q.Y., F.X.Luo, L.Liu and F.C.Guo. 2010. *In vitro* induction of tetraploids in crape myrtle (*Lagerstroemia indica* L.). *Plant Cell Tiss Organ Cult*, 101:41-47.

Zheng, C.J and L.P.Qin. 2007. Chemical components of *Centella asiatica* and their bioactivities. *Chin.J.Integr.Med.*5:348-351.

Zing-Yong Jiang, Xue-Mei Zhang, Jun Zhou and Ji-Jun Chen.2005. New triterpenoid glycosides from *Centella asiatica*. *Helvetica Chimica Acta*, 88:297- 303.