

List of Tables

2.1	ES of crossover design with and without repeating last period	30
2.2	ES of Afsarinejad & Hedayat [1] crossover design comparable to our crossover design with $p < t$	31
2.3	List of directed 2-terraces with uniform 2-terraces from groups of order 3 to 8	38
2.4	List of complementary pair of terraces from groups of order 3 to 9	39
2.5	List of complementary trio of terraces from groups of order 4 to 8	39
3.1	Relative efficiencies of OLS approach estimates to factorial approach estimates	54
3.2	Manipulated data from ECO(4,12,4)	57
4.1	Optimal and/or Efficient balanced crossover designs for classes $COD(2, 18, 3)$ and $COD(2, 20, 3)$	66
4.2	Optimal and/or Efficient balanced crossover designs for classes $COD(2, 6, 2)$ to $COD(2, 20, 2)$	85
4.2	Optimal and/or Efficient balanced crossover designs for classes $COD(2, 6, 2)$ to $COD(2, 20, 2)$	86
4.3	Optimal and/or Efficient Balanced $COD(2, 2, 3)$ to $COD(2, 20, 3)$	90
4.3	Optimal and/or Efficient Balanced $COD(2, 2, 3)$ to $COD(2, 20, 3)$	91
4.4	Optimal and/or Efficient Balanced $COD(2, 2, 4)$ to $COD(2, 20, 4)$	96
4.4	Optimal and/or Efficient Balanced $COD(2, 2, 4)$ to $COD(2, 20, 4)$	97

5.1	Estimates of model 5.2.1 parameters	107
5.2	Estimates of model 5.3.3 parameters	109
5.3	Analysis of variance of model 5.2.1 for treatment effects	110
5.4	Analysis of variance of model 5.2.1 for subject effects	111
5.5	Analysis of variance of model 5.3.3	112
5.6	Analysis of variance of model 5.3.4	113
5.7	Manipulated Data from COD(3,12,3)	115
5.8	Estimates of model 5.2.1 for data in Table 5.7	115
5.9	Analysis of variance of model 5.2.1 for data in Table 5.7	116
5.10	Manipulated Data from COD(3,12,3) when active treatment B has carryover effect	116
5.11	Estimates of model 5.3.3 under $\gamma_B \neq 0$ for data in Table 5.10	117
5.12	Analysis of variance under $\gamma_B \neq 0$ for data in Table 5.10	117
6.1	Optimal and/or Efficient balanced crossover designs for class $COD(2+$ $1, 6, 3)$	120
6.2	Optimal and/or Efficient balanced crossover designs for classes $COD(2+$ $1, 6, 2)$ to $COD(2 + 1, 21, 2)$	132
6.2	Optimal and/or Efficient balanced crossover designs for classes $COD(2+$ $1, 6, 2)$ to $COD(2 + 1, 21, 2)$	133
6.3	Efficiency of Koch et al. [32] and Jones and Donev [28] crossover design comparable to our crossover design of Table 6.2 for class $COD(2+1, 10, 2)$	136
6.4	Optimal and/or Efficient balanced crossover designs for classes $COD(2+$ $1, 3, 3)$ to $COD(2 + 1, 20, 3)$	139
6.4	Optimal and/or Efficient balanced crossover designs for classes $COD(2+$ $1, 3, 3)$ to $COD(2 + 1, 20, 3)$	140
6.4	Optimal and/or Efficient balanced crossover designs for classes $COD(2+$ $1, 3, 3)$ to $COD(2 + 1, 20, 3)$	141
6.5	Efficiency of Koch et al. [32] and Jones and Donev [28] crossover design comparable to our crossover design of Table 6.2 for class $COD(2+1, 10, 3)$	143

6.6	Optimal and/or Efficient balanced crossover designs for classes $COD(2+1, 3, 4)$ to $COD(2+1, 14, 4)$	146
6.6	Optimal and/or Efficient balanced crossover designs for classes $COD(2+1, 3, 4)$ to $COD(2+1, 14, 4)$	147
7.1	Optimal and/or Efficient active uniform crossover design for classes $COD(2+1, 4, 3)$ to $COD(2+1, 13, 3)$	171
7.1	Optimal and/or Efficient active uniform crossover design for classes $COD(2+1, 4, 3)$ to $COD(2+1, 13, 3)$	172
7.2	Efficiency of Koch et al. [32] and Jones and Donev [28] crossover design comparable to our crossover design of Table 7.1 for class $COD(2+1, 10, 3)$	175