

## REFERENCES

---

- Abdelmohsen UR, Pimental - Elardo SM, Hanora A, Radwan M, Abou El-Ela SH, Ahmed S, Hentschel U (2010) Isolation, phylogenetic analysis and anti-infective activity screening for marine sponge-associated Actinomycetes. *Marine Drugs* 8: 399-412
- Ahn YB, Rhee SK, Fennell DE, Kerkhof LJ, Hentschel U, Haggblom MM (2003) Reductive dehalogenation of brominated phenolic compounds by microorganisms associated with the marine sponge *Aplysina aerophoba*. *Applied and Environmental Microbiology* 69: 4159-4166
- Althoff K, Schutt C, Steffen R, Batel R, Muller WEG (1998) Evidence for a symbiosis between bacteria of the genus *Rhodobacter* and the marine sponge *Halichondria panicea*: harbor also for putatively toxic bacteria? *Marine Biology* 130: 529-536
- Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, Miller W, Lipman DJ (1997) Gapped BLAST and PSI-BLAST: A new generation of protein database search programs. *Nucleic Acid Research* 25: 3389-3402
- Amann RI, Ludwig W, Schleifer K-H (1995) Phylogenetic identification and *in situ* detection of individual microbial cells without cultivation. *Microbiological Reviews* 59: 143 - 165
- Anand TP, Bhat AW, Shouche YS, Roy U, Siddharth J, Sarma SP (2006) Antimicrobial activity of marine bacteria associated with sponges from the waters off the coast of South East India. *Microbiological Research* 161: 252-262
- Anderson SA, Northcote PT, Page MJ (2010) Spatial and temporal variability of the bacterial community in different chemotypes of the New Zealand marine sponge *Mycale hentscheli*. *FEMS Microbiology Ecology* 72: 328-342
- Arillo A, Bavestrello G, Burlando B, Sara M (1993) Metabolic integration between symbiotic cyanobacteria and sponges - a possible mechanism. *Marine Biology* 117: 159-162
- Asahida T, Kobayashi T, Saitho K, Nakayama I (1999) Tissue preservation and total DNA extraction from fish stored at ambient temperature using buffers containing high concentration of urea. *Fisheries Science* 62(5): 727-730

- Ashelford KE, Chuzhanova NA, Fry JC, Jones AJ, Weightman AJ (2005) At least 1 in 20 16S rRNA sequence records currently held in public repositories is estimated to contain substantial anomalies. *Applied and Environmental Microbiology* 71: 7724-7736
- Ausubel FM, Brent R, Kingston RE, Moore DD, Seidmann JG, Smith JA, Struhl K (2003) *Current protocols in molecular biology*. Ausubel FM, Brent R, Kingston RE, Moore DD, Seidmann JG, Smith JA, Struhl K (eds) John Wiley & Sons, Cambridge, Massachusetts
- Bavestrello G, Arillo A, Calcinaï B, Cattaneo-Vietti R, Cerrano C, Gaino E, Penna A, Sara M (2000) Parasitic diatoms inside antarctic sponges. *Biological Bulletin* 198: 29-33
- Bayer K, Schmitt S, Hentschel U (2008) Physiology, phylogeny and *in situ* evidence for bacterial and archaeal nitrifiers in the marine sponge *Aplysina aerophoba* *Environmental Microbiology* 10: 2942-2955
- Becerro MA, Lopez NI, Turon X, Uriz MJ (1994) Antimicrobial activity and surface bacterial film in marine sponges. *Journal of Experimental Marine Biology and Ecology* 179: 195-205
- Begon M, Bowers RG, Sait SM (1996) Population dynamics beyond two species: Hosts, parasitoids and pathogens. *Frontiers of Population Ecology* 1: 115-126
- Bergquist PR (1978) *Sponges*. London:Hutchinson
- Bewley CA, Holland ND, Faulkner DJ (1996) Two classes of metabolites from *Theonella swinhoei* are localized in distinct populations of bacterial symbionts. *Experientia* 52: 716-722
- Blunt JW, Copp BR, Munro MHG, Northcote PT, Prinsep MR (2005) Marine natural products. *Natural Product Reports* 22: 15-61
- Bohm M, Hentschel U, Friedrich AB, Fieseler L, Steffen R, Gamulin V, Muller IM, Muller WEG (2001) Molecular response of the sponge *Suberites domuncula* to bacterial infection. *Marine Biology* 139: 1037-1045
- Borchiellini C, Chombard C, Manuel M, Alivon E, Vacelet J, Boury-Esnault N (2004) Molecular phylogeny of Demospongiae: implications for classification and scenarios of character evolution. *Molecular Phylogenetics and Evolution* 32: 823-837
- Bull AT (2004) *Microbial diversity and bioprospecting*. ASM press, New York

- Bultel-Ponce V, Berge JP, Debitus C, Nicolas JL, Guyot M (1999) Metabolites from the sponge-associated bacterium *Pseudomonas* species. *Marine Biotechnology* 1: 384-390
- Burgess JG, Jordan EM, Bregu M, Mearns-Spragg A, Boyd KG (1999) Microbial antagonism: a neglected avenue of natural products research. *Journal of Biotechnology* 70: 27-32
- Burja AM, Hill RT (2001) Microbial symbionts of the Australian Great Barrier Reef sponge, *Candidaspongia flabellata*. *Hydrobiologia* 461: 41-47
- Burja AM, Webster NS, Murphy PT, Hill RT (1999) Microbial symbionts of Great Barrier Reef sponges. *Memoirs of the Queensland museum* 44: 63-75
- Butler MJ, Hunt JH, Herrnkind WF, Childress MJ, Bertelsen R, Sharp W, Matthews T, Field JM, Marshall HG (1995) Cascading disturbances in Florida bay, USA: Cyanobacteria blooms, sponge mortality, and implications for juvenile spiny lobsters *Panulirus argus*. *Marine Ecology-Progress Series* 129: 119-125
- Cerrano C, Calcinai B, Cucchiari E, Di Camillo C, Totti C, Bavestrello G (2004) The diversity of relationships between Antarctic sponges and diatoms: the case of *Mycale acerata* Kirkpatrick, 1907 (Porifera, Demospongiae). *Polar Biology* 27: 231-237
- Cervino JM, Winiarski-Cervino K, Polson SW, Goreau T, Smith GW (2006) Identification of bacteria associated with a disease affecting the marine sponge *Ianthella basta* in New Britain, Papua New Guinea. *Marine Ecology-Progress Series* 324: 139-150
- Chandramohan D, Ramaiah N (1987) Heterotrophic activity and bacterial biomass in coral atolls of Lakshadweep Archipelago. *Contributions in Marine Sciences*: 117-130
- Chelossi E, Milanese M, Milano A, Pronzato R, Riccardi G (2004) Characterisation and antimicrobial activity of epibiotic bacteria from *Petrosia ficiformis* (Porifera, Demospongiae). *Journal of Experimental Marine Biology and Ecology* 309: 21-33
- Chun J, Lee J-H, Jung Y, Kim M, Kim S, Kim BK, Lim YW (2007) Ez taxon: a web based tool for the identification of prokaryotes based on 16S ribosomal RNA gene sequences. *International Journal of Systematic and Evolutionary Microbiology* 57: 2259-2261

- Clarke KR, Warwick RM, Somerfield PJ, Gorley RN (2005) Methods manual: Changes in marine communities, pp PRIMER
- Custodio MR, Prokic I, Steffen R, Koziol C, Borojevic R, Brummer F, Nickel M, Muller WEG (1998) Primmorphs generated from dissociated cells of the sponge *Suberites domuncula*: a model system for studies of cell proliferation and cell death. *Mechanisms of Ageing and Development* 105: 45-59
- Dayton PK (1989) Interdecadal variation in an Antarctic sponge and its predators from oceanographic climate shifts. *Science* 245: 1484-1486
- Delong EF (2009) The microbial ocean from genomes to biomes. *Nature* 459: 200 - 206
- Diaz MC, Rutzler K (2001) Sponges: An essential component of Caribbean coral reefs. *Bulletin of Marine Science* 69: 535-536
- Diaz MC, Ward BB (1997) Sponge-mediated nitrification in tropical benthic communities. *Marine Ecology-Progress Series* 156: 97-107
- Efremova SM, Itskovich VB, Parfenova V, Drucker VV, Muller WEG, Schroder HC (2002) Lake Baikal: A unique place to study evolution of sponges and their stress response in an environment nearly unimpacted by anthropogenic perturbation. *Cellular and Molecular Biology* 48: 359-371
- Elyakov GB, Kuznetsova T, Mikhailov VV, Maltsev, II, Voinov VG, Fedoreyev SA (1991) Brominated diphenyl ethers from a marine bacterium associated with the sponge *Dysidea* sp. *Experientia* 47: 632-633
- Enticknap JJ, Kelly M, Peraud O, Hill RT (2006) Characterization of a culturable alphaproteobacterial symbiont common to many marine sponges and evidence for vertical transmission via sponge larvae. *Applied and Environmental Microbiology* 72: 3724-3732
- Erwin PM, Thacker RW (2008) Phototrophic nutrition and symbiont diversity of two Caribbean sponge-cyanobacteria symbioses. *Marine Ecology-Progress Series* 362: 139-147
- Faulkner DJ (2000) Marine natural products. *Natural Product Reports* 17: 7-55
- Feby A, Nair S (2010) Sponge-associated bacteria of Lakshadweep coral reefs, India: resource for extracellular hydrolytic enzymes. *Advances in Bioscience and Biotechnology* 1: 330-337

- Feldmann J (1933) Sur quelques cyanophycees vivant dans le tissu des sponges de Banyuls. Archives De Zoologie Experimentale et Generale 75: 381- 404
- Fenical W (1993) Chemical studies of marine bacteria: developing a new resource. Chemical Review 93: 2-17
- Fieseler L, Horn M, Wagner M, Hentschel U (2004) Discovery of the novel candidate phylum "Poribacteria" in marine sponges. Applied and Environmental Microbiology 70: 3724-3732
- Fischer SG, Lerman LS (1983) DNA fragments differing by single base pair substitutions are separated in denaturant gradient gels: correspondence with melting theory. Proceedings of the National Academy of Sciences of the United States of America 80: 1579-1583
- Friedrich AB, Fischer I, Proksch P, Hacker J, Hentschel U (2001) Temporal variation of the microbial community associated with the mediterranean sponge *Aplysina aerophoba*. FEMS Microbiology Ecology 38: 105-113
- Friedrich AB, Merkert H, Fendert T, Hacker J, Proksch P, Hentschel U (1999) Microbial diversity in the marine sponge *Aplysina cavernicola* (formerly *Verongia cavernicola*) analyzed by fluorescence in situ hybridization (FISH). Marine Biology 134: 461-470
- Fuhrman JA, McCallum K, Davis AR (1993) Phylogenetic diversity of subsurface marine microbial communities from the Atlantic and Pacific Oceans. Applied and Environmental Microbiology 59: 1294-1302
- Garson MJ, Flowers AE, Webb RI, Charan RD, McCaffrey EJ (1998) A sponge/dinoflagellate association in the haplosclerid sponge *Haliclona* sp.: cellular origin of cytotoxic alkaloids by Percoll density gradient fractionation. Cell and Tissue Research 293: 365-373
- Gerhardt P, Smilbert RM, Krieg NR (1994) Phenotypic characterization of bacteria. Gerhardt P, Murray REG, Wood WA, Krieg NR (eds) In: Methods for general and molecular microbiology. American Society for Microbiology, New york
- Gernert C, Glockner FO, Krohne G, Hentschel U (2005) Microbial diversity of the freshwater sponge *Spongilla lacustris*. Microbial Ecology 50: 206-212
- Gopinath A, Kumar NC, Padmalal D, Nair SM (2004) Speciation of Nitrogen in the coral reef sedimentary environment of Lakshadweep Archipelago, Indian Ocean Chemistry and Ecology 20: 267-278

- Graeber I, Kaesler I, Borchert MS, Dieckmann R, Pape T, Lurz R, Nielsen P, von Dohren H, Michaelis W, Szewzyk U (2008) *Spongiibacter marinus* gen. nov., sp nov., a halophilic marine bacterium isolated from the boreal sponge *Haliclona* sp 1. *International Journal of Systematic and Evolutionary Microbiology* 58: 585-590
- Guan LL, Onuki H, Kamino K (2000) Bacterial growth stimulation with exogenous siderophore and synthetic N-acyl homoserine lactone autoinducers under iron-limited and low-nutrient conditions. *Applied and Environmental Microbiology* 66: 2797-2803
- Hallam SJ, Konstantinidis KT, Putnam N, Schleper C, Watanabe Y, Sugahara J, Preston C, de la Torre J, Richardson PM, DeLong EF (2006) Genomic analysis of the uncultivated marine crenarchaeote *Cenarchaeum symbiosum*. *Proceedings of the National Academy of Sciences of the United States of America* 103: 18296-18301
- Han Y, Li ZY, Miao XL, Zhang FL (2008) Statistical optimization of medium components to improve the chitinase activity of *Streptomyces* sp Da11 associated with the South China Sea sponge *Craniella australiensis*. *Process Biochemistry* 43: 1088-1093
- Han Y, Yang BJ, Zhang FL, Miao XL, Li ZY (2009) Characterization of antifungal chitinase from marine *Streptomyces* sp DA11 associated with South China Sea sponge *Craniella Australiensis*. *Marine Biotechnology* 11: 132-140
- Hayakawa M, Ootoguro M, Takeuchi T, Yamazaki T, Iimura Y (2000) Application of a method incorporating differential centrifugation for selective isolation of motile actinomycetes in soil and plant litter. *Antonie van Leeuwenhoek* 78: 171-185
- Haygood MG, Schmidt EW, Davidson SK, Faulkner DJ (1999) Microbial symbionts of marine invertebrates: Opportunities for microbial biotechnology. *Journal of Molecular Microbiology and Biotechnology* 1: 33-43
- He L-m, Li Z-y, Wu J, Hu Y, Jiang Q (2006) Revelation and phylogenetic analysis of the predominant bacterial community associated with sponges in the South China Sea based on PCR-DGGE fingerprints. *Weishengwu Xuebao* 46: 487-491
- Hentschel U, Fieseler L, Wehrl M, Gernert C, Steinert M, Hacker J, Horn M (2003) Microbial diversity of marine sponges. *Progress in Molecular and Subcellular Biology* 37: 59-88

- Hentschel U, Hopke J, Horn M, Friedrich AB, Wagner M, Hacker J, Moore BS (2002) Molecular evidence for a uniform microbial community in sponges from different oceans. *Applied and Environmental Microbiology* 68: 4431-4440
- Hentschel U, Schmid M, Wagner M, Fieseler L, Gernert C, Hacker J (2001) Isolation and phylogenetic analysis of bacteria with antimicrobial activities from the Mediterranean sponges *Aplysina aerophoba* and *Aplysina cavernicola*. *FEMS Microbiology Ecology* 35: 305-312
- Hentschel U, Usher KM, Taylor MW (2006) Marine sponges as microbial fermenters. *FEMS Microbiology Ecology* 55: 167-177
- Hill M, Hill A, Lopez N, Harriott O (2006) Sponge-specific bacterial symbionts in the Caribbean sponge, *Chondrilla nucula* (Demospongiae, Chondrosida). *Marine Biology* 148: 1221-1230
- Hobbie JE, Daley RJ, Jasper S (1977) Use of nucleopore filters for counting bacteria by fluorescence microscopy. *Applied and Environmental Microbiology* 33: 1225-1228
- Hoffmann F, Larsen O, Rapp HT, Osinga R (2005) Oxygen dynamics in choanosomal sponge explants. *Marine Biology Research* 1: 160-163
- Hoffmann F, Radax R, Woebken D, Holtappels M, Lavik G, Rapp HT, Schlappy ML, Schleper C, Kuypers MMM (2009) Complex nitrogen cycling in the sponge *Geodia barretti*. *Environmental Microbiology* 11: 2228-2243
- Hooper JNA, Van Soest RWM (2002) Class Demospongiae Sollas, 1885. Hooper JNA, Van Soest RWM (eds) In: *Systema Porifera A Guide to the Classification of Sponges*. Kluwer Academic/ Plenum Publishers, New York
- Hummel H, Sepers ABJ, Dewolf L, Melissen FW (1988) Bacterial-growth on the marine sponge *Halichondria panicea* induced by reduced water flow rate. *Marine Ecology-Progress Series* 42: 195-198
- Imhoff JF, Stohr R (2003) Sponge-associated bacteria: general overview and special aspects of bacteria associated with *Halichondria panicea*. *Progress in Molecular and Subcellular Biology* 37: 35-57
- Isaacs LT, Kan J, Nguyen L, Videau P, Matthew A, Wright T, L., Hill RT (2009) Comparison of the bacterial communities of wild and captive sponge *Clathria prolifera* from the Chesapeake Bay. *Marine Biotechnology* 11: 758-770

- Jensen PR, Fenical W (1996) Marine bacterial diversity as a resource for novel microbial products. *Journal of Industrial Microbiology & Biotechnology* 17: 346-351
- Jiang SM, Li X, Zhang L, Sun W, Dai SK, Xie LW, Liu YH, Lee KJ (2008) Culturable actinobacteria isolated from marine sponge *Iotrochota* sp. *Marine Biology* 153: 945-952
- Jimenez E, Ribes M (2007) Sponges as a source of dissolved inorganic nitrogen: Nitrification mediated by temperate sponges. *Limnology and Oceanography* 52: 948-958
- Kanagasabhapathy M, Nagata S (2008) Cross-species induction of antibacterial activity produced by epibiotic bacteria isolated from Indian marine sponge *Pseudoceratina purpurea*. *World Journal of Microbiology & Biotechnology* 24: 687-691
- Karpushova A, Brummer F, Barth S, Lange S, Schmid RD (2005) Cloning, recombinant expression and biochemical characterisation of novel esterases from *Bacillus* sp associated with the marine sponge *Aplysina aerophoba*. *Applied Microbiology and Biotechnology* 67: 59-69
- Kefalas E, Tsirtsis G, Castritsi-Catharios J (2003) Distribution and ecology of Demospongiae from the circalittoral of the islands of the Aegean Sea (Eastern Mediterranean). *Hydrobiologia* 499: 125-134
- Kelly SR, Garo E, Jensen PR, Fenical W, Pawlik JR (2005) Effects of Caribbean sponge secondary metabolites on bacterial surface colonization. *Aquatic Microbial Ecology* 40: 191-203
- Kelman D, Kashman Y, Rosenberg E, Ilan M, Ifrach I, Loya Y (2001) Antimicrobial activity of the reef sponge *Amphimedon viridis* from the Red Sea: evidence for selective toxicity. *Aquatic Microbial Ecology* 24: 9-16
- Kennedy J, Marchesi JR, Dobson ADW (2007) Metagenomic approaches to exploit the biotechnological potential of the microbial consortia of marine sponges. *Applied Microbiology and Biotechnology* 75: 11-20
- Kim TK, Garson MJ, Fuerst JA (2005) Marine actinomycetes related to the 'Salinospora' group from the Great Barrier Reef sponge *Pseudoceratina clavata*. *Environmental Microbiology* 7: 509-518
- Kleypas JA (1997) Modeled estimates of global reef habitat and carbonate production since the last glacial maximum. *Palaeogeography* 12: 533-545



- Kogure K, Simidu U, Taga N (1979) A tentative direct microscopic method for counting living marine bacteria. *Canadian Journal of Microbiology* 25: 415-420
- Lafi FF, Garson MJ, Fuerst JA (2005) Culturable bacterial symbionts isolated from two distinct sponge species (*Pseudoceratina clavata* and *Rhabdastrella globostellata*) from the Great Barrier Reef display similar phylogenetic diversity. *Microbial Ecology* 50: 213-220
- Lane DL (1991) 16S/23S rRNA sequencing. Stackebrandt E, Goodfellow M (eds) In: *Nucleic Acid Techniques in Bacterial Systematics*. Wiley, New York
- Larkum AWD, Kennedy IR, Muller W (1988) Nitrogen fixation on a coral reef. *Marine Biology* 98: 143-155
- Lee EY, Lee HK, Lee YK, Sim CJ, Lee JH (2003) Diversity of symbiotic archaeal communities in marine sponges from Korea. *Biomolecular Engineering* 20: 299-304
- Lee OO, Wong YH, Qian PY (2009) Inter- and intraspecific variations of bacterial communities associated with marine sponges from San Juan Island, Washington. *Applied and Environmental Microbiology* 75: 3513-3521
- Lee YK, Lee JH, Lee HK (2001) Microbial symbiosis in marine sponges. *Journal of Microbiology* 39: 254-264
- Li CW, Chen JY, Hua TE (1998) Precambrian sponges with cellular structures. *Science* 279: 879-882
- Li ZY, He LM, Miao XL (2007) Cultivable bacterial community from South China Sea sponge as revealed by DGGE fingerprinting and 16S rDNA phylogenetic analysis. *Current Microbiology* 55: 465-472
- Li ZY, He LM, Wu H, Jiang Q (2006) Bacterial community diversity associated with four marine sponges from the South China Sea based on 16S rDNA-DGGE fingerprinting. *Journal of Experimental Marine Biology and Ecology* 329: 75-85
- Li ZY, Liu Y (2006) Marine sponge *Craniella australiensis*-associated bacterial diversity revelation based on 16S rDNA library and biologically active Actinomycetes screening, phylogenetic analysis. *Letters in Applied Microbiology* 43: 410-416
- Liu YH, Jung JH, Zhang S (2006) Indole alkaloids from a sponge *Sarcotragus* species. *Biochemical Systematics and Ecology* 34: 453-456

- Meyer B, Kuever J (2008) Phylogenetic diversity and spatial distribution of the microbial community associated with the Caribbean deep-water sponge *Polymastia cf. corticata* by 16S rRNA, *aprA*, and *amoA* gene analysis. *Microbial Ecology* 56: 306-321
- Mohamed NM, Cicirelli EM, Kan JJ, Chen F, Fuqua C, Hill RT (2008) Diversity and quorum-sensing signal production of Proteobacteria associated with marine sponges. *Environmental Microbiology* 10: 75-86
- Mohapatra BR, Banerjee UC, Bapuji M (1998) Characterization of a fungal amylase from *Mucor* sp. associated with the marine sponge *Spirastrella* sp. *Journal of Biotechnology* 60: 113-117
- Mohapatra BR, Bapuji M (1998) Characterization of acetylcholinesterase from *Arthrobacter ilicis* associated with the marine sponge (*Spirastrella* sp.). *Journal of Applied Microbiology* 84: 393-398
- Mohapatra BR, Bapuji M, Sree A (2003) Production of industrial enzymes (Amylase, carboxymethylcellulase and protease) by bacteria isolated from marine sedentary organisms. *Acta Biotechnologica* 23: 75-84
- Montalvo NF, Mohamed NM, Enticknap JJ, Hill RT (2005) Novel actinobacteria from marine sponges. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 87: 29-36
- Moore BS (2006) Biosynthesis of marine natural products: macroorganisms (Part B). *Natural Product Reports* 23: 615-629
- Munro MHG, Blunt JW, Dumdei EJ, Hickford SJH, Lill RE, Li SX, Battershill CN, Duckworth AR (1999) The discovery and development of marine compounds with pharmaceutical potential. *Journal of Biotechnology* 70: 15-25
- Muscholl-Silberhorn A, Thiel V, Imhoff JF (2008) Abundance and bioactivity of cultured sponge-associated bacteria from the Mediterranean Sea. *Microbial Ecology* 55: 94-106
- Muyzer G, Dewaal EC, Uitterlinden AG (1993) Profiling of complex microbial populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction amplified genes coding for 16S ribosomal RNA. *Applied and Environmental Microbiology* 59: 695-700
- Neulinger SC, Stohr R, Thiel V, Schamlijoann R, Imhoff JF (2010) New phylogenetic lineages of the Spirochaetes phylum associated with the *Clathrina* species (Porifera). *The Journal of Microbiology* 48: 411-418

- Oclarit JM, Okada H, Ohta S, Kaminura K, Yamaoka Y, Iizuka T, Miyashiro S, Ikegami S (1994) Anti-*Bacillus* substance in the marine sponge, *Hyatella* species, produced by an associated *Vibrio* species bacterium. *Microbios* 78: 7-16
- Oh KB, Mar W, Kim S, Kim JY, Lee TH, Kim JG, Shin D, Sim CJ, Shin J (2006) Antimicrobial activity and cytotoxicity of bis(indole) alkaloids from the sponge *Spongosorites* sp. *Biological & Pharmaceutical Bulletin* 29: 570-573
- Olson JB, Harmody DK, McCarthy PJ (2002) Alphaproteobacteria cultivated from marine sponges display branching rod morphology. *FEMS Microbiology Letters* 211: 169-173
- Olson JB, Lord CC, McCarthy PJ (2000) Improved recoverability of microbial colonies from marine sponge samples. *Microbial Ecology* 40: 139-147
- Olson JB, McCarthy PJ (2005) Associated bacterial communities of two deep-water sponges. *Aquatic Microbial Ecology* 39: 47-55
- Opdyke BN (1992) Return of the coral reef hypothesis: basin to shelf partitioning of  $\text{CaCO}_3$  and its effect on atmospheric  $\text{CO}_2$ . *Geology* 20: 733 - 736
- Pabel CT, Vater J, Wilde C, Franke P, Hofemeister J, Adler B, Bringmann G, Hacker J, Hentschel U (2003) Antimicrobial activities and matrix-assisted laser desorption/ionization mass spectrometry of *Bacillus* isolates from the marine sponge *Aplysina aerophoba*. *Marine Biotechnology* 5: 424-434
- Piel J (2004) Metabolites from symbiotic bacteria. *Natural Product Reports* 21: 519-538
- Piel J (2006) Bacterial symbionts: Prospects for the sustainable production of invertebrate-derived pharmaceuticals. *Current Medicinal Chemistry* 13: 39-50
- Pile AJ, Patterson MR, Savarese M, Chernykh VI, Fialkov VA (1997) Trophic effects of sponge feeding within Lake Baikal's littoral zone .2. Sponge abundance, diet, feeding efficiency, and carbon flux. *Limnology and Oceanography* 42: 178-184
- Pile AJ, Patterson MR, Witman JD (1996) In situ grazing on plankton <10  $\mu\text{m}$  by the boreal sponge *Mycale lingua*. *Marine Ecology-Progress Series* 141: 95-102

- Pimentel-Elardo S, Wehr M, Friedrich AB, Jensen PR, Hentschel U (2003) Isolation of planctomyces from *Aplysina* sponges. *Aquatic Microbial Ecology* 33: 239-245
- Powledge F (2003) Island biogeography's lasting impact. *Biosciences* 53: 1032-1038
- Preston CM, Wu KY, Molinski TF, DeLong EF (1996) A psychrophilic crenarchaeon inhabits a marine sponge: *Cenarchaeum symbiosum* gen nov, sp, nov. *Proceedings of the National Academy of Sciences of the United States of America* 93: 6241-6246
- Prokofeva NG, Kalinovskaya NI, Lukyanov PA, Shentsova EB, Kuznetsova TA (1999) The membranotropic activity of cyclic acyldepsipeptides from bacterium *Bacillus pumilus*, associated with the marine sponge *Ircinia* sp. *Toxicon* 37: 801–813
- Proksch P, Edrada RA, Ebel R (2002) Drugs from the seas - current status and microbiological implications. *Applied Microbiology and Biotechnology* 59: 125-134
- Qian PY, Dobretsov S, Dahms HU, Pawlik J (2006) Antifouling activity and microbial diversity of two congeneric sponges *Callyspongia* spp. from Hong Kong and the Bahamas. *Marine Ecology-Progress Series* 324: 151-165
- Quevrain E, Domart-Coulon I, Pernice M, Bourguet-Kondracki ML (2009) Novel natural parabens produced by a *Microbulbifer* bacterium in its calcareous sponge host *Leuconia nivea*. *Environmental Microbiology* 11: 1527-1539
- Radwan M, Hanora A, Zan J, Mohamed NM, Abo-Elmatty DM, Abou-El-Ela SH, Hill RT (2010) Bacterial community analyses of two Red Sea sponges. *Marine Biotechnology* 12: 350-360
- Reiswig HM (1971) *In situ* pumping activities of tropical Demospongiae. *Marine Biology* 9: 38 - 50
- Reiswig HM (1975) Bacteria as food for temperate water marine sponges. *Canadian Journal of Zoology* 53: 582 - 589
- Ribeiro SM, Omena EP, Muricy G (2003) Macrofauna associated to *Mycale microsigmatosa* (Porifera, Demospongiae) in Rio de Janeiro State, SE Brazil. *Estuarine Coastal and Shelf Science* 57: 951-959

- Ribes M, Coma R, Gili JM (1999) Natural diet and grazing rate of the temperate sponge *Dysidea avara* (Demospongiae, Dendroceratida) throughout an annual cycle. *Marine Ecology-Progress Series* 176: 179-190
- Roberts CM, McClean CJ, Veron JEN, Hawkins JP, Allen GR, Mittermeier CG, Shueler FW, Spalding M, Wells F, Vynne C, Werner TB (2002) Marine biodiversity hotspots and conservation properties for tropical reefs. *Science* 295: 1280-1284
- Santavy DL, Colwell RR (1990) Comparison of bacterial communities associated with the Caribbean Sclerosponge *Ceratoporella nicholsoni* and ambient seawater. *Marine Ecology-Progress Series* 67: 73 - 82
- Santavy DL, Willenz P, Colwell RR (1990) Phenotypic study of bacteria associated with the Caribbean Sclerosponge, *Ceratoporella nicholsoni*. *Applied and Environmental Microbiology* 56: 1750-1762
- Sara M (1971) Ultrastructural aspects of the symbiosis between two species of the genus *Aphanocapsa* (Cyanophyceae) and *Ircinia variabilis* (Demospongiae). *Marine Biology* 11: 214 - 221
- Schirmer A, Gadkari R, Reeves CD, Ibrahim F, DeLong EF, Hutchinson CR (2005) Metagenomic analysis reveals diverse polyketide synthase gene clusters in microorganisms associated with the marine sponge *Discodermia dissoluta*. *Applied and Environmental Microbiology* 71: 4840-4849
- Schlappy ML, Schottner SI, Lavik G, Kuypers MMM, de Beer D, Hoffmann F (2010) Evidence of nitrification and denitrification in high and low microbial abundance sponges. *Marine Biology* 157: 593-602
- Schmidt EW, Bewley CA, Faulkner DJ (1998) Theopalauamide, a bicyclic glycopeptide from filamentous bacterial symbionts of the lithistid sponge *Theonella swinhoei* from Palau and Mozambique. *Journal of Organic Chemistry* 63: 1254-1258
- Schmidt EW, Obraztsova AY, Davidson SK, Faulkner DJ, Haygood MG (2000) Identification of the antifungal peptide-containing symbiont of the marine sponge *Theonella swinhoei* as a novel delta-proteobacterium, "Candidatus *Entotheonella palauensis*". *Marine Biology* 136: 969-977
- Sekiguchi H, Koshikawa H, Hiroki M, Murakami S, Xu K, Watanabe M, Nakahara T, Zhu M, Uchiyama H (2002) Bacterial distribution and phylogenetic diversity in

- the Changjiang estuary before the construction of the three gorges dam. *Microbial Ecology* 43: 82– 91
- Selvin J, Joseph S, Asha KRT, Manjusha WA, Sangeetha VS, Jayaseema DM, Antony MC, Vinitha AJD (2004) Antibacterial potential of antagonistic *Streptomyces* sp isolated from marine sponge *Dendrilla nigra*. *FEMS Microbiology Ecology* 50: 117-122
- Selvin J, Lipton AP (2004) Biopotentials of secondary metabolites isolated from marine sponges. *Hydrobiologia* 513: 231-238
- Selvin J, Priya SS, Kiran GS, Thangavelu T, Bai NS (2009 a) Sponge-associated marine bacteria as indicators of heavy metal pollution. *Microbiological Research* 164: 352-363
- Selvin J, Shanmughapriya S, Gandhimathi R, Kiran GS, Ravji TR, Natarajaseenivasan K, Hema TA (2009 b) Optimization and production of novel antimicrobial agents from sponge associated marine actinomycetes *Nocardioopsis dassonvillei* MAD08. *Applied Microbiology and Biotechnology* 83: 435-445
- Sfanos K, Harmody D, Dang P, Ledger A, Pomponi S, McCarthy P, Lopez J (2005) A molecular systematic survey of cultured microbial associates of deep-water marine invertebrates. *Systematic and Applied Microbiology* 28: 242-264
- Shanmughapriya S, Kiran GS, Selvin J, Gandhimathi R, Baskar TB, Manilal A, Sujith S (2009) Optimization, production, and partial characterization of an alkalophilic amylase produced by sponge associated marine bacterium *Halobacterium salinarum* MMD047. *Biotechnology and Bioprocess Engineering* 14: 67-75
- Simpson TL (1984) *The cell biology of sponges* Springer, New York
- Southwell MW, Popp BN, Martens CS (2008) Nitrification controls on fluxes and isotopic composition of nitrate from Florida Keys sponges. *Marine Chemistry* 108: 96-108
- Staley JT, Konopka A (1985) Measurement of *in situ* activities of non photosynthetic microorganisms in aquatic and terrestrial habitats. *Annual Review of Microbiology* 39: 321 - 346
- Steindler L, Beer S, Ilan M (2002) Photosymbiosis in intertidal and subtidal tropical sponges. *Symbiosis* 33: 263-273

- Steindler L, Huchon D, Avni A, Ilan M (2005) 16S rRNA phylogeny of sponge-associated cyanobacteria. *Applied and Environmental Microbiology* 71: 4127-4131
- Stierle AC, Cardellina JH, Singleton FL (1988) A marine *Micrococcus* produces metabolites ascribed to the sponge *Tedania ignis*. *Experientia* 44: 1021-1021
- Stolp H, Starr MP (1981) Principles of isolation, cultivation, and conservation of bacteria. Starr MP, Stolp H, Truper HG, Balows A, Schlegel H (eds) In: *The Prokaryotes: A Handbook on Habitats, Isolation, and identification of Bacteria*. Springer - Verlag, New York
- Strickland JDH, Parsons TR (1968) *A practical handbook of seawater analysis*. Fisheries Research Board of Canada 167
- Sumich L (1992) *An introduction to the biology of marine life*. Brown C (ed) Brown publishers, Danuque
- Sun W, Dai SK, Jiang SM, Wang GH, Liu GH, Wu HB, Li X (2010) Culture-dependent and culture-independent diversity of Actinobacteria associated with the marine sponge *Hymeniacidon perleve* from the South China Sea. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 98: 65-75
- Taylor MW, Radax R, Steger D, Wagner M (2007) Sponge-associated microorganisms: Evolution, ecology, and biotechnological potential. *Microbiology and Molecular Biology Reviews* 71: 295-347
- Taylor MW, Schupp PJ, Dahllöf I, Kjelleberg S, Steinberg PD (2004) Host specificity in marine sponge-associated bacteria, and potential implications for marine microbial diversity. *Environmental Microbiology* 6: 121-130
- Taylor MW, Schupp PJ, de Nys R, Kjelleberg S, Steinberg PD (2005) Biogeography of bacteria associated with the marine sponge *Cymbastela concentrica*. *Environmental Microbiology* 7: 419-433
- Terkina IA, Drukker VV, Parfenova VV, Kostornova TY (2002) The biodiversity of Actinomycetes in Lake Baikal. *Microbiology* 71: 346-349
- Thakur AN, Thakur NL, Indap MM, Pandit RA, Datar VV, Muller WEG (2005) Antiangiogenic, antimicrobial, and cytotoxic potential of sponge-associated bacteria. *Marine Biotechnology* 7: 245-252

- Thakur NL, Anil AC (2000) Antibacterial activity of the sponge *Ircinia ramosa*: Importance of its surface-associated bacteria. *Journal of Chemical Ecology* 26: 57-71
- Thiel V, Leininger S, Schmaljohann R, Brummer F, Imhoff JF (2007) Sponge-specific bacterial associations of the Mediterranean sponge *Chondrilla nucula* (Demospongiae, Tetractinomorpha). *Microbial Ecology* 54: 101-111
- Thomas PA (1998) The sponge resources of India Proceedings of the Symposium on Living Resources of the Seas around India Mandapam
- Thomas TRA, Kavlekar DP, Lokabharathi PA (2010) Marine drugs from sponge-microbe association - a review. *Marine Drugs* 8: 1417-1468
- Thoms C, Horn M, Wagner M, Hentschel U, Proksch P (2003) Monitoring microbial diversity and natural product profiles of the sponge *Aplysina cavernicola* following transplantation. *Marine Biology* 142: 685-692
- Turque AS, Cardoso AM, Silveira CB, Vieira RP, Freitas FAD, Albano RM, Gonzalez AM, Paranhos R, Muricy G, Martins OB (2008) Bacterial communities of the marine sponges *Hymeniacidon heliophila* and *Polymastia janeirensis* and their environment in Rio de Janeiro, Brazil. *Marine Biology* 155: 135-146
- Unson MD, Holland ND, Faulkner DJ (1994) A brominated secondary metabolite synthesized by the cyanobacterial symbiont of a marine sponge and accumulation of the crystalline metabolite in the sponge tissue. *Marine Biology* 119: 1-11
- Upreti K, Shanmugaraj IN (1997) Gulf of Mannar marine bioreserve - Threats to coral reefs and a preventive conservation strategy for Indian reefs National symposium on conservation of Gulf of Mannar marine bioreserve, India
- Usher KM, Fromont J, Sutton DC, Toze S (2004) The biogeography and phylogeny of unicellular cyanobacterial symbionts in sponges from Australia and the Mediterranean. *Microbial Ecology* 48: 167-177
- Vacelet J, Bouryèsnault N (1995) Carnivorous sponges. *Nature* 373: 333-335
- Vacelet J, Donadey C (1977) Electron microscope study of the association between some sponges and bacteria. *Journal of Experimental Marine Biology and Ecology* 30: 301 - 314



- Venkataraman K, Wafar MVM (2005) Coastal and marine biodiversity of India. *Indian Journal of Marine Sciences* 34: 57-75
- Vogel S (1977) Current induced flow through living sponges in nature. *Proceedings of the National Academy of Sciences of the United States of America* 74: 2069-2071
- Wafar MVM (1977) Corals and Coral reefs of India. *Proceedings of the Indian Academy of Sciences (Animal Sciences/ Plant Sciences)* 19 - 43
- Wagner-Dobler I, Beil W, Lang S, Meiners M, Laatsch H (2002) Integrated approach to explore the potential of marine microorganisms for the production of bioactive metabolites. *Advances in Biochemical Engineering and Biotechnology* 74: 207– 238
- Wang GY, Li QZ, Zhu P (2008) Phylogenetic diversity of culturable fungi associated with the Hawaiian Sponges *Suberites zeteki* and *Gelliodes fibrosa*. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 93: 163-174
- Ward D, Weller R, Mary .M B (1990) 16S rRNA sequence reveal numerous uncultured microorganisms in a natural community. *Nature* 345: 63-65
- Webster NS, Hill RT (2001) The culturable microbial community of the Great Barrier Reef sponge *Rhopaloeides odorabile* is dominated by an alpha-Proteobacterium. *Marine Biology* 138: 843-851
- Webster NS, Negri AP, Munro M, Battershill CN (2004) Diverse microbial communities inhabit Antarctic sponges. *Environmental Microbiology* 6: 288-300
- Webster NS, Negri AP, Webb RI, Hill RT (2002) A spongin-boring Alphaproteobacterium is the etiological agent of disease in the Great Barrier Reef sponge *Rhopaloeides odorabile*. *Marine Ecology-Progress Series* 232: 305-309
- Webster NS, Wilson KJ, Blackall LL, Hill RT (2001) Phylogenetic diversity of bacteria associated with the marine sponge *Rhopaloeides odorabile*. *Applied and Environmental Microbiology* 67: 434-444
- Webster NS, Xavier JR, Freckelton M, Motti CA, Cobb R (2008) Shifts in microbial and chemical patterns within the marine sponge *Aplysina aerophoba* during a disease outbreak. *Environmental Microbiology* 10: 3366-3376

- Wehrl M, Steinert M, Hentschel U (2007) Bacterial uptake by the marine sponge *Aplysina aerophoba*. *Microbial Ecology* 53: 355-365
- Weisz JB, Hentschel U, Lindquist N, Martens CS (2007) Linking abundance and diversity of sponge-associated microbial communities to metabolic differences in host sponges. *Marine Biology* 152: 475-483
- Wichels A, Wurtz S, Dopke H, Schutt C, Gerdtz G (2006) Bacterial diversity in the breadcrumb sponge *Halichondria panicea* (Pallas). *FEMS Microbiology Ecology* 56: 102-118
- Wilkinson CR (1978 a) Microbial associations in sponges. I. Ecology, physiology and microbial populations of coral reef sponges. *Marine Biology* 49: 161-167
- Wilkinson CR (1978 b) Microbial associations in sponges. II. Numerical analysis of sponge and water bacterial populations. *Marine Biology* 49: 169-176
- Wilkinson CR (1978 c) Microbial associations in sponges III. Ultrastructure of the *in situ* associations in coral reef sponges. *Marine Biology* 49: 177 - 185
- Wilkinson CR (1983) Net primary productivity in coral reef sponges. *Science* 219: 410-412
- Wilkinson CR, Garrone R (1980) Nutrition of marine sponges. involvement of symbiotic bacteria in the uptake of dissolved Carbon. Smith DC, Tiffon Y (eds) In: *Nutrition in the Lower Metazoa*. Pergamon Press, Oxford, UK
- Wilkinson CR, Garrone R, Vacelet J (1984) Marine sponges discriminate between food bacteria and bacterial symbionts: Electron microscope radioautography and *in situ* evidence. *Proceedings of the Royal Society of London, Series B-Biological Sciences* 220: 519 - 528
- Williams DE, Austin P, Diaz-Marrero AR, Van Soest R, Matainaho T, Roskelley CD, Roberge M, Andersen RJ (2005) Neopetrosiamides, peptides from the marine sponge *Neopetrosia* sp that inhibit amoeboid invasion by human tumor cells. *Organic Letters* 7: 4173-4176
- Wood R (1998) The ecological evolution of reefs. *Annual Review of Ecology and Systematics* 29: 179 - 206
- Wulff JL (1984) Effects of a hurricane on survival and orientation of large erect coral-reef sponges. *Coral Reefs* 14: 55-61
- Xin YJ, Huang JY, Deng MC, Zhang W (2008) Culture-independent nested PCR method reveals high diversity of Actinobacteria associated with the marine

- sponges *Hymeniacidon perleve* and *Sponge* sp. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 94: 533-542
- Zhang HT, Lee YK, Zhang W, Lee HK (2006) Culturable Actinobacteria from the marine sponge *Hymeniacidon perleve*: isolation and phylogenetic diversity by 16S rRNA gene-RFLP analysis. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 90: 159-169
- Zhang HT, Zhang W, Jin Y, Jin MF, Yu XJ (2008) A comparative study on the phylogenetic diversity of culturable Actinobacteria isolated from five marine sponge species. *Antonie Van Leeuwenhoek International Journal of General and Molecular Microbiology* 93: 241-248
- Zhang HZ, Zhang FL, Li ZY (2009) Gene analysis, optimized production and property of marine lipase from *Bacillus pumilus* B106 associated with South China Sea sponge *Halichondria rugosa*. *World Journal of Microbiology & Biotechnology* 25: 1267-1274
- Zheng L, Chen HM, Han XT, Lin W, Yan XJ (2005) Antimicrobial screening and active compound isolation from marine bacterium NJ6-3-1 associated with the sponge *Hymeniacidon perleve*. *World Journal of Microbiology & Biotechnology* 21: 201-206
- Zhu P, Li QZ, Wang GY (2008) Unique microbial signatures of the alien hawaiian marine sponge *Suberites zeteki*. *Microbial Ecology* 55: 406-414
- Zobell CE, Hittle LL (1969) Deep-sea pressure effects on starch hydrolysis by marine bacteria. *Journal of the Oceanographical Society of Japan* 25

.....330.....