

REFERENCES

1. **ASM International, (1985)** Metals hand Book, USA.
2. **Arthur H.Tuthill, (1987)** Guidelines for the use of copper alloys in sea water. *Materials performance*, 26(9), 12-22.
3. **ASM International, (1993)** Metals hand Book, USA.
4. **Agarwal D.C, (2002)** Effect of ammoniacal seawater on material properties of copper nickel alloys. *British Corrosion Journal*, 37(2), 105–113.
5. **Anawa E. M, Olabi A.G, (2008)** Control of Welding Residual Stress for Dissimilar Laser Welded Materials. *Materials Processing Technology*, 204(1-3), 22-33.
6. **Agarwal D.C, and A. M. Bapat, (2009)** Effect of ammonia and sulphide environment on 90/10 and 70/30 Cupronickel Alloy. *Journal of Failure Analysis and Prevention*, ASM International, 9,444–460.
7. **Aida Varea, Eva Pellicer, Salvador Pane, Bradley J. Nelson, Santiago Surinach, Maria Dolors Baro and Jordi Sort (2012)** Mechanical Properties and Corrosion Behaviour of Nanostructured Cu-rich Cu-Ni Electrodeposited Films. *International Journal Electrochemical Science*, 7, 1288 –1302.
8. **Balasubramanian M, V. Jayabalan, and V. Balasubramanian, (2008)** Effect of pulsed gas tungsten arc welding on corrosion behavior of Ti–6Al–4V titanium alloy. *Materials and Design*, 29, 1359–1363.
9. **Balasubramanian.V, V. Ravisanka, and G. Madhusudhan Reddy, (2008)** Effect of pulsed current welding on fatigue behaviour of high strength aluminium alloy joints. *Materials and Design*, 29, 492–500.
10. **Balasubramanian. M. V.Jayabalan, and V.Balasubramanian, (2008)** Process Parameter Optimisation of the Pulsed Current Argon Tungsten Arc Welding of Titanium Alloy. *Material Science Technology*, 24 (3), 423-428.
11. **Balasubramanian. M,V. Jayabalan, and V. Balasubramanian, (2009)** Prediction and Optimisation of Pulsed Current Gas Tungsten Arc Welding Process Parameters to

- Obtain Sound Weld Pool Geometry in Titanium Alloy Using Lexicographic Method. *Materials Engineering and Performance*, 18(7), 871-877.
- 12. Bappa Acherjee, Arunanshu S. Kuar, Souren Mitra and Dipten Misra, (2011)** Application of grey-based Taguchi method for simultaneous optimisation of multiple quality characteristics in laser transmission welding process of thermoplastics. *International journal of Advanced Manufacturing Technology*, 56,995–1006.
 - 13. CDA Publication, (1982)** Copper-Nickel Alloys, Properties and Applications, TN30.
 - 14. CDA Publication, (1982)** Copper-Nickel 90/10 and 70/30 Alloys Technical Data, TN31.
 - 15. CDA Publication, (1986)** Copper-Nickel Cladding for Offshore Structures, TN37.
 - 16. Cornu J, (1988)** Advanced Welding System, TIG and Related Processes, Springer, Heidelberg, 3, 61.
 - 17. CDA Publication/ NiDI, (1991)** Copper-nickel fabrication.
 - 18. CDA Publication, (1992)** Equilibrium Diagrams Selected copper alloy diagrams illustrating the major types of phase, No 94.
 - 19. El Domiaty. A, and J.N.Alhajji, (1997)** The susceptibility of 90Cu-10Ni Alloy to stress Corrosion Cracking in Seawater Polluted by Sulfide Ions. *Journal of Materials Engineering and Performance*, 6,534-544.
 - 20. Elangovan K, V. Balasubramanian, and S. Babu, (2008)** Developing an Empirical Relationship to Predict Tensile Strength of Friction Stir Welded AA2219 Aluminum Alloy. *Journal of Materials Engineering and Performance*, 17(6), 820-830.
 - 21. El-Batahgy A, and M. Kutsuna, (2009)** Laser Beam Welding of AA5052, AA5083, and AA6061 Aluminum Alloys. *Advances in Materials Science and Engineering*, Article ID 974182, 2009, 1-9.
 - 22. Factory Management and the Asian Productivity Organisation, (1982)** Industrial engineering and technology–Japan quality control circles, quality control case studies [M] Tokyo: Serasia Limited.

23. **Gilbert, P, (1982)** A review of recent work on corrosion behavior of copper alloys in sea water. *Material Performance*, 21(2), 47–53.
24. **Gutierrez S.H, (1991)** Understanding GTA welding of 90/10 copper-nickel. *Welding Journal*, 76-78.
25. **Gandham Phanikumar, Gandham Phanikumar, Pradip Dutta, and Kamanio Chattopadhyay, (2004)** Computational Modeling of Laser Welding of Cu-Ni Dissimilar Couple. *Metallurgical and Materials Transactions B*, 35B, 339-350.
26. **Hui-Chi Chen, Andrew J. Pinkerton, and Lin Li et al, (2011)** Fibre laser welding of dissimilar alloys of Ti-6Al-4V and Inconel 718 for aerospace applications. *Advanced Manufacture Technology*, 52,977–987.
27. **Jae-Do Kim, Jae-Do Kim, Ji Na and Chan-Cheol Park (1998)** CO₂ Laser Welding of Zinc-Coated Steel Sheets. *KSME International Journal*, 12 (4), 606- 614.
28. **Jong-Do Kim, Jung-Han Lee, and Jang-Soo Kim, (2010)** Characteristics of Butt-Welded Joints on AZ31 Magnesium Alloy using a Nd:YAG Laser. *Precision Engineering and Manufacturing*, 11(3), 369-373.
29. **Jitendra Verma, (2012)** Turning parameter optimisation for surface Roughness of ASTM A242 type-1 alloys steel by Taguchi method. *Advances in Engineering & Technology*, 3(1), 255-261.
30. **Jun Shen, and Nan Xu, (2012)** Effect of preheat on TIG welding of AZ61 magnesium alloy. *Minerals Metallurgy and Materials*, 19(4), 360.
31. **Kou S, and Le Y, (1986)** Nucleation mechanism and grain refining of weld metal. *Weld Journal*, 65(4):65–70.
32. **Khosla A, Kumar S, and Aggarwal KK, (1994)** Identification of Strategy Parameters for Particle Swarm Optimizer through Taguchi Method. *Journal of Zhejiang University Science*, 7(12), 1989-1994.
33. **Kumar A, Jaideep Motwani, Luis Otero, (1996)** An application of Taguchi's robust experimental design technique to improve service performance. *Quality & Reliability Management*, 13(4), 85-98.

- 34. Kear. G, B.D. Barker, K. Stokes and F.C. Walsh, (2004)** electrochemical corrosion behaviour of 90–10 Cu–Ni alloy in chloride-based electrolytes. *Applied Electrochemistry*, 34,659–669.
- 35. Kumar A, and Sundarrajan S, (2006)** Selection of welding process parameters for the optimum but joint strength of an aluminum alloy. *Material Manufacturing Process*, 21(8), 789–93.
- 36. Kishore Babu. N, S. Ganesh Sundara Raman, R. Mythili, and S. Saroja, (2007)** Correlation of microstructure with mechanical properties of TIG weldments of Ti–6Al–4V made with and without current pulsing. *Materials Characterisation*, 58, 581–587.
- 37. Kumar A, and S. Sundarrajan,(2009)** Optimisation of pulsed TIG welding process parameters on mechanical properties of AA 5456 Aluminum alloy weldments. *Materials and Design*, 30, 1288–1297.
- 38. Kumar A, and S. Sundarrajan, (2009)** Effect of welding parameters on mechanical properties and optimisation of pulsed TIG welding of Al-Mg-Si alloy. *Advance Manufacturing Technology* , 42,118–125.
- 39. Kabir.A.S.H, X. Cao¹, M. Medraj, P. Wanjara, J. Cuddy, and A. Birur, (2010)** Effect of Welding Speed and Defocusing Distance on the Quality of Laser Welded Ti-6Al-4V. *Material Science & Technology (MS&T)*, 2787-2797.
- 40. Lakshminarayanan. A. K, V. Balasubramanian, and K. Elangovan, (2009)** Effect of welding processes on tensile properties of AA6061 aluminium alloy joints. *International Journal of Advanced Manufacturing Technology*, 40,286–296.
- 41. Lin LeYun, and Zhao YueHong, (2009)** Intergranular precipitation of copper-nickel alloys induced by seawater corrosion. *Chinese Science Bulletin*, 54(19), 3458-3463.
- 42. Madhusudhan Reddy G, Gokhale AA, Prasad Rao K, (1997)** Weld microstructural refinement in a 1441 grade Al-Li alloy. *Materials Science*, 32, 4117-4126.

- 43. Madhusudhan Reddy G, Gokhale AA, Prasad Rao K, (1998)** Optimization of pulse frequency in pulsed current gas tungsten arc welding of Al–lithium alloy steels. *Journal of Material Science Technology*, 14, 61–66.
- 44. Marya. M, and G.R. Edwards, (2001)** Factors Controlling the Magnesium Weld Morphology in Deep Penetration Welding by a CO2 Laser. *Materials Engineering and Performance*, 10(4), 435-443
- 45. Mathiyarasu. J,N.Palaniswamy , and V.S.Muralidharan, (1999)** Electrochemical behaviour of copper-nickel alloy in chloride Solution. *Proceedings of Indian Academic Science (Chemical Science)*, 111(2), 377-386.
- 46. Mathiyarasu. J, N Palaniswamy, and V S Muralidharan, (2001)** An insight into the passivation of cupronickel alloys in chloride environment. *Proceedings of Indian Academic Science (Chemical Science)*, 113(1), 63–76.
- 47. Md.Ibrahim khan, (2007)** Welding science and technology. *New age international publishers*, 170.
- 48. Mao Xiangyang, Fang Feng, Jiang Jianqing, and Tan Rongsheng, (2009)** Effect of rare earth on the microstructure and mechanical properties of as-cast Cu-30Ni alloy. *Rare Metals*, 28(6), 590.
- 49. Maruthamuthu. S, P. Dhandapani, S. Ponmariappan, Jeong-Hyo Bae, N. Palaniswamy, and Pattanathu K.S.M. Rahman, (2009)** Impact of Ammonia Producing Bacillus sp. on Corrosion of Cupronickel alloy 90:10. *Metals and Materials International*, 15(3) 409-419.
- 50. Myung Kyun Park, Rashid Ali Sindhu, Soo Jin Lee1, Behzad Ahmed Zai1 and Hassan Mehboob, (2009)** A Residual Stress Evaluation in Laser Welded Lap Joint with Hole Drilling Method. *Precision engineering and manufacturing*, 10(5), 89-95.
- 51. Mohammad M. Hailat, Ahsan Mian, Zariff A. Chaudhury, Golam Newaz, Rahul Patwa, and Hans J. Herfurth, (2012)** Laser micro-welding of aluminum and copper with and without tin foil alloy. *Microsystems Technology*, 18,103–112.
- 52. MiniTABTM** Statistical software Release 15.

- 53. Montgomery Douglas C, (1997)** Design and analysis of experiments. New York: John Wiley & Sons; 395–476.
- 54. Phadke M.C, Madhav S,(1989)** Quality Engineering Using Robust Design. Prentice Hall, Englewood Cliffs, N.J.
- 55. Park C. K, and Kang T. J, (2005)** A Process for Optimizing Sewing Conditions to Minimize Seam Pucker Using the Taguchi Method. *Textile Research Journal*, 75(3), 245-252.
- 56. Phanikumar. G, P. Dutta and K. Chattopadhyay, (2005)** Continuous welding of Cu–Ni dissimilar couple using CO2 laser. *Science and Technology of Welding and Joining*, 10(2), 158-166.
- 57. Praveen P, and P.K.D.V. Yarlalagadda, (2005)** Meeting challenges in welding of aluminum alloys through pulse gas metal arc welding. *Material Process Technology*, 164–165, 1106–1112.
- 58. Palanikumar K, (2006)** Cutting Parameters Optimisation for Surface Roughness in Machining of GFRP Composites Using Taguchi’s Method. *Reinforced Plastics and Composites*, 25(16), 1739-1751.
- 59. Padmanaban. G. and V. Balasubramanian, (2011)** Influences of Pulsed Current Parameters on Mechanical and Metallurgical Properties of Gas Tungsten Arc Welded AZ31B Magnesium Alloys. *Metals and Materials International*, 17(5), 831-839.
- 60. Paulraj Sathiya, and M. Y. Abdul Jaleel, (2011)** Influence of shielding gas mixtures on bead profile and microstructural characteristics of super austenitic stainless steel weldments by laser welding. *Advanced Manufacturing Technology*, 54,525–535.
- 61. Ross PJ, (1998)** Taguchi techniques for quality engineering. New York: McGraw-Hill, 24–98.
- 62. Roy R.K, (1990)** A primer on Taguchi method, Van Nostrand Reinhold, New York.
- 63. Raymond H. M, (1992)** Response Surface Alternatives to the Taguchi Robust Parameter Design Approach. *The American Statistician*, 46(2), 131-139.

- 64. Ross P. J, (1996)** Taguchi Techniques for Quality Engineering. Mcgraw-Hill International Editions, ISBN 0-07-114663-6,329.
- 65. Reed.C.B, K. Natesan, Z. Xu, and D. L. Smith, (2000)** The effect of laser welding process parameters on the mechanical and microstructural properties of V-4Cr-4Ti. *Nuclear Materials*, 1206, 283-287.
- 66. Roy R. K, (2001)** Design of Experiments Using the Taguchi Approach. A *Wiley-interscience publication*, ISBN 0-471-36101-1, p. 538.
- 67. Rajesh Manti, D.K. Dwivedi, and A. Agarwal , (2008)** Pulse TIG Welding of Two Al-Mg-Si Alloys. *Journal of Materials Engineering and Performance*, 17(5), 667.
- 68. Rajesh Manti, D. K. Dwivedi and A. Agarwal, (2008)** Microstructure and hardness of Al-Mg-Si weldments produced by pulse GTA welding. *Advanced Manufacturing Technology*, 36,263–269.
- 69. Straight. M.R, T. S. Sudarshan, and J. H. Wilson, (1988)** Significance of defects in fatigue of Cu-Ni/steel welds. *Engineering Fracture Mechanics*, 31(4), 673-681.
- 70. Sen P, and Yang, JB (1998)** Multiple Criteria Decision Support in Engineering Design, Springer, New York.
- 71. Sundaresan S, Janaki Ram GD, and Madhusudhan Reddy G, (1999)** Microstructural refinement of weld fusion zones in alpha–beta titanium alloy using pulsed current welding. *Material Science Engineering A*, 262, 88–100.
- 72. Sharma P, Verma A, Sidhu RK, and Pandey OP (2005)** Process parameter selection for strontium ferrite sintered magnets using Taguchi L9 orthogonal design. *Journal of Material Processing Technology*, 168,147–151.
- 73. Senthil kumar T, V. Balasubramanian, and M. Y. Sanavullah, (2007)** Effect of Pulsed Current TIG Welding Parameters on Pitting Corrosion Behavior of AA6061 Aluminium Alloy. *Journal of Material Science Technology*, 23(2), 223-229.
- 74. Sakiewicz. P, R. Nowosielski, S. Griner, and R. Babilas, (2011)** Changes of microstructure in CuNi25 alloy deformed at elevated temperature. *Archives of Material Science and Engineering*, 50(2), 98-109.

- 75. Sindhu R. A, M. K. Park, S. J. Lee, and K. D. Lee, (2010)** Effects of residual stresses on the static and fatigue strength of laser-welded lap joints with different welding speeds. *International journal of Automotive technology*, 11(6), 857–863.
- 76. Seyed Mahdi Hamidinejad, M. H. Hasanniya, Nooshin Salari, and E. Valizadeh, (2012)** CO₂ laser welding of interstitial free galvanised steel sheets used in tailor welded blanks. *International journal of Advanced Manufacturing Technology*, 64, 195-206.
- 77. Santillan Esquivel. A , Nayak S S, Xia M S, and Zhou Y, (2012)** Microstructure, hardness and tensile properties of fusion zone in laser welding of advanced high strength steels. *Canadian Metallurgical Quarterly*, 15(3), 328-335.
- 78. Sugiono, Mian Hong Wu, and Ilias Oraifige, (2012)** Employ the Taguchi Method to Optimize BPNN's Architectures in Car Body Design System. *American Journal of Computational and Applied Mathematics*, 2(4), 140-151.
- 79. Tsang TS, and Savage D, (1971)** The effect of arc oscillation in either transverse or longitudinal direction has beneficial effect on the fusion zone microstructure and tends to reduce sensitivity in hot cracking. *Welding Journal*, 50(11), 777–786.
- 80. Taguchi G, and Konishi S, (1987)** Orthogonal Arrays and Linear Graphs, American Supplier Institute Inc., Dearborn, MI.
- 81. Tzeng Y.F, (2000)** Process Characterisation of Pulsed Nd:YAG Laser Seam Welding. *International journal Advanced Manufacturing Technology*, 16, 10–18.
- 82. Taguchi G, Chowdhury S, and Wu Y, (2005)** Taguchi's Quality Engineering Handbook. John Wiley & Sons, Inc. ISBN 0-471-41334-8, 1662.
- 83. Tzeng Yih-fong , (2006)** Gap-free lap welding of zinc-coated steel using pulsed CO₂ laser. *Advanced Manufacturing Technology*, 29, 287–295.
- 84. Ueyama T, Tong H, Harada S and Ushio M, (2005)** AC pulsed GMAW improves sheet metal joining. *Weld Journal*, 84(2), 40-45.

- 85. Venugopal A, Sreekumar K, and Raja V.S, (2012)** Stress corrosion cracking behavior of multipass TIG-welded AA2219 aluminum alloy in 3.5 wt pct NaCl solution. *Metallurgical And Materials Transactions* ,43A,3135-3148.
- 86. Waheed A, Waheed A. Badawy, Khaled M. Ismail and Ahlam M. Fathi, (2005)** Environmentally safe corrosion inhibition of the Cu–Ni alloys in acidic sulfate solutions. *Applied Electrochemistry*, 35,879–888.
- 87. Yamamoto H, S Harada, T Ueyama, S Ogawa, F Matsuda and K Nakata, (1993)** Beneficial effects of low frequency pulsed MIG welding on grain refinement of weld metal and improvement of solidification cracking susceptibility of aluminium alloys. *Welding International*, 7 (6), 456-461.
- 88. Yanbin Chen, Shuhai Chen and Liqun Li, (2009)** Effects of heat input on microstructure and mechanical property of Al/Ti joints by rectangular spot laser welding-brazing method. *Advanced Manufacturing Technology*, 44,265–272.
- 89. Yash Mehta, (2012)** Robust Optimisation of Fins by Taguchi Technique. *Global Journal of Researches in Engineering Mechanical and Mechanics*, 12(3), 15-21.
- 90. Zeydan M, (2008)** Modelling the Woven Fabric Strength Using Artificial Neural Network and Taguchi Methodologies. *Clothing Science and Technology*, 20(2), 104-118.