

## REFERENCES

- Abadia R, Rocamora C, Ruiz A, Puerto H (2008) Energy efficiency in irrigation distribution networks I: theory. *Biosyst Eng* 101:21–27
- Ahmed I and Umar R 2008 Hydrogeological framework and water balance studies in parts of Krishna–Yamuna interstream area, western Uttar Pradesh, India. *J. Environ.Geol.* 53(8) 1723–1730.
- Ala Eldin M E H, Ahmed M S, Gurunadha Rao V V S and Dhar R L 2000 Aquifer modeling of the Ganga- Mahawa sub-basin, a part of the Central Ganga Plain, Uttar Pradesh; India. *Hydrol. Process.* 14 297–315
- Alley, W. M., T. E. Reilly, and. O. E. Franke. (1999) Sustainability of groundwater resources. U.S. Geological Survey Circular 1186, Denver, Colorado, 79.
- Ambast, S.K. 2006. Management of declining groundwater in the Trans Indo- Gangetic Plain (India): Some options. *Agricultural Water Management.* 82:279–296
- Anderson M P and Woessner W W 1992 *Applied groundwater modeling*; Academic Press, San Diego.
- Anderson M P and Woessner W W 2002 *Applied groundwater modeling – Simulation of flow and advective transport*.
- Arnold, J.G., Allen P.M. and Bernhardt, G. (1993) A comprehensive surface groundwater flow model, *Journal of Hydrology* 142: 47-69.
- Banti, M. 2011. Furrow irrigation advance simulation using a surface–subsurface interaction model. *J. Irrig. Drain Eng.* 137: 304.
- Barlow, A.M.ASCE, P.M. 2003. Conjunctive-management models for sustained yield of stream-aquifer systems. *J. Water Resour. Plann. Manage.* 129:35.
- Bandyopadhyay J (1995) Water management in the Ganges-Brahmaputra basin: emerging challenges for the 21st century. *Int J Water Resour Dev* 11:411–442
- Baxter RM (1977) Environmental effects of dams and impoundments. *Annu Rev Ecol Syst* 8:255–283
- Bredehoeft, J.D., and Young, A.R. (1983) Conjunctive use of groundwater and surface water for irrigated agriculture' risk aversion. *Water Resour Res* 19:1111–1121

Bhaduri, A., Amarasinghe, U. A., and Shah, T. (2008) Benefits of irrigation water transfers in the National River Linking Project: A case study of Godavari (Polavaram)—Krishna link in Andhra Pradesh.” Strategic analyses of the National River Linking Project (NRLP) of India, Series 2, Proc., Workshop on Analyses of Hydrological, Social, and Ecological issues of the NRLP, U. A. Amarasinghe and B. R. Sharma, eds., International Water Management Institute, Colombo, Sri Lanka.

Bhatnagar N C, Agashe R M and Mishra A K 1982 ‘Subsurface Mapping of Aquifer System’ Water balance study of Upper Yamuna Basin, Section-Hydrogeology, Technical report No. 2, Upper Yamuna Project, CGWB, NW region, Chandigarh.

Biswas, A.K. 2008. Integrated water resources management: is it working, *Water Resour. Development*. 24(1): 5–22. Routledge Taylor & Francis groups.

Bourg ACM, Bertin C (1993) Biogeochemical processes during the infiltration of river water into an alluvial aquifer. *Environ Sci Technol* 27:661–666

BouwerH(2000) Integrated water management: emerging issues and challenges.*AgricWater Manag* 45:217–228

Bouwer H (2002) Artificial recharge of groundwater: hydrogeology and engineering. *Hydrogeol J* 10:121–142

Brad, A. Finney., A.M.ASCE 1992. Conjunctive use planning in Mad River Basin, California, *J. Water Resour. Plann. Manage*: 118, 115.

Bredehoeft JD, Young AR (1983) Conjunctive use of groundwater and surface water for irrigated agriculture’ risk averson. *Water Resour Res* 19:1111–1121

Brumbelow, A.M.ASCE, K. 2007. Optimization and assessment of agricultural water-sharing scenarios under multiple socioeconomic objectives. *J. Water Resour. Plann. Manage*. 133: 264.

Camnasio E., and Becciu, G. (2011) Evaluation of the feasibility of irrigation storage in a flood detention pond in an agricultural catchment in Northern Italy. *Water Resour Manag* 25:1489–1508

Chakravorty B, Pandey NG, Kumar S (2014) Effect of Conjunctive use in Lower Gandak Basin of Bihar, *ISJET*(ISSN:2277-1581).

Chaturvedi MC, Srivastava VK (1979) Induced groundwater recharge in the Ganges Basin. *Water Resour Res* 15:1156–1166

Chowdary, V.M., Rao, N.H., Sarma, P.B.S., 2003. GIS-based decision support system for groundwater assessment in large irrigation project areas. *Agricultural Water Management* 62 (2003) 229–252.

Chowdhury,A., M. K. Jha,M.K., Chowdary, V. M., Mal., B. C., 2009. Integrated remote sensing and GIS-based approach for assessing groundwater potential in West Medinipur district,

West Bengal, India. *International Journal of Remote Sensing*, 30:1, 231-250, DOI: 10.1080/01431160802270131

Coe J (1990) Conjunctive use-advantages, constraints, and examples. *J Irrig Drain Eng* 116:427–443

De Carvalho, S.C.P., Carden, K.J., Armitage, N.P. (2009) Application of a sustainability index for integrated urban water management in Southern African cities: case study comparison – Maputo and Hermanus. *Water SA (Online)* 35 (2), 44–151.

D. Khare et al. / Assessment of water resources allocation options: Conjunctive use planning in a link canal command *Resources, Conservation and Recycling* 51 (2007) 487–506

Doussan C, Poitevin G, Ledoux E, Detay M (1997) River bank filtration: modelling of the changes in water chemistry with emphasis on nitrogen species. *J Contam Hydrol* 25:129–156

Douglas, J. 1991, A.M.ASCE Conjunctive water use to control waterlogging and salinization-water resources. *J. Water Resour. Plann. Manage.* 117: 611.

Evans WR, Evans RS, Holland, GF (2013) Conjunctive use and management of groundwater and surface water within existing irrigation commands: the need for a new focus on an old paradigm; Australia, *Groundwater Governance: A Global Framework for Country Action GEF ID 3726*.

Faurès, J., Svendsen, M., Turrall, H., 2007. Reinventing irrigation. In: Molden, D. (Ed.), *Water for Food, Water for Life: A Comprehensive Assessment of Water Management in Agriculture*. Earthscan and International Water Management Institute, London, Colombo (Chapter 9).

Flint AL, Ellett KM (2004) The role of the unsaturated zone in artificial recharge at San Geronio Pass, California. *Vadose Zone J* 3:763–774

Galloway DL, Burbey TJ (2011) Review: regional land subsidence accompanying groundwater extraction. *Hydrogeol J* 19:1459–1486

Gandhi VP, Bhamoriya V (2011) Groundwater irrigation in India: growth, challenges, and risks. In: *India infrastructure report 2011 water: policy and performance for sustainable development*. Oxford University Press, New Delhi, pp 90–117

Garduño H, Foster S (2010) Sustainable groundwater irrigation approaches to reconciling demand with resources. *Strategic overview series; no. 4*. World Bank, Washington, DC

Goodchild, M.F., 1993. The State of GIS for environmental problem-solving. In *Environmental Modeling with GIS*, M.F. Goodchild, B.O. Parks and L.T. Steyaert (Eds), pp. 8–15 (New York: Oxford University Press).

Gopal B, Chauhan M (2006) Biodiversity and its conservation in the Sundarban Mangrove ecosystem. *Aquat Sci* 68:338–354

Government of India (1997) Report of the groundwater resource estimation committee:

Groundwater resource estimation methodology. Ministry of Water Resources. Government of India, New Delhi

“Ground water brochure of Sultanpur, Jaunpur and Pratapgarh districts. 2011. CGWB Report.2011.

Groundwater Flow Modeling and Aquifer Vulnerability Assessment studies in Yamuna–Krishni sub-basin, Muzaffarnagar District, Ministry of Water Resources.

Groundwater flow modelling of Yamuna–Krishni interstream 523 Resources, Government of India (Unpublished progress report), 51p.

Gupta C.P., Thangarajan, M. and Rao V.V.S.G. (1979) Electric Analog Model Study of Aquifer in Krishni- Hindon Interstream Region, U.P., India. Vol. 17, No. -3, Ground Water- May-June, 1979.

Gupta C P, Ahmad S and Rao V V S G 1985 Conjunctive utilization of surface water and groundwater to arrest the water level decline in an alluvial aquifer; J. Hydrol. 76(3/4) 351–361.

Gupta H (1992) Reservoir-induced earthquakes. Elsevier, Amsterdam Hamner S, Tripathi A, Mishra RK et al (2006) The role of water use patterns and sewage pollution in incidence of water-borne/enteric diseases along the Ganges river in Varanasi, India. Int J Environ Health Res 16:113–132

Harbaugh BAW, Banta ER, Hill MC, McDonald MG (2000) MODFLOW-2000, The U.S. Geological Survey modular ground-water model -user guide to modularization concepts and the ground-water flow process U.S. Geological Survey Open-File Report 00–92

Healy R W and Cook P G 2002 Using groundwater levels to estimate recharge; J. Hydrogeol. 10(1) 91–109.

Heinemann, P. H. (2010). Decision support system for food and agriculture. System analysis and modelling in food and agriculture, Encyclopaedia of life support system (EOLSS), UNESCO-EOLSS Joint Committee Secretariat, UNESCO, SC/PSB - 1 rue Miollis, 75732 Paris, France.

Hiscock K., Tyler- W. H., and Jones (2002) High level environment screening study for offshore wind farm developments - marine habitats and species project. Report from the Marine Biological Association to The Department of Trade and Industry New & Renewable Energy Programme. p.156

Hsu K C, Wang C H, Chen K C, Chen C T and Ma K W 2007 Climate-induced hydrological impacts on the groundwater system of the Pingtung Plain, Taiwan; J. Hydrogeol. 15(5) 903–913.

Immerzeel WW, van Beek LPH, Bierkens MFP (2010) Climate change will affect the Asian water towers. Science 328:1382–1385

Jarvis A, Reuter HI, Nelson A, Guevara E (2008) Hole-filled seamless SRTM data V4, International Centre for Tropical Agriculture (CIAT), available from <http://srtm.csi.cgiar.org>

Jin, M., and R. E. Dickinson (1999) Interpolation of surface radiation temperature measured from polar orbiting satellites to a diurnal cycle. Part 1: Without clouds, *J. Geophys. Res.*, 104, 2105–2116.

Jyrkama M I, Skyes J F and Normani S D 2002 Recharge estimation of transient groundwater modeling; *Groundwater* 40(6) 638–648.

Kebede Ganole June 2010, GIS- based surface irrigation potential assessment of river catchments for irrigation development in Dale Woreda Sidama zone SNNP, M.Sc Thesis, Haramaya University.

Kennett-Smith A, Narayan K and Walker G 1996 Calibration of a groundwater model for the upper south east of South Australia. Div. report 96-2. CSIRO Division of Water Resources, Canberra, Australia.

Kendy, E. (2003) The false promise of sustainable pumping rates. *Ground Water*, Vol. 41, No.1, January-February, 2-4.

Kumar S, Pavelic P, George B, Venugopal K, Nawarathna B (2013) Integrated modeling framework to evaluate conjunctive use options in canal irrigated area. *Journal of Irrigation and Drainage Engineering*, ASCE, 139 (9), 766-774

Khan A M 1992 Report on systematic hydrogeological surveys in parts of Muzaffarnagar District, U.P., Central Groundwater Board, Northern Region, Lucknow, India.

Khan MR, Voss CI, Yu W, Michael, HA (2014) Water resources management in the Ganges basin: a comparison of three strategies for conjunctive use of groundwater and surface water, *Water Resour Manage* 28:1235–1250

Khepar, S. D., Yadav, A. K., Sondhi, S. K., and Sherring, A. (2000). Modelling surplus canal water releases for artificial recharge of groundwater through surface drainage systems. *Irrig. Sci.*, 19(2), 95–100.

Kretsinger VG, Narasimhan TN (2005) Sustaining groundwater resources: California's shift toward more effective groundwater management. *Southwest Hydrol.*, 4: 18-19

Kumar S 1994 Report on Hydrogeological and Groundwater Resources Potential, Muzaffarnagar Districts, U.P. Central Ground Water Board, Northern Region, Lucknow.

Kumar Saideepa march 2012, Integrated modeling framework to evaluate conjunctive use options in canal irrigated area, *Journal of Irrigation and Drainage Engineering*. March 19, 2013; Kumbhar, V. G., Singh, T.P., 2013. A Systematic Study of Application of Spatial Decision Support System in Agriculture. *International Journal of Scientific & Engineering Research*, Volume 4, Issue 12 (ISSN 2229-5518), 68-71.