

## BIBLIOGRAPHY

- Andrews, D.F., Bickel, P.J., Hampel, F.R., Huber, P.J., Rogers, W.H. and Tukey, J.W. (1972). Robust estimates of location: survey and advances. Technical Report, Princeton University Press, Princeton, NJ.
- Ansari, A.R. and Bradley, R.A. (1960). Rank-sum tests for dispersion. *Annals of Mathematical Statistics* **31**, 1174-1189.
- Babu, G.J. and Padmanabhan, A.R. (2002). Resampling methods for the nonparametric Behrens-Fisher problem. *Sankhya, Series A* **64**, 678-692.
- Baklizi, A. (2005). A continuously adaptive rank test for the shift in location. *Australian and New Zealand Journal of Statistics* **47**, 203-209.
- Bandyopadhyay, U. and Das, R. (2004). A progressive censored test for generalized Behrens-Fisher problem. *Nonparametric Statistics* **16**, 731-752.
- Bandyopadhyay, U. and Das, R. (2005). Partial sequential test for generalized Behrens-Fisher problem. *Sequential Analysis* **24**, 365-387.
- Bandyopadhyay, U. and Dutta, D. (2007). An adaptive nonparametric test for single sample location problem. *Statistical Methodology* **4**, 423-433.
- Bandyopadhyay, U. and Dutta, D. (2009). Adaptive nonparametric tests for the two-sample scale problem under symmetry. *Statistical Methods and Applications* (To Appear).
- Bandyopadhyay, U. and Dutta, D. (2009). Adaptive nonparametric tests for two-sample location problem under symmetry. *Communicated*.
- Bandyopadhyay, U. and Dutta, D. (2009). Two-sample adaptive tests under symmetry. *Communicated*.

- Bandyopadhyay, U. and Dutta, D. (2009). Adaptive nonparametric tests for the generalized Behrens-Fisher problem. *Communicated*.
- Bandyopadhyay, U. and Dutta, D. (2009). Two-sample adaptive nonparametric tests under progressive censoring. *Communicated*.
- Barton, D.E. and David, F.N. (1958). A test for birth order effects. *Annals of Human Genetics* **22**, 250-257.
- Bolton, S. and Bon, C. (2004). *Pharmaceutical Statistics: Practical and Clinical Applications*. Marcel Dekker Inc., New York.
- Brunner, E. and Munzel, U. (2000). The nonparametric Behrens-Fisher problem: asymptotic theory and a small-sample approximation. *Biometrical Journal* **42**, 17-25.
- Beier, F. and Büning, H. (1997). An adaptive test against ordered alternatives. *Computational Statistics & Data Analysis* **25**, 441-452.
- Büning, H. (1994). Robust and adaptive tests for the two-sample location problem. *OR Spektrum* **16**, 33-39.
- Büning, H. (1996). Adaptive tests for the c-sample location problem - the case of two-sided alternatives. *Communications in Statistics-Theory and Methods* **25**, 1569-1582.
- Büning, H. (1999). Adaptive Jonckheere-type tests for ordered alternatives. *Journal of Applied Statistics* **26**, 541-551.
- Büning, H. (2002). An adaptive distribution-free test for the general two-sample problem. *Computational Statistics* **17**, 297-313.

- Büning, H. (2003). An adaptive test for the two-sample scale problem. Diskussionsbeiträge des Fachbereichs Wirtschaftswissenschaft der Freien Universität Berlin, Nr. 2003/10.
- Büning, H. and Kössler, W. (1998). Adaptive tests for umbrella alternatives. *Biometrical Journal* **40**, 573-587.
- Büning, H. and Rietz, M. (2003). Adaptive bootstrap tests and its competitors in the c-sample location problem. *Journal of Statistical Computation and Simulation* **73**, 361-375.
- Büning, H. and Rietz, M. (2008). Adaptive bootstrap tests and its competitors in the c-sample scale problem. *Journal of Applied Statistics* **35**, 853-866.
- Büning, H. and Thadewald, T. (2000). An adaptive two-sample location-scale test of Lepage type for symmetric distributions. *Journal of Statistical Computation and Simulation* **65**, 287-310.
- Capon, J. (1961). Asymptotic efficiency of certain locally most powerful rank tests. *Annals of Mathematical Statistics* **32**, 88-110.
- Crouse, C.F. (1964). Note on Mood's test. *Annals of Mathematical Statistics* **35**, 1825-1826.
- Crow, E.L. and Siddiqui, M.M. (1967). Robust estimation of location. *Journal of the American Statistical Association* **62**, 353-389.
- Duran, B.S. (1976). A survey on nonparametric tests for scale. *Communications in Statistics-Theory and Methods* **5**, 1287-1312.
- Fligner, M.A. and Killeen, T.J. (1976). Distribution-free two-sample tests for scale. *Journal of the American Statistical Association* **71**, 210-213.

- Fligner, M.A. (1979). A class of two-sample distribution-free tests for scale. *Journal of the American Statistical Association* **74**, 889-893.
- Fligner, M.A. and Policello, G.E., II (1981). Robust rank procedures for the Behrens-Fisher problem. *Journal of the American Statistical Association* **81**, 162-168.
- Fligner, M.A. and Rust, S.W. (1982). A modification of Mood's median test for the generalized Behrens-Fisher problem. *Biometrika* **69**, 221-226.
- Fligner, M.A. and Rust, S.W. (1984). A modification of the Kruskal-Wallis statistic for the generalized Behrens-Fisher problem. *Communications in Statistics-Theory and Methods* **13**, 2013-2027.
- Glantz, S.A. (2005). *Primer of Biostatistics*. Mc Graw-Hill Professional.
- Gross, S. (1966). Nonparametric tests when nuisance parameters are present. Ph.D. Thesis, University of California, Berkeley.
- Hájek, J. (1962). Asymptotically most powerful rank order tests. *Annals of Mathematical Statistics* **33**, 1124-1147.
- Hájek, J., Šidák, Z. and Sen, P.K. (1999). *Theory of Rank Tests*. New York: Academic Press.
- Hall, P. and Padmanabhan A.R. (1997). Adaptive inference for the two-sample scale problem. *Technometrics* **39**, 412-422.
- Hettmansperger, T.P. (1973). A large sample conservative test for the location with unknown scale parameters. *Journal of the American Statistical Association* **68**, 466-468.

- Hettmansperger, T.P. and Malin, J.S. (1975). A modified Mood's test for location with no shape assumptions on the underlying distributions. *Biometrika* **62**, 527-529.
- Hettmansperger, T.P. (1984). *Statistical Inference Based On Ranks*. New York: Wiley.
- Hill, N.J., Padmanabhan, A.R. and Puri, M.L. (1988). Adaptive nonparametric procedures and applications. *Applied Statistics* **37**, 205-218.
- Hogg, R.V. (1967). Some observations on robust estimation. *Journal of the American Statistical Association* **62**, 1179-1186.
- Hogg, R.V. (1972). More light on the kurtosis and related statistics. *Journal of the American Statistical Association* **67**, 422-424.
- Hogg, R.V. (1974). Adaptive robust procedures: partial review and some suggestions for future applications and theory. *Journal of the American Statistical Association* **69**, 900-923.
- Hogg, R.V. (1976). A new dimension to nonparametric tests. *Communications in Statistics-Theory and Methods* **A5**, 1313-1325.
- Hogg, R.V. (1982). On adaptive statistical inferences. *Communications in Statistics-Theory and Methods* **11**, 2531-2542.
- Hogg, R.V., Fisher, D.M. and Randles R.H. (1975). A two-sample adaptive distribution free test. *Journal of the American Statistical Association* **70**, 656-661.
- Hogg, R.V. and Lenth R.V. (1984). A review of some adaptive statistical techniques. *Communications in Statistics-Theory and Methods* **13**, 1551-1579.

- Hogg, R.V. and Randles R.H. (1975). Adaptive distribution-free regression methods and their applications. *Technometrics* 17, 399-407.
- Hüsler, J.(1987) . On the two-sample adaptive distribution-free test. *Communications in Statistics-Simulation and Computation* 16, 55-68.
- John, M. and Priebe, C.E. (2007). A data-adaptive methodology for finding an optimal weighted generalized MannWhitneyWilcoxon statistic. *Computational Statistics and Data Analysis* 51, 4337-4353.
- Jones, D.H. (1979). An efficient adaptive distribution-free test for location. *Journal of the American Statistical Association* 74, 822-828.
- Klotz, J. (1962). Nonparametric tests for scale. *Annals of Mathematical Statistics* 33, 498-512.
- Kössler, W. (1994). Restrictive adaptive tests for the treatment of the two-sample scale problem. *Computational Statistics and Data Analysis* 18, 513-524.
- Kössler, W. (2005). Some c-sample rank tests of homogeneity against ordered alternatives based on U-statistics. *Journal of Nonparametric Statistics* 17, 777-796.
- Kössler, W. and Kumar, N. (2008). An adaptive test for the two-sample location problem based on U-statistics. *Communications in Statistics-Simulation and Computation* 17, 777-796.
- Kruskal, W.H. (1952). A nonparametric test for the several sample problem. *Annals of Mathematical Statistics* 23, 525-540.
- Kruskal, W.H. and Wallis, W.A. (1952). Use of ranks in one-criterion variance analysis. *Journal of the American Statistical Association* 47, 583-621.

- Lemmer, H.H. (1987). A test for the median, combining the sign and the signed rank tests. *Communications in Statistics-Simulation and Computation* **16**, 621-627.
- Lemmer, H.H. (1993). Adaptive tests for the median. *IEEE Transactions on Reliability* **42**, 442-448.
- Mann, H.B. and Whitney, D.R. (1947). On a test of whether one of two random variables is stochastically larger than the other. *Annals of Mathematical Statistics* **18**, 50-60.
- McNabb, D.E. (2004). *Research Methods for Political Science*. New York: Sharpe.
- McWilliams, T.P. (1990). A distribution-free test for symmetry based on runs statistic. *Journal of the American Statistical Association* **85**, 1130-1133.
- Montgomery, D.C. and Runger, G.C. (2003). *Applied statistics and probability for engineers*. John Wiley & Sons Inc.
- Mood, A.M. (1954). On the asymptotic efficiency of certain non-parametric two-sample tests. *Annals of Mathematical Statistics* **25**, 514-522.
- Neubert, K. and Brunner, E. (2007). A studentized permutation test for the non-parametric Behrens-Fisher problem. *Computational statistics and data analysis* **51**, 5192-5204.
- Neuhäuser, M. (2001). An adaptive location-scale test. *Biometrical Journal* **43**, 809-819.
- Neuhäuser, M., Büning, H. and Hothorn, L.A. (2004). A two-sample adaptive distribution free test. *Journal of Applied Statistics* **31**, 215-227.
- O'Gorman, T.W. (1996). An adaptive two-sample test based on modified Wilcoxon scores. *Communications in Statistics-Simulation and Computation* **25**, 459-479.

- O'Gorman, T.W. (1997a). A comparison of an adaptive two-sample test to the t-test and the rank-sum test. *Communications in Statistics-Simulation and Computation* **26**, 1393-1411.
- O'Gorman, T.W. (1997b). An adaptive test for the one-way layout. *The Canadian Journal of Statistics* **25**, 269-279.
- O'Gorman, T.W. (2002). An adaptive test of significance for a subset of regression coefficients. *Statistics in Medicine* **21**, 3527-3542.
- O'Gorman, T.W. (2004). *Applied adaptive statistical methods tests of significance and confidence intervals*. ASA-SIAM Series on Statistics and Applied Probability, Philadelphia.
- Pagano, M. and Gauvreau, K. (2000). *Principles of Biostatistics*. Duxbury, USA.
- Pecková, M. and Fleming, T.R. (2003). Adaptive test for testing the difference in survival distributions. *Lifetime Data Analysis* **9**, 223-238.
- Peters, D. (1991). An adaptive multivariate signed-rank test for the one-sample location problem. *Journal of Nonparametric Statistics* **1**, 157-163.
- Policello, G.E., II and Hettmansperger, T.P. (1976). Adaptive robust procedures for the one-sample location problem. *Journal of the American Statistical Association* **71**, 624-633.
- Potthoff, R.F. (1963). Use of the Wilcoxon statistic for the generalized Behrens-Fisher problem. *Annals of Mathematical Statistics* **34**, 1596-1599.
- Raghavachari, M. (1965). The two-sample scale problem when locations are unknown. *Annals of Mathematical Statistics* **36**, 1236-1242.



- Ramberg, J.S. and Schmeiser, B.W. (1974). An approximate method for generating asymmetric random variables. *Communications of the Association of Computing Machinery* 17, 78-82.
- Ramberg, J.S., Tadikamalla, P.R., Dudewicz, E.J. and Mykytka, E.F. (1979). A probability distribution and its uses in fitting data. *Technometrics* 21, 201-214.
- Randles, R.H. and Hogg, R.V. (1973). Adaptive distribution-free tests. *Communications in Statistics-Simulation and Computation* 25, 337-356.
- Randles, R.H. and Wolfe, D.A. (1979). *Introduction to The Theory of Nonparametric Statistics*. New York: Wiley.
- Randles, R.H., Fligner, M.A., Policello, G.E., II and Wolfe, D.A. (1980). An asymptotically distribution-free test for symmetry versus asymmetry. *Journal of the American Statistical Association* 75, 168-172.
- Reed, J.F.III (2005) . Contributions to two-sample statistics. *Journal of Applied Statistics* 32, 37-44.
- Ruberg, S.J. (1986). A continuously adaptive nonparametric two-sample test. *Communications in Statistics-Theory and Methods* 15, 2899-2920.
- Schmid, F. and Trede, M. (2003). Simple tests for peakedness, fat tails and leptokurtosis based on quantiles. *Computational Statistics and Data Analysis* 43, 1-12.
- Sen, P.K. (1978). Nonparametric repeated significance tests. In: Krishnaiah, P.R. (Ed.), *Development in Statistics* Vol. 1, 227-264.
- Sen, P.K. (1981). *Sequential Nonparametrics*. New York: Wiley.

- Siegel, S. and Tukey, J.W. (1960). A nonparametric sum of ranks procedure for relative spread in unpaired sample. *Journal of the American Statistical Association* **55**, 429-444.
- Sukhatme, B.V. (1957). On certain two-sample nonparametric tests for variance. *Annals of Mathematical Statistics* **28**, 188-194.
- Sukhatme, B.V. (1958). Testing the hypothesis that two populations differ only in location. *Annals of Mathematical Statistics* **29**, 60-674.
- Sun, S. (1997). A class of adaptive distribution-free procedures. *Journal of Statistical Planning and Inference* **59**, 191-211.
- Troendle, J.F. (2002). A likelihood ratio test for the nonparametric Behrens-Fisher problem. *Biometrical Journal* **44**, 813-824.
- Tukey, J.W. and McLaughlin, D.H. (1963). Less vulnerable confidence and significance procedures for location based on a single sample:trimming/ winsorization. *Sankhya A* **25**, 331-352.
- Weichert, M. and Hothorn, L.A. (2002). Robust hybrid tests for the two-sample location problem. *Communications in Statistics-Simulation and Computation* **31**, 175-187.
- Wilcoxon, F. (1945). Individual comparisons by ranking methods. *Biometrics* **1**, 80-83.
- Yuen, K.K. and Dixon, W.J. (1973). The approximate behavior and performance of the two-sample trimmed t. *Biometrika* **60**, 369-374.
- Zaremba, S.K. (1962). A generalization of Wilcoxon's test. *Monatshefte für Mathematik* **66**, 359-370.