BIBLIOGRAPHY

BIBLIOGRAPHY

Abdurrahim, M.D., Hussain, A. and Siddique, M.D.A. (1983): Production of bulb and storage ability of three cultivars of onion (Allium cepa L). Punjab Vegetable Grower, 17-18: 13-14.

Aita, G., Guodes, A.C. and Covola, L. (1982): Evaluation of the herbicides for the control of weed in onion (Allium cepa L). Revista do centre de ciancias Rurias. 12 (4): 247-53 Brazil (Hort. Abst., 54 (3): 741).

Akashi, K., Hirai, Y. and Iwabuchi, H. (1977): The effect of nitrogen supplied at different stages on growth, yield and shape of onios. Bull. Hokkaido Prefectural Agric. Exp. Stn. Japan, 37: 45-55.

Aksoy, H.A. (1983): Investigation of essential oils of onions (Allium cepa L). Turey. 177 (1): 34-36.

Alers-Alers, S., Orengo-Santiago, E. and Cruz Perez, L. (1979): The influence of various N P K fertilizer levels on onion production in Southera Puerto Rico., J. Agric. Uni. Puerto Rico, 63 (2): 111-115.

Americanos, P.G. (198Ø): Chemical weed control in onion. Technical Bulletin, Agricultural Research Institute Cyprus, (35): 12 (Hort. Abst., 54 (6): 376Ø).

Angarita, M.R., Torres, P.H. and Vergara, R.(1975): Evaluation of four herbicides on weed population and the yield of onion bulbs. Indian J. Agronomy, 21 (3) : 287- 288.

Anonymous (1981): Associated Agricultural Development Foundation, Annual Report (198Ø-81).

--------- (1982): Associated Agricultaral Development Foundation, Annual Report. (1982-83).

--------- (1984): Effect of age of seedlings and date of transplanting on yield and quality of Kharif onion. AADF, Annual Report (1984-85) 23 and 54.

--------- (1985): Weedicide trial, News Letter, AADF. 4 (4): 4.

--------- (1986): Weedicide trial in onion crop, News Letter, AADF. 5 (2): 5.

--------- (1988): Weedicide trial, News Letter, AADF. 7 (1): 3.

A.O.A.C. (198Ø): Official methods of Analyis, 13th edn. Association of Official Analytical chemists, Washington, D.C.

Aoba, T. (1955): Studies on bulb formation and dormany in onion. III on the process of sprouting in stored onion. IV the influence of storage temperature on sprouting. J.Hort. Ass. Japan. 24:

119-203: 265-270. (Hort. Abst., 26: 3779).

----- (1964): Studies on bulb formation and dormancy in onion. J.Japan Soc. Hort. Sci., 33: 46-52.

Ark, F.A. and Thompson, J.D. (1959): Control of certain diseases of plants with antibiotics from garlic (Allium sativum L). Plant Dis. Reptr., 43: 276-282.

Arora, P.N., Pandey, S.L. and Basantari, H.T. (1967): Agronomical practces for raising yield of onion bulbs. Ind. Hort., 2 (1): 3.

Asana. R.D. (1951): Common Indian Weeds and their control, Indian Farming (N.S) 1: 13-15.

Aziz, A.B. and Bou, A. (1968): Seasonal changes in physical and chemical composition of tomato fruits as affected by nitrogen levels. Meded. Lond. Bour. Whogesch Wageningen,168 (7): 1- 6.

Babiker, A.G.T. and Ahamad, M.K. (1986): Chemical weed control in tranplanted onion (Allium cepa L).Suden Gezira weed Research UK. 26 (2): 133-7. (Hort. Abst., 50 (9): 6870).

Bajaj, K.L., Kaur, G., Singh, J. and Gill. S.P.S. (1980): Quality Plantarum. 30: 117-122.

Balan, D. (1959): Applying supplementry fertilizers to onion. Grad. via Liv., 8 (7): 10-12.

Balasubramanian, C.S., Ramakrishanan, A., Kailasam, C., and Pautraj, C. (1983): Optimizing fertilizer rates for Bellary onion. Indian J. Agric. Sci. 53 (1-2): 1022-25.

Balvoll, G. (1968): Fertilizer trials in onions. Gratneryrket, 50: 397-398.

Batra. B.R. and Pandita, M.L. (1984): Response of onion (Allium cepa L) to irrigation and nitrogen levels. Haryana J. Hort. Sci. 13 (1-2): 55-61.

Bhonde, S.R. Srivastava, K.J. and Singh, K.N. (1988): To study the effect of major nutrients on yield and quality of Kharif onion. AADF, Annual Report (1988-89): 24-25.

---------- (1989): Evaluation of different varieties for late kharif planting. AADF, Annual Report (1988-89): 84.

Bhonde, S.R., Chauhan, K.P.S. Singh, V.K., Mishra, P.K., and Tiwari, H.N. (1987): Studies on the effect of method of application of nitrogenous fertilizers on yield and quality of Kharif onion. AADF, Annual Report (1989-90) : pp 30-35.

Bhonde, S.R. and Srivastava, K.J. (1989): To study the effect of

levels of major nutrients on yield and quality of Kharif onion. AADF, Annual Report (1989-9Ø): 83.

Bhuiyan, M.A.J. and Haque, M.A. (1979): Effect of split application of nitrogen and potash on the growth and yield of onion. Bangladesh Hort. 7 (1/2): 36-39.

Black, C.A. (1964): Method of soil analysis. American Soc. Agron. Wisconsin USA.

Bleasdole, J.K.A. (196Ø): Studies on the plant competition in biology of weeds Sym. British Soc.

Bose, T.K. and Som M.G. (1986): Vegetables crop in India. Naya Prakash, Calcutta-6 pp: 546.

Bottcher, H. (1967): The effect of nitrogen, potassium and phosphoric acid fertilization on the keeping quality of onions. Arch. Gartenb, 24: 44-46.

Bottcher, H. and Koble, G. (1975a): The effect of mineral fertilizers on the yield, quality and storage properties of onion. 1. The effect of nitrogen on yield and quality. Arch. Gartenb. 23 (3): 143-159.

---------- (1975b): The effect of mineral fertilizers on yield, quality and storage properties of onions.3. Effect of nitrogen on storage properties. Arch. Gratenb. 23 (5): 3Ø7-317.

Bottcher, H. Forhlick, H. and Hubner, C. (1979): Result regarding complex influence of sprinkler irrigation, plant density and fertilization on yield, quality and storage quality of onions. 1. Influence on yield and quality. Arch. Gartenb, 27: 283-3Ø6.

Bomer, H. (1936): Bulb formation and ripening in the onions. Angen Bot., 18: 2Ø4-213.

Brewster, J.L. (1975): Ann. Rept. Nat. Vege. Res. Sta. pp 54.

Campeglia, O.G. (1973): Competition from weeds in transplanted onions (Allium cepa L). Malezas y Su Control, 2 (1): 8-13 (Weed Abst. 24 (3): 425,1975).

Campeglia, O.G. (1979): Effect of sowing dates on the effectiveness of herbicides in onion. Buenos Aires, Argntinathssam, 3: 99.

Carolus, R.C. (1962): Accumulation and distribution of nutrients in biennial and pereninial Vegetables. Proc. 16th Hort. Conar. Brussels. 1: 78.

Carry, P.R. (1979): Onion Research farmers. News letter, Australia, 144: 25-26.

Casamayorgarcia, R., Perez, Navarro, C. and Acosta, Chavez, O. (1974): The critical period of competition between weeds and onions. Centro Agricola 1 (1): 15-23 (Hort. Abst. 46 (10): 9259, 1976).

Cecconi, C.A. and Vidrich, V. (1971): Inorganic manuring and ascorbic acid content of the onion (Allium cepa L). Potash Review, No. 24129: 9.

Celestino, A.F. (1961): Effect of irrigation, nitrogen fertilization and maleic hydrazide spray on the yield, composition and storage behaviour of bulbs of two onion varieties. Philipp. Agric. 44: 479-501.

Cervato, A. Borilli, A. (1970): Results on five years of trials on fertilizing the onion cv. Dorata Vera di Parma. Annali. della. Facelta di Agraria, Universita Cattolica delsaerecuere, Milano., 10: 109-143.

Chaudhary, B. (1967): Vegetables. Published by National Book Trust, India, New Delhi pp 88.

Chaugule, B.A. and Khuspe, V.S. (1956): How much do weeds cost us ? Farmer 7: 278.

---------- (1957): WHy do onion bolts. Ind. Fmg. 7(1): 18-19.

Chadda, M.L. and Sindhu, A.S. (1989): Studies on post-harvest storage life of Kharif onion under ambient conditions. Haryana J. Hort.Sci.,18 (1-2) : 152-51.

Chhonkar, V.S. and Kumar, S.(1962): Soil and spray application of urea with phosphate and growth regulators on tomato. A master's degree Thesis submitted Bhagalpur University, Bihar (India).

Chauhan, D.V.S. (1965): Vegetable production in India. Published by Ram Prasad & Son's Agra-3 pp. 223-34.

Chowdappan, S.R. (1972): Effect of manuring on onion bulb size of Bellary. The Madras Agric. J., 59 (3): March.

Clarke, A.E., Pollared, L.H. and Howthron, L.R. (1952): Effect of time of seedling on the winter survival and subsequent seed stalk development of onions. Amer. Soc. Hort. Sci. Proc, 59 : 439-444.

Cornejo Aizperrutia, J. (1957): Onion growing. Rep.Inst. Nac. Invast. Agron. Madrid. 105-106.

Das, B.C. and Dhyani, K.C. (1956): Influence of differntial spacing and nitrogen fertilization on growth and yield of onion. Phyton., 6: 47-57.

Das,R.C. Behra, S.N. and Sahoo, A.C. (1972): Spacing and nitrogen

fertilization on growth and yield of onion (Allium cepa L). Indian J. Res. 6: 45-5Ø.

Davis, G.N. and Jones, H.A. (1944): Experiment with the transplant onion crop in California. Bull. Califo. Agric. Expt. Sta., 682: 2Ø.

Desai, H.M. (194Ø): Habit of the growth of some of the important grden crops under Poona Conditions Deopp. Agric. Bombay. Bull. No. 182.

Deshmukh, V.A. Patil, M.M. and Nagare, P.K. (1984): Field study on response of onion to phosphorus, potassium and iron in vertisol. Punjab Rao Krishi Vidyapith Res. J., 8 (2): 16-18.

Deuber, R. and Forester, R. (1972): Cultivation techniques and weed competition in onion crop (Allium cepa L). Resumos Seninario Brassileiro de Herbicides Ervas oaninhas Campinas, 1972 (Weed Abstr. 25: 539).

---------- (1975): Herbicides and weeding in onion crops (Allium cepa L). Weed Abst. 26 (2): 353 (1977).

Dobrzanski, A., Gasior, B. and Rzymowska, R. (1982): Comparative trials on the effectiveness of several herbicides applied post-emergence in onions. Biubtyn Warzywrizy, 25: 233-244.

Dowker, B.D. and Fennell J.F.M. (1978): Spring sown onions. Report of the National Vegetable Research Station for 1977: 29.

Dowker, B.D; Fennel, J.F.M. Horobin, J.F. Crowther, T.C. Morgan, Sandra, J. Carter and Philippa J. (198Ø): Onoin. Report of the National Vegetable Research Sta. of 1979: 55.

Dugueza, L.C. and Eugenia, T.S. (1973): The effect of fertilizers and different planting materials on the production of bulb and seed of Batanes, a native variety of onion. Philipp. J. plant Industry. 38: 25-41.

El-Habbasha, K.M. and El-Haroun, M.S. (1977): Production of onion (Allium cepa L) as influence by seedling storage temperature, nitrogen fertilizers and planting date. Garten baunisse nachaft, 42: 2Ø7-212.

El-Tabbakh, A.E. Behairy, A.G. and Behairy T.G. (1979a): Soil moisture regime effect on yield of onion under different levels of nitrogen fertilizer. Res. Bull. Ain Shams Univ. Faculty Agric. Cairo, 991: 17.

---------- (1979b): Soil moisture regime effect on growth and chemical composition of onion under different levels of nitrogen fertilizer. Res. Bull. Ain. Shams Univ. Faculty Agric. Cairo, 995: 31.

FAO (1971): Production Year Book. Food and Agriculture Organization of the United Nations. Rome 34:156.

--- (1986): Production Year Book. Food and Agriculture Organization of the United Nation. Vol.4Ø.

--- (1987): Processed Statistics series-I, 1984-85.

Ferguson, A.C. and Fauber, H. (1954): The effect of certain commercial fertilizers combinations on yield, grade and storage quality of sweet spanish onions. Tech. Bull. Colo. Agric. Exp. Stat., 52:12.

Flones, M. (1977): Fertilizer experiment in onions. Land Bruket Norway, 28:497-5Ø7.

Foley, R.F. (1956): Some factors affecting the volatile surplus content of the onion (Allium cepa L). Diss. Abstr.16: 1323.

Gill, H.S.,Sandhu, K.S. and Mehra, S.P. (1982): Herbicidal control of weeds in onion (Allium cepa L). In annual conference of Indian Society of Weed Science, Ludhiana, Punjab (Hort. Abst. 54: (9): 6146).

Gumaraes, D.R., Vizzotto, V.J. and Dittrich, R.C. (1988): Suitable transplants and planting dates result in production and quality success. Agropecuaria Catarinese 1 (1): 11-13 (Hort. Abst. 6Ø (5), 199Ø).

Hamiltion, H.A. Person, Y. and Frascarelly, L. (1981): Effect of nitrogen fertilization on onions. L effect de La fertilization azate surles oignous, 57.

Hassan, M.S. (1977): Effect of source level and time of nitrogen application on yield of onion in the sudan Gezina. Acta Horticulture, Sudan, 53: 59-63.

---------- (1984): Effect of frequency of irrigation and fertilizer nitrogen on yield and quality of onions (Allium cepa L.) in the arid topics. Acta Horticulture, 14: 341-346.

Henriksen, K. (1984): Nitrogen fertilizing in seed onion (Allium cepa L.) at high soil moisture content. Tidsskrift for Plantearl, 88 (6): 621-631.

Hewson, R.T. and Roberts, H.A. (1971): The effect of weed removal at different times on the yield of bulb onions. J. Hort. Sci. 46 (4): 471=483.

---------- (1973): Some effect of weed competition on the growth of onions. J. Hort. Sci. 48 (1): 51-57.

Holmes, J.C.(1957): Nirogen fertilizer for sugar beet. Scottish Result Brit. Sugarbeet Res. 26: 79-81.

Hoyle, B.J. (1947): Storage breakdown of onions affected by stage of maturity and lentgh of topping. Proc. Am. Soc. Hort. Sci. 50, 353-360.

---------- (1948): Onion curing a comparison of storage losses from articial, field and non-cured onions. Proc. Am. Soc. Hort. Sci. 52: 407-414.

Howthorn, L.R. (1938): Cultural experiment with yellow Bermuda onions under irrigation. Bull. Tex. Agric. Exp. Sta., 561: 30.

Isenberg, F.M. (1953): the effect of height of fall of onion bruising. Proc. Am. Soc. Hort. Sci. 66: 331-333.

Islam, M.T. and Haque, M.A. (1977): Effect of Nitrogen, Phosphorus and Potash on the yield of onion. Bangladesh Hort. 5 (1): 5-8.

Itagi, T.(1961): Practical experiment on salad onion 1. Varieties and cultivation practices 2. Analysis of some organic compounds in the plants. Bull. Kanagawa Agric. Exp. Stat. 9: 55-60.

Itnal, C.J., Reddy, V.S.N. and Veeranna, V.S. (1979): Response of onion for furrow planting and high plant density. Curr. Res. 8: 28-29.

Iwata, N., Marita, I. and Honda, F.(1959): Effect of nitrogen supplied of various stages of growth and yield of onion in sand culture. J. Hort. Assoc. Japan. 28: 96-108.

Jagoda, J. Grajewska, H., Charzewska, W., Skapska, H. and Viscardi, K. (1970): The effect of irrigation and minerals and organic fertilizers on yield and storage of onion. Biuletyn Warzy Wniczy. 11: 127-146.

Jaiswal, R.C., Singh, S.B. and Yadav, J.P. (1984): Studies on the performance of the onion vegetables under eastern U.P. Conditions. Prog. Hort. 16 (1-2): 101-103.

Jones, H.A. and Mann, L. K. (1963): Onion and their allies. Inter science Publisher's. I.N.C. New York.

Jyotishi, R.P. and Pandey, R.C. (1971): Growing of onion in India a review. Food farming and Agriculture, 10 (3): 19-28.

Kakehi, M. (1958): Studies on planting of onions on spring. Bull. Hiroshima Agril. Coll. 1 (1): 15-20.

Kampe, W. (1972): Herbicides for onions grown from seed and various brassicas. Erwerbsgartner 26 (1): 12-13 (Weed Abst. 23 (6): 1016, 1974).

Kasasian, L. (1971): Weed control in the Tropics. Leonard Hill London.

Kato, T. (1964): Effect of external factors on bulb formation and development. J. Japan. Soc. Hort. Sci. 33: 53-61.

---------- (1965): Physiological studies on bulb formation and dormany the onion plant. J. Jap. Soc. Hort. Sci. 34: 51-57.

Keeley, P.E. and Thulten, R.J. (1974): Yellow Nutsedge control with soil incorporated herbicides. Weed Science 22 (4): 378-383.

Khurana, S.C. Yadav, A,C. and Pandita, M.L. (1985): Weed control in onion. In Annual conference of Indian Society of Weed Science. (Hort. Abst. 54 (4) 2359)

King, L.J. (1966): Weeds of the world. Biology and control Leonard Hill Book Ltd. London pp 41-56.

Knott, J.E. (1949): Vegetable growing , IV ed. Henry Kimpton London, pp 2Ø7-8 and 234.

---------- (1955): Vegetable growing . Lea and Febiger Philadelphia pp 231-237.

Kulik, L.V., Rubin, V.F., Sklyarevskaya, V.V. and Sklyarevskaya, M.A. (1976): Herbicides in onion crops. Khimiya V Sel'sskovn Khozyaistive 14 (1Ø): 53-55 (Weed Abst. 26 (7): 1959).

Lal, K.N., Sah, J,D. and Jha, J.D. (1946): Studies in crop physiology. Fertilizer effect upon seed quality, Photosynthesis, Respiration and Chlorophyll content of wheat leaves during two successive generations. Jour. Ind Bot. Soc., 25: 77-78.

Laul, M.S. Bhalerao, S.D., Mulmety, G.V. Shah, G.R. and Dalal, V.B. (1984): Indian fd Packer 38 (6): 3Ø-39.

Lazo, P.D., Queddeng, A. and Caliwag, C.M. (1969): The effect of varying amounts of commercial fertilizers on the yield of Granex onion. Phillip, J. Plant Ind. 34: 39-44.

Lifshitz, N., Abayov, Y. and Zohar, R. (1982): Herbicides use with onions grown for seed. Hassadesh 62 (11) 1964-1967. (Hort. Abst. 53 (6): 4Ø69).

Lingle, J.C. amd Wight, J.R. (1961): Test crop on acid soil indicates manganese nitrogen. Calif. Agric. 15: 12-13.

Lipe, W.N. and Abernathy, T.R. (1974): Weed control research in onions on the Taxes plains. prog. Rept. Texas Agriculture Ext. Sta. (3269). 6 (Hort. Abst. 45 (5): 3728).

Lovato, H.A. and Amaducci, M.T. (1965): Proc. Int. Seed Test Ass. 3Ø: 8Ø3--82Ø.

Lucena, J.M. and Dall, J. (1976): Growth inhibiting effect of Cyprus rotundus on soybeans. Revista Comalfi 3: 241-256 (Weed Abst. 26: 27ØØ).

Luthra, T.C. (1921): Striga as a root parasite of sugarcane Agric. J. India, 16: 513-523.

MacGillivary, J.H. (1953): Vegetable production. The Blackistan Co. Inc. New York, pp 272-276.

Madan, S.P.S. and Sandhu, J. S. (1983a): Economic analysis of N, P and K fertilization in onion. Haryana J. Hort. Sci., 12 (3-4): 221-223.

---------- (1983b): Studies on the storage behaviour of a white onion (Allium cepa L) variety as influenced by levels of N P and K. Jour. Res. 13 (3): 433-438.

---------- (1985): Influence of nitrogen, phosphorus and potash levels on the growth, yield and dry matter production of white onion variety Punjab 48', Pujab Vegetable Grower, 20: 17-24.

Maeso, C.R. (1980): Effect of sowing dates on oinon cultivars for bulbs. Investigations Agronomics, 1 (1): 65-71.

Maiti, R.C. Singh, S.M., Ram M. and Singh R.P. (1964): Studies on transplanting of vegetable crop III. Effect of age and pruning transplant on onion (Allium cepa L). B.V.J. Agri. Sci., 6 (1&2): 8-13.

Malachowski, A.(1974): The effect of varied NPK nutrition on onion seed yield. Roczniki Nauk Rotiezych 100 (1): 87-97.

Mallik, V.S., Singh, K.P. and Pandita, M.L. (1982): Chemical weed control in onion (Allium cepa L.) Ind. J. wed science, 14 (1): 24-27.

Mani, V.S., Arora, P.N. and Gautam, K.C. (1968): Controlling weeds in carrots. Indian Hort. 12 (2): 12 and 35.

Mani V.S. and Gautam, K.C. (1973): Chemical weed control is efective and economics. Indian Fmg. 22 (12): 21-22.

---------- (1976): Chemical weed control in tranplanted onions. Abstract published in the proceedings of All India Symposium on modern concepts in plant protection held at University of Udaipur on March 26-28, 1976, pp 129-130.

Marlow, H. (1985): New development in weed control in onion (Allium cepa L). Aktuelles Zer unkrant bekämpjung furden Pflazen Schutz Inder DPR 39 (10): 203-6 (Hort. Abst. 56 (5): 3289).

Mathur, P.B.,Date,W.B.,Srivastava,H.C.and Subramanyam, H.(1958):Effect of pre-harvest foliage spray of melaic hydrazide on cold storage behaviour of onion. J. Sci. Food Agric. 6: 312-316.

McCall, W.W. and Davis J.F. (1953): Foliar application of plant nutrients of crop grown on organic soils. Qurt. Bull. Mich. Agric. Exp. Stat. 35: 373-383.

Moens, M., Aicha, Ben. B., Himme, M.Van. and Stryckeres J. (1983): Chemical weed control in transplanted onion. Medelinger Van

de Facultite Land boniowetens chappen, Rijksumiversitent Gent Tunisia, 48 (4) 1Ø65-1Ø81.

Murthy, K.S. and Rao, R.M. (1964): Effect of irrigation and manuring in onion. Andhra Agric. J. 11: 214-223.

Nadkarni, K.M. (1927) Indian Matria media. Published by Nadkarni and Co. Bombay.

Nandpuri, K.S., Madan, S.P.S., Singh, A. and Singh, S. (1968): Effect of various dates of nitrogen and phosphorus on onion production; P.A.U.I. Ras Ludhiana, 5: 487-489.

Nieto, J.H., Brando, H.A. and Gonzalej, J.T (1968): Critical period of the crop growth cycle for competition from weeds. Pest Artic (c) 14: 159-166.

Nijhawan, S.D.(1944): Conservation of soil moisture, Indian, Fmg. 5(2) :58-6Ø

Nowosielska, B., Michalik, H., Nowosielska, and Bakowaki, J. (1971) : The effect of fertilizetion with different nitrogen rates and minor elements on the biological value of carrots, beetrouts and onions. Biul Warzywniczy., 12: 315-323.

Ogata, K. and Inoue, T. (1957): Studies on the storage of onions VII Physiological changes in onion bulb during storage in enhanced vessels with special reference to the use of soda lime. J. Hort. Ass. Japan 25: 237-42.

Palled, Y .B., Kachapur, A.M., Chandrasekharan and Prabhakar, A.S. (1988) : Response of onion to irrigation and nitrogen. Indian J. Agron. 33 (1): 22-25.

Paller, E.C. Jr. Guantes, M.M., Soriano. J.M. and Vegle, M.R. (1971): Duration of weed competition and weed control and yield II Transplanted onions. Phillip Agric. 55: 221-224.

Pandey, H.K. (1953): Studies on crop weed competition in wheat fields. Proc. Ind. Sci. Cong. 4Ø (3): 145.

Pandey, R.C. and Mundra, R.S. (1971): Note on response of onion (Allium cepa L) to varying levels of N P K. Ind. J. Agric. Sci. 41 (2): 1Ø7-1Ø8.

Pandey, U.B., Bhonde, S.R, Srivatava, K.J. Singh, S.P., Mishra, P.K. and Singh, K.N. (1988): Effect of different weedicides on control of weeds in rabi onion. AADF. Annual Report (1988) pp 43-47.

Pandey, U. B. (1989): Onion (Allium cepa L.). Ind. Hort. Jan -March, April - June. pp 58 - 62.

Pandey, U. B., Bhonde,S. R., Singh, S. P., Singh, N. B. and Mishra, P. K. (1989): Effect of different weedicides on control of weed

in onion. AADF. Annual Report (1989-90) pp 43 -44.

Pandey, U.B. Singh, D.K. and Pandey, J.P.N. (1990): Herbicidal weed control in Kharif nursery. News Letter, AADF. 10 (1): 13-14.

Pandey, U.B., Singh, N.B., Singh, S.P. and Singh, V.K. (1992): Effect of weedicides on control of weeds in garlic. News Letter, AADF. 12 (4): 17-20.

Pandey, U.B., Qadri, S.M.H., Chougule, A.B. and Tripathi S.P. (1992): Studies on effect of dates of transplanting on yield and quality of different onion varieties. News Letter, AADF. 12 (4): 5-8.

Pankov, V.V.(1985): Chemical composition and productivity of onions in relation of nitrogen and phosphorus nutrition. In Agratekhnika ovoshchuykh Kul'tur. Gor'kil, USSR. 9:19 from Referativnyi Zhurnal, 55 Rastenic vodstvo 2: 55.

Pardo, S.J. and Lobo, A.N. (1969): Chemical weed control in direct sown onions. Agric. Tropic. Bogota 25: 324 (Hort. Abst. 41 (23): 6773.

Patil, P.Y., Mahorkar, V.K. and Patil V.K (1983): Effect of nitrogen, phosphorus and potash on growth and yield of onion. Maharashtra Jour. Agric. Univ. 8 (1): 41-43.

---------- (1984): Effect of nitrogen, phosphorus and potassium on the bulb size of onion (Allium cepa L). Punjab Rao Krishi Vidyapeeth Res. J. 8 (2): 67-68.

Paterson, D.R., Blackhust, H.T and Siddique, S.H. (1960): Some effects of nitrogen and phosphoric acid on premature seed stalk development yield and composition of three onion varieties. Proc. Amer. Soc. Hort. Sci. 76: 460-467.

Paterson D.R. (1984): Influence of nitrogen and phosphorus fertilizer on respiration rate, premature seed stalk formation and yield of yellow Granex onions. Jour. Rio. Grande Valley Hort. Soc., 37: 33-41.

Pieters, J.N. and Koert, J.L. (1973): Nitrogen manuring of seed onions. Pulikatie Sickting Nede rlandse Uien Federatie 52: 31.

Polach, J. and Vicek, F. (1967): A contribution to the manuring of onions. Ved. Pr vvzk Ust. Zelin. V. olomouci. 4: 27-34.

Purewal, S.S. and Darogan, K.S. (1962): Fertilizer and spacing experiments with onion crop. Indian J. Agron. 7: 46-53.

Qadri, S.M.H. (1985): Associated Agricultural Development Foundation, New Delhi, Annual Report. (1984-85).

Qadri, S.M.H. Chaugle, A.B. and Tripathi, S.P. (1988): Effect of

different varieties and their different dates of planting on yield and quality of Kharif onion AADF. Annual Report (1988-89). pp 13-14.

---------- (1989): Effect of different time of on yield and quality of Bangalore Rose onion. AADF. Annual Report (1989-90) Nasik pp 14,15,16 and 78.

Rahim, M.A., Hussain, A. and Siddique, M.A (1984): Production of bulb and storage ability of three cultivars of onion (Allium cepa L). Punj. Vege. Grower, 17/18: 13-20.

Rahman, S., Talukdar, M.R. and Miah, A.M. (1976): Effect of nitrogen, phosphoric acid and potash on the buld size and the yield of onion. Bangladesh Hort. 4 (1): 7-11.

Rana, M.K. (1983): Effect of time of weeding and nitrogen levels in onion (Allium cepa L)crop. A M.sc (Ag) thesis submitted to the Haryana Agriculture University, Hissar (Haryana).

Rana, M.K. Singh K.P. and Pandey U.K. (1985): Economic yield of onion in Haryana. Indian J. Agric. Sci. 55 (1): 21-24.

Randhawa, K.S. and Bhalla, P.L. (1976): The effect of herbicides on weeds of onion in Punjab. Pans 22 (3): 405-407 (Hort. Abst. 47 (5): 4479).

Rao, C.H. and Purewal, S.S. (1957): Onion and garlic cultivation in India. Farm. Bull. No3. ICAR (New Delhi) pp 1-2, 8 and 10.

Rethinam, P. Sankaran, P. and Sankaran, S. (1976): Studies on herbicides for given gram under rainfed conditions. Madras Agric. J. 63 (8-10): 461-464.

Reddy, P.N. and Madalageri, B.B. (1978): Fertilizers improve Bellary Red onion yields. Curr. Res. 7 (9): 147.

Robert, H.A., Bond, W. and Hewson, R.T. (1976): Weed competition in drilled summer cabbage. Annual of Applied Biology 84: 91-95.

Rohal, S.V. and Kalra, G.S. (1986): Effect of different levels of nitrogen, phosphorua and sulphur on dry weight of leaves, bulb diameter and pungency of onion bulb. Indian J. Agric. Res. 20 (1): 47- 50.

Ruf, R.H. (1961): Fertilizer trials. Amer. Veg. Gr. 9: 18.

Saimbhi, M.S. and Padda, D.S. (1970): Effect of N and K fertilization on growth and yield of okra (A. esculentus L). Jour. Res. 7 (4): 460-'463.

Saimbhi, M.S. Gill, B.S. and Sandhu, K.S. (1987): Fertilizer requirement of processing onion cv. Punjab-48. J. Res.Punjab Agric. Univ. 24 (3): 407-10.

Sanok, W.J. and Weber, L.E. (1975): Evaluation of oxadiazen for onion weed control on long Island. In proceedings of North eastern weed science Society, New York City. 247-49. (Weed Abst. 25 (8): 2282, 1976).

Satter, M.A. and Haque, M.A. (1975): Effect of different levels of nitrogen and potash and the yield of onion. Bangladesh Hort. 3: 33-36.

Sengupta, D.N. (1986): Prospectus for exports; Cereals, fruits and vegetables. A report of Bombay Chambar of Commerce and Industry, Bombay (Maharashtra).

Shadbolt, C.A. and Holm, L.G. (1956): Some quantitative aspects of weed competition in vegetable crops. Weeds 4(2): 111-123.

Sharma, A.B.,Patel, R.K. and Tiwari. J.P. (1983): Chemical weed control in garlic. Indian J. weed science. 15 (1): 17-22.

Sharma. R.P. and Arora. P.N. (1983): Effect of time of transplanting and nitrogen fertilization in rainy season onion. Indian J. Agron. 28 (3): 317-318.

Sharma, T.R. and Kumar, J.C. (1982): Growing onion in Kharif season under North Indian Conditions. Punjab Vege. Grower (17-18): 57-60 (Hort. Abst. 54 (9): 6143).

Shemetuk, V.I. and Antonenko, Y. Yu. (1987): Basic factors in the intensive technique of onion growing for seed. In Puti Intensifikatssi ovashchevodstra Kiev, Ukrainian S.S.R. 5-8 (Ru) from Referatinyi Zhurnal 255-269. (Hort. Abst. 60 (5), 1990).

Shetty, S.V.R. (1973): Investigation on chemical weed control in drilled and transplanted rice. A Ph.d. thesis submitted to P A U, Ludhiana (Punjab).

Shetty, S.V.R. and Krishnamurthy (1975): Role of weed control in efficient use of fertilizers. Pesticides, 11 (5): 31-34.

Shoemáker, J.S. (1947): Vegetable growing. John Willey & Son's, New York, pp 181-223.

---------- (1953): Vegetable growing. John Willey & Son's, New York, pp 188-191 & 194.

Sinha, N.P. and Singh, H.M. (1970): Effect of soil and foliar application of nitrogen on the onion. Fertilizer News 15 (5),

Singh, B., Singh, M.P., Pandey, R.C. and Saini, R.S. (1971): Effect of different dates and different methods of planting on growth and yield of onion. Ind. J. Agron. 16 (3): 379.

Singh, D. (1957): Storage of onion. Quoted from the Book "vegetable production in India". Published by Ram Prasad & Sons, Agra-3

pp 23Ø-231.

Singh, D.P. and Singh, R.P.(1974): Studies on effect of time of sowing and age of seedlings on growth and yield of onion (Allium cepa L). Ind. J. Hort. 31 (1): 6Ø-73.

Singh, D.P. and Joshi, M.C. (1978): Vegetable science. 5: 1-3.

Singh, G. Singh, K.P. and Pandey U.C. (1982): Effect of weedicides on weed control and yield in onion. Pesticides 16 (1Ø): 9-12.

Singh, J.B. and Jain, N.K. (1959): Response of onion (Allium cepa L) to differential fertilizer application. Indian J. Hort. 16: 31-38.

Singh, K. and Singh, R.N. (1969): Weed control studies in vegetable crop I. Preliminary trials with new herbicides. Punjab Hort. J. 9 (1 and 2): 77-8Ø.

Singh, K. and Kumar, S. (1969): Effect of nitrogen and phosphorus fertilization on the growth and yield of onion (Allium cepa L). Jour. Res. Ludhiana 6: 764-768.

Singh, K. and Sandhu, D.S. (197Ø): Effect of soil and foliar application of nitrogen on the vegetative growth and yield of brinjal. Punjab Hort. J. 1Ø: 1Ø3-11Ø.

Singh, K. Singh, B. and Khurana, S.C. (1972): Tok-25 an effective weedicide for vegetable crops. Abid. 12: 255-256.

Singh, K., Saimbhi, M.S. and Pandey, U.C. (1972): Response of onion to the application of N.P and K in the sandy loam soils of Hissar. Indian J. Hort. 29 (2): 19Ø-196.

Singh,L., Bhonde, S. R., Singh, S. P., Singh, K. N. and Mishra,P.K.(1988): Effect of major nutrients on yield and quality of Kharif onion. AADF. Annual Report (1988-89) pp 26-29 and 88-89.

Singh, L., Chauhan, K.P.S. and Mishra, P.K.(1989): Response of varying levels and method of application of major nutrients on onion storage studies. AADF Annual Report (1989-9Ø) pp 35-38 and 82-83.

Singh, M.P. and Singh, R. (1969): Response of onion (Allium cepa L) to differential fertilizer application. Indian J. Agric. Sci. 39: 1Ø26-1Ø28.

Singh, P.P. (1972): Effect of nitrogen, spacing and clipping of seedlings on the yield of onion. Indian J. Agric. Res. 6: 221-224.

Singh, S.B., Singh, K. and Singh, S.P. (1981): Effect of time of weeding on growth and seed yield of okra. Ind. J. Weed Science, 13 (1): 11-12.

Singh, V.K. (1979): Studies on the effect of nitrogen (urea), copper and NAA on, the growth performance, yield and quality of onion. A Ph.D. thesis submitted to the Faculty of Agriculture, B.H.U., Varanasi (India).

Smith, W.H. (1958): The hanging and storage of vegetables. Tech. cire. Brit.Food Manf. Ind. Food Invest. 29/58 (Hort.Abstr.31: 2447)

Sofer,S. and Gardji,G. (1978): Selective weed control in onion. Phytoparasitica, 1Ø (4): 269 (Hort. Abst. 54 (5): 2318).

Subbiah, B.V. and Asiza, G.L. (1956): A rapid procedure for estimation of available nitrogen in soil. Current Sci. 25: 25Ø-256.

Swimiarski, E. and Landenderger, D. (197Ø): The sugar content of potato tuber grown with different rates of nitrogen application in potato. Res. 13 (2): 114-118.

Sypiem, M. Smoter, J., Kepkowa, A. and Nowasielsva, O. (1973): The inflience of nitrogen fertilization on onion quality and storage. Aclz. Hort. Poland 29: 342-347.

Thompson, H.C. and Kelly, W.C. (1957): Vegetable crops Mc. Graw Hill Book Co. New York pp 355.

Tiwari, J. (1963): Nutritional studies on garlic. A Ph. D. Thesis (Hort.) submitted to the Faculty of Agriculture, B.H.U. Varanasi (India).

Tiwari, R. and Chhonkar, V. S.(1967): Studies on the effect of foliar application of urea on growth and yield of tomato. Indian J. Hort. 24: 173-18Ø.

Tomar, S.P.S., Singh, J. P. and Tomar, G. P. (1988): Effect of planting date and hormone on onion (Allium cepa L) yield. Ind. J. Agric. Sci. 58 (2): 136-138.

Tseng, T.C.(1972):Effect of N P fertilizer on onion growth, bulbing, yield and quality. Taiwan Agriculture Quartely 8 (2):148-159.

Tucker, W.G. and Morris, G.E.L. (1984): A study on the effect of environment during growth on sprouting of bulb onion in storage. Jour. Hort. Sci. 59 (2):217-227.

Velev, G. and Elenkov, E.(197Ø): Results of herbicide application in annual onion crops. Grandinarslovo 12 (1): 8-1Ø. (Hort. Abst. 41 (2): 41Ø6, 1971.

Verma, J.P., Rathore, S.V.S. and Ram, V. (1972): Effect of level of nitrogen fertilization on the yield of onion bulbs.

Villagranc, M. and Escaff, G.M. (1982): Effect of plant density and nitrogen fertilization on the yield and quality of onion bulbs. Agricultura Tecnica, Chile 42 (3): 2Ø9-215.

Virtanen, A.I. and Matikkala, E.J. (1959): The isolation of S. methyl cysteinesulphoxide and S-n-propyleys teine antibiotic activity of crushed onion. Acta chen. Scand., 13: 1898-19ØØ..

Wayse, S.B. (1967):Effect of N P and K on yield and keeping quality of onion bulbs (Allium cepa L). Indian J. Agron. 12: 379-382.

Wayse, S.B. (1968): Economics of fertilizer application in onion. Poona Agric. Coll. Mag. 58 (3/4): 33-34.

Wickes, G.D. Johnson, D.N., Nuland, D.S. and Kimbacher, E.J. (1973): Competition between annual weeds and sweet spanich onions. Weed Science 21 (5): 436-439.

Wiedenfeld, R.P. (198Ø): Evaluation of controlled release nitrogen fertilization cabbage and onions. Jour. Rio Grande valley Hort. Soc. USA, 34: 81-87.

Wilson, G.J. and Hutton, R.C. (1983): Onion sowing time and bolter loss. New Zealand Commercial Grower 38 (3): 2Ø.

Woodman, R.M. (1943): Nitrogen nutrition of the onion. Ann. Appl. Biol. 3Ø: 116-117.

Wright, R.C., Lainten, J.L. and Whiteman, J.M. (1935): Influence of storage temperature and humidity on keeping quality of onions and onion sets. U.S. Deptt. Agric. Tech. Bull. 475.

Yawalkar, K.S. (1963): Vegetable crop in India. Notes No. 2 Agri. Horticultural publishing house, Nagpur pp 12Ø-127.