

LIST OF TABLES

Table No.	DESCRIPTION	PAGE NO
2. 1	Simplified stratigraphy of the Andaman Islands.	22
3. 1	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in North Andaman EBT/West.	31
3. 2.	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in North Andaman EBT/East.	31
3. 3	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in Middle Andaman EBT/West.	33
3. 4	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in Middle Andaman EBT/East.	33
3. 5	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in South Andaman EBT/West.	35
3. 6	Shows the principal fault direction, frequency, density, outcrop area and style of faulting in South Andaman EBT/East.	35
3. 7	Shows the percentage distribution of lineaments in North, Middle and South Andaman.	39
3. 8	Shows percentages of lineaments and drainage basins areas of EBT/W and EBT/E of the North, Middle and South Andaman Islands.	52
3. 9	Percentage of classes of tectonic activities based on the range of (Re) values: active basins <0.50, slightly active basins 0.5-0.7 and inactive basin >0.75.	54
4. 1	Preset parameters of Ground Penetrating Radar survey.	80

4. 2.	Integrated Geophysical survey methods: 2D ERT, TEM, GPR and Azimuthal Square Array Resistivity Sounding in South Andaman.	84
4. 3.	Shows the distribution of normalised apparent resistivity value of ASRS at Mundapahad.	88
4. 4.	Depth wise variation of normalised apparent resistivity value of ASRS at Chidyatapu School.	90
4. 5.	Normalised apparent resistivity (ohm/m) value of ASRS at Kodyaghat.	93
4. 6.	Normalised apparent resistivity value of Azimuthal Square Array Resistivity Sounding at Burmanallah.	95
4. 7	Normalised apparent resistivity value of ASRS at Rangachang	98
4. 8	Normalised apparent resistivity value of ASRS at Ross valley.	101
4. 9	Normalised apparent resistivity value of ASRS at Calicut.	107
4.10	Normalised apparent resistivity value of ASRS at Brookshabad.	110
4.11.	Normalised apparent resistivity value of ASRS at Namunaghar.	113
4.12.	Normalised apparent resistivity value of ASRS at Mithghari.	115
4. 13.	Normalised apparent resistivity value of ASRS at Collinpur.	117
4. 14	Shows the locations of three types tectonic features classified in the study area.	125
4.15	Percentage of contemporary stress pattern from seismogenic earthquake fault types from south to north.	126
5. 1	Shows seismic Source zones with highest earthquake magnitude, fault style and depth of the earthquake occurrences.	132
5. 2	Shows the coefficients and parameters.	134
5. 3	Site categories in NEHRP provisions.	136

5. 4	Shows the earthquake magnitude (M_w), distances of seismic source and PGA values for rock groups.	138
5. 5	Shows the PGA value calculated for the closest fault distances of seismic source zones for four group of rocks.	142