

## REFERENCE

- AbdelRahman Mohamed, A.E., Natarajan, A. and Hegde, R. (2016). Assessment of land suitability and capability by integrating remote sensing and GIS for agriculture in Chamarajanagar district, Karnataka, India, *The Egyptian Journal of Remote Sensing and Space Sciences*,19:125–141.
- Abu-Ghanem, A. E. (2002). The major soil subgroups of Albawn area, their characteristics and evaluation, *Soil Dept., Faculty of Agriculture, Sana'a University -Yemen.*:3-8.
- Adamchuk, V. I., Hummel, J. W., Morgan, M. T. and Upadhyaya, S. K. (2004). On-the-go soil sensors for precision agriculture. *Computers and Electronics in Agriculture* 44: 71–91.
- Aggelopoulou, A. D., Bochtis, D., Fountas, S., Swain, K. C., Gemtos, T. A. And Nanos, G. D.(2011). Yield prediction in apple orchards based on image processing, *Precision Agriculture*. DOI: 10.1007/s11119-010-9187-0 1
- Ahamed, T.R. N., Rao, K. G. and Murthy, J.S.R. (2000). GIS-based fuzzy membership model for crop-land suitability analysis. *Agricultural Systems*, 63: 75-95.
- Aimrun, W., Amin, M. S. M., Ezrin, M. H. and Mastura, M. (2011). Paddy soil properties and yield characteristics based on apparent electrical conductivity zone delineation for a humid tropical rice farm, *African Journal of Agricultural Research*,6(23):5339-5350.
- Akinci, H., Ozalp, A.Y. and Turgut, B. (2013). Agricultural land use suitability analysis using GIS and AHP technique. *Journal of Computers and Electronics in Agriculture*, 97:71-82.
- Alex, M., Whelan, B., Ancev, T. and Bouma J. (2005). Future Directions of Precision Agriculture, *Precision Agriculture*, 6:7–23.
- Anasiru, R. H. (1999). Land Evaluation for Suitability of Crops and Farm Mechanization Potential Using GIS in Sidenreng, Rappang District, South Sulawesi, Indonesia, AIT Thesis No.AE-99-03, Bangkok, Thailand.
- Anonymous. (2002). Rice in India - A Status Paper. Directorate of Rice Development, Patna, May 2002.
- Anonymous. (2009). Annual Report, 2007-08 Department of Agriculture, Government of West Bengal, Writers' Buildings, Kolkata-700 00,1:92.
- Arjun, K.M. (2013). Indian Agriculture- Status, Importance and Role in Indian Economy, ISSN 2249-3050,4 (4): 343-346.

- Aronoff, S. M. (1989). *Geographic Information System: A Management Perspective*. WDL Publication, Canada.
- Ayehu, G T. and Besufekad S. A.(2015). Land Suitability Analysis for Rice Production: A GIS Based Multi-Criteria Decision Approach, *American Journal of Geographic Information System* , 4(3): 95-104, DOI: 10.5923/j.ajgis.20150403.02.
- B.A.E.S.& Govt. of W. B. (2014). *Bureau of Applied Economics and Statistics Department of Statistics and Programme Implementation Government of West Bengal, Statistical Handbook West Bengal*.
- Baja, S., Chapman, D.M. and Dragovich, D. (2007). Spatial based compromise programming for multiple criteria decision making in land use planning. *Environmental Modeling and Assessment* ,12: 171–184.
- Bakker, W.H., Janssen, L.L.F., Weir, M.J.C., Gorte, B.G.H., Pohl, C., Woldai, T., Horn, J.A. and Reeves, C.V. (2000). *Principles of Remote Sensing*. Enschede, The Netherlands, The Institute for Aerospace and Earth Sciences (ITC).
- Ball, J. (2002). Towards a methodology for mapping regions for sustainability using PPGIS. *Progress in Planning* 58 (2): 81–140.
- Banai, R. (1993). Fuzziness in geographic information systems: contributions from the analytic hierarchy process. *International Journal of Geographical Information Systems*, 7:315–329.
- Barzilai, J. (1998). On the decomposition of value functions. *Operations Research Letters*, 22 (4–5):159–170.
- Batten, D.G. (2002). *Relating minerals in rice shoots and grain to soil tests, yield and grain quality, A report for the Rural Industries Research and Development Corporation*. RIRDC Publication, 02(101):1-25.
- Belder, M. and Ali, E.A D. M. (1998). *The soils of the central highlands agriculture Research Station (CHARS), Food And Agricultural Organization Of The United Nations Environmental Resource Assessment For Rural Land Use Planning GCP/YEM/021/NET Field Document*, 9:33.
- Belton, V. and Gear, A.E. (1983). On a shortcoming of Saaty's method of analytic hierarchies. *Omega*, 11 (3):228–230.

- Bhopal (IISS), (2005). Soil fertility map of different districts in West Bengal Indian Institute of Soil Science, Bhopal District Map-Indian Institute of Soil Science, Bhopal, [www.iiss.nic.in/DistrictNPK\\_Soil map State. asp-West Bengal](http://www.iiss.nic.in/DistrictNPK_Soil%20map%20State.asp-West%20Bengal).
- Bhuiyan, N.I. (2001). Application of Integrated Plant Nutrition System (IPNS) in Agriculture-Bangladesh Experiences. Country paper presented in ESCAP Organized Regional Workshop on “Integrated Plant Nutrition System (IPNS) Development and Rural Poverty Alleviation” held on 18-20 September, Bangkok, Thailand.
- Black, C.A. (1965). Methods of soil analysis. Part I. American Society of Agronomy, Madison, Wisconsin, USA.
- Boitt, M. K., Mundia, C. N., Pellikka, P.K. E. and Kapoi, J. K. (2015). Land Suitability Assessment For Effective Crop Production, a Case Study of Taita Hills, Kenya, Journal of Agricultural Informatics, (ISSN 2061-862X), 6(2): 23-31.
- Boonyanuphap, J., Wattanachaiyingcharoen, D. and Sakurai, K. (2004). GIS-based land suitability assessment for Musa (ABB group) Plantation. J. Appl. Horticulture, 6(1): 3-10.
- Box, E.O., Holben, B.N. and Kalb, V. (1989). Accuracy of the AVHRR Vegetation Index as a predictor of biomass, primary productivity and net CO<sub>2</sub> flux. Vegetation, 80: 71–89.
- Brady, N. C. (1974). The Nature and Properties of Soil. (9th Ed.) Macmillan Publishing Company: New York, USA.
- Buhari ,U. M. (2014). Sugar Cane Modelling Using GIS and Remote Sensing Techniques, School of Applied Sciences Geographical Information Management, Cranfield University:52. [https://www.wossac.com/projects/documents/Buhari\\_thesis.pdf](https://www.wossac.com/projects/documents/Buhari_thesis.pdf).
- Buoycos, G.S. (1962). Hydrometer method improved for making particle size analysis of soils. Agronomy Journal,54: 27-39
- Buringh, P. (1982). Potentials of world soils for agricultural production. (In) Transactions of the 12 th International Congress of Soil Science. New Delhi, Indian Society of Soil science,1:33-41.
- Burrough, P. A. (1986). Principles of Geographic Information Systems for Land Resources Assessment, Clarendon Press Oxford.
- Calcutta yellowpages ,<http://www.calcuttayellowpages.com/agriculture.html> ,06/07/2017
- Carver, S.J. (1991). Integrating multi-criteria evaluation with geographical information systems. International Journal of Geographical Information Systems, 5 (3): 321–339.

- Chatterjee, S.P. (1949). Bengal in Maps, Calcutta: 22-23.
- Chen, J. Z., Chen, J., Xie, X. J. and Zhang, X. L. (2003). Soil pollution and its environmental impact. *Soils (in Chinese)*, 35(4): 298-303.
- Chinchmalatpure, A. R., Gowrisankar, D., Challa, O. and Sehgal, J. (1998). Soil-site suitability of micro-watershed of Wunna catchment near Nagpur, *Journal- Indian Society Of Soil Science*, 46(4): 657-661.
- Chopra, S.L. and Kanwar, J.S. (2005). *Analytical Agricultural Chemistry*. Kalyani Publishers, New Delhi
- Chuong, H.V. (2011). Land suitability analysis and evaluation for production of fruit trees using GIS technology. A case study at Thua Thien. *Journal of Science*, Hue University, 67(4A):13-22.
- Colvin, T. S. and Arslan, S. (2000). A review of yield map reconstruction and sources of errors in yield maps. In: *Proceedings of the 5th International Conference on Precision Agriculture and Other Resource Management*, edited by P. C. Robert, R. H. Rust and W. E. Larson (American Society of Agronomy, USA) :13.
- Comprehensive District Agriculture Plan (CADP), Hooghly District, (2009-2012), XI Five Year Plan:1-139, [www.nabcons.com](http://www.nabcons.com)
- Cook, S. E., Brien, R. O., Corner, R. J. and Oberthur. T. (2003). Is precision agriculture irrelevant to developing countries, *Precision Agriculture*, Wageningen Academic Publishers, Germany:115-120.
- Coppock, J.T. and Rhind, D.W. (1991). The History of GIS. In: Maguire, D.J., Goodchild, M.F., Rhind, D.W. (Eds.), *Geographical Information Systems: Principles and Applications*, Longman Scientific and Technical, London: 21–43.
- Corbett, J.D. (1996). Dynamic crop environment classification using interpolated climate surfaces. In Goodchild, M.F., Steyaert, L.T. and Parks, B.O. (eds). *GIS and Environmental Modeling: Progress Research Issues*. GIS World Book, Fort Collins:117–122.
- CSO : Central Statistics Office,(2015). *Agricultural Statistics at a glance 2015*. Government of India Ministry of Agriculture & Farmers Welfare Department of Agriculture, Cooperation & Farmers Welfare Directorate of Economics and Statistics, [www.agricoop.nic.in](http://www.agricoop.nic.in) & <http://eands.dacnet.nic.in>

- Dahal, H., and Routray, J. K. (2011). Identifying associations between soil and production variables using linear multiple regression models. *The Journal of Agriculture and Environment*, 12:27-37.
- Das, D. (2000). Integrated Remote Sensing and Geographical Information System Based Approach towards Groundwater Development through Artificial Recharge in Hard-Rock Terrain, International Water Management Institute (IWMI), Research Impact.
- Dengiz, O. (2013). Land suitability assessment for rice cultivation based on GIS modeling. *Turkish J Agr Forestry*, 37:1–9.
- Department of Agriculture, GOWB. (2012). Economic Review. Evaluation wing, Directorate of Agriculture, West Bengal: 65.
- Dingshan, S. and Liuxi, M. (1992). A Research on the Method of NOAA/ AVHRR Monitor of Remote-Sensing the Growing Tendency of Winter Wheat, *Acta Meteorologica Sinica*, 50 (4) : 520-523.
- Directorate of Economics & Statistics, DAC&FW (2015). Agriculture Statistics at a glance 2016, GOI.
- District Statistical Handbook, Hooghly (2006). Government of India.
- Directorate of Economics & Statistics Department of Agriculture & Cooperation Ministry of Agriculture GOI, New Delhi May, (2008). <http://aps.dac.gov.in/APY/Index.htm>. Directorate of Agri., (Evaluation wing), Govt. of W. B.
- District Human Development Report (HDR): Hooghly ,(2010). Development & Planning Department Government of West Bengal: 279-322.
- District Human Development Report (HDR): Hooghly,(2011). Development & Planning Department Government of West Bengal.
- District Statistical Hand Book, Hooghly, (2010-11), and Agricultural Meteorologist, Directorate of Agriculture, Govt. of West Bengal. Meteorological Department, Govt. of India.
- Duc, T.T. (2006). Using GIS and AHP technique for land – use suitability analysis. International Symposium on Geoinformatics for Spatial Infrastructure Development in Earth and Allied Sciences: 1-6.
- Dyson, T. (1999). World food trends and prospects to 2025. *PNAS*, 96: 5929–5936.

- Eastman, J.R., Jin, W., Kyem, A.K. and Toledano, J. (1995). Raster procedures for multi-criteria/multi-objective decisions. *Photogrammetric Engineering and Remote Sensing*, 61(5):539–547.
- Eastman, J.R. (1997). *Idrisi for Windows, Version 2.0: Tutorial Exercises*, Graduate School of Geography—Clark University, Worcester, MA.
- Eckert, S. and Kneubuhler, M. (2004). Application of HYPERION data to agricultural land classification and vegetation properties estimation in Switzerland. *Proceedings of the XXth ISPRS Congress. 2004. "Geo-Imagery Bridging Continents", 12-23 July 2004, Istanbul, Turkey.*
- Ehammer, A., Fritsch, S., Conrad, C., Lamers, J. and Dech, S. (2010). Statistical derivation of FPAR and LAI for irrigated cotton and rice in arid Uzbekistan by combining multi-temporal RapidEye data and ground measurements. In: *Proc. SPIE 7824,782409:10.*
- Eldrandaly, K., Eldin, N., Sui, D., Shouman, M. and Nawara, G. (2005). Integrating GIS and MCDM Using COM Technology“. *The International Arab Journal of Information Technology*, 2(2).
- ERDAS Field Guide, (1991).ERDAS, Inc.Atlanta, Georgia 30329-2137 USA, Second edition:1-653.
- ESRI, (2000). *Using ModelBuldere for ArcVieww Spatial Analyst*, ESRI, Redlands, CA.
- FAO. (1976). *A Frame Work for Land Evaluation*. FAO Rome and ILRI, Wageningen, Soil Bulletin No. 32.
- FAO. (1983). *Guidelines: Land Evaluation for Rainfed Agriculture*. FAO Soils Bulletin no. 52, Rome,
- FAO. (1985): *Guidelines: Land Evaluation for Irrigated Agriculture*, FAO Soils bulletin 55. Rome.
- FAO. (1993). *A Frame Work for Land Suitability Study for Irrigated Agriculture*, Rome Italy.
- FAO. (2003). *More crops per drop: The role of agriculture is essential in resolving the world's water problems*, Information office, FAO. [www.fao.org/english/newsroom/focus/2003/water.htm](http://www.fao.org/english/newsroom/focus/2003/water.htm).
- Fischer, G., Shah, M., Van Velthuisen, H. and Nachtergaele, O.F. (2001). *Global agroecological assessment for agriculture in the 21st Century*, IIASA and FAO Publication, International Institute for Applied Systems Analysis, Schlossplatz 1,Laxenburg, Austria:1–44.

- Fountas, S., Ess, D., Sorensen, C.G., Hawkins, S., Pedersen, H.H., Blackmore, S. And Deboer, L.J. (2004). Farmer experience with Precision Agriculture in Denmark and US Eastern Corn Belt. Precision Agriculture.
- Fresco, L. O., Huizing, H., Keulen, H. V., Luning, H. A. and Schipper, R. A. (1994). Land Evaluation and Farming Systems Analysis for Land Use Planning, FAO Working Document.
- FRG, (2012). Fertilizer Recommendation Guide, Bangladesh Agriculture Research Council (BARC), Farmgate, Dhaka, 1215:274.
- Fritsch, S. (2013). Spatial and temporal patterns of crop yield and marginal land in the Aral Sea Basin: derivation by combining multi-scale and multi-temporal remote sensing data with a light use efficiency model, Dissertation zur Erlangung des naturwissenschaftlichen Doktorgrades der Julius-Maximilians-Universität Würzburg,:1-159.
- FSI (2007). Forest and Tree Resources in state and Union Territories. West Bengal:163-166.
- Geetha, G.P., Dhumgond, P., Shruti, Y., Ramakrishna P.V.R. and Sathish, A. (2017). Study of Land Evaluation in Giddadapalya Microwatershed, Tumkur District, Journal of Pharmacognosy and Phytochemistry, 6(5): 2123-2130.
- Girma, R., Moges, A. and Quraishi, S. (2015). GIS Based Physical Land Suitability Evaluation for Crop Production in Eastern Ethiopia: A Case Study in Jello Watershed. Agrotechnol doi:10.4172/2168-9881.1000139, 4: 139.
- Godwin, R. J. and Miller, P. C. H. (2003). A review of the technologies for mapping within-field variability. Biosystems Engineering, 84:393–407.
- Gouvenian, R. D. (1995). Use of GIS for Sensitive Plant Species Conservation in Land Use Planning. The Environmental Professional. USA.17:27-33.
- Government of India (GOI), (2000). Mid-term Appraisal on Ninth Five Year Plan (1997-2002), Planning Commission, New Delhi.
- Gregory, P. J. (1994). Root growth and activity. In “Physiology and Determination of Crop Yield” (G. A. Peterson, Ed.): 65–93. ASA, CSSA, and SSSA, Madison, WI.
- Groten, S. M. E. (1993). NDVI-crop monitoring and early yield assessment of Burkina Faso. International Journal of Remote Sensing, 14: 1495-1515.

- Hammond, C., Hall, D., Miller, S. and Swetik, P. (1992). Level I stability analysis (LISA) documentation for version 2, General Technical Report INT-285, USDA Forest Service Intermountain Research Station, Ogden, UT:121.
- Hayes, M. J. and Decker, W. L. (1996). Using NOAA AVHRR to estimate maize production in the United States corn belt. *Int. J. Remote Sens.* 17: 3189–3200.
- Heywood, I., Cornelius, S. and Carver, S. (2002). *An Introduction to Geographical Information Systems*, Prentice Hall, Harlow, England.
- Hoobler, B.M., Vance, G.F., Hamerlinck, J.D., Munn, L.C. and Hayward. J.A. (2003). Applications of land evaluation and site assessment (LESA) and a geographic information system (GIS) in East Park County, Wyoming. *Journal of Soil and Water Conservation*, 58:105-112
- Hua, M J . and Fang, W. B. (2008). Study on the crop condition monitoring methods With remote sensing, *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. Vol. XXXVII. Part B8: 945-949.
- Jackson, M.L. (1973). *Soil Chemical Analysis*. Prentice Hall, New York.
- Jankowski, P. (1995). Integrating geographical information systems and multiple criteria decision making methods. *International Journal of Geographical Information Systems*, 9:251–273.
- Jayasinghe, P. K. S. C. T. and Machida, T. (2008). Web-based Online Consulting System with Crop-Land Suitability Identification, *Agricultural Information Research*, 17(1):13-19.
- Jin, J. and Jiang. C. (2002). Spatial variability of soil nutrients and site-specific nutrient management in the P. R.China. *Computers and Electronics in Agriculture*, 36:172.
- Joerin, F., Theriault, M. and Musy, A. (2001). Using GIS and outranking multicriteria analysis for land-use suitability assessment. *International Journal of Geographical Information Science*, 15 (2):153–174.
- Johnson, D. G. (1999). The growth of demand will limit output growth for food over the next quarter century. *PNAS*, 96: 5915–5920.
- John, H. (2017). *Land Suitability Analysis from Space for Crop Farming: The Case of Ward 36, Mberengwa District in Zimbabwe*, dissertation, Midlands State University, <https://www.google.co.in/search?q=crop+landsuitability+by+NDVI+analysis&rlz=1C1CH>



BF\_enIN789IN789&oq=crop+landsuitability+by+NDVI+analysis&aqs=chrome..69i57.18580j1j7&sourceid=chrome&ie=UTF-8:1-42(24/01/2017).

- Joshi, P.S., Mankad, M.D., Chavan, M.C., Suryawanshi, R.C. and Datye, V.S. (2011). Land suitability assessment for selected crops in hot dry semi arid agro-ecological sub-region of Maharashtra State using GIS, *International Journal of Basic and Applied Research*, 1:73- 80. <https://www.researchgate.net/publication/310488302>:
- Kalogirou, S. (2002). Expert systems and GIS: an application of land suitability evaluation. *Computers, Environment and Urban Systems*, 26 (2-3):89–112.
- Kamkar, B., Dorri, M.A. and Silva, J.A.T.D. (2014). Assessment of land suitability and the possibility and performance of a canola (*Brassica napus* L.) – soybean (*Glycine max* L.) rotation in four basins of Golestan province, Iran. *The Egyptian Journal of Remote Sensing and Space Sciences*, 17: 95 -104.
- Kashyap, P. (2010). *Irrigated Agriculture*, Oxford Book Company, New Delhi: 25-41.
- Kaur, D. (1991). *Changing Patterns of Agricultural Landuse (A spatial Analysis of Bist Doab Punjab)*, Rawat Publications, New Delhi:166.
- Krishna, G.V.T. G. and Regil, R. (2014). Agricultural Land Suitability Analysis of a River Basin Area using Remote Sensing and GIS, *International Journal of Geospatial Engineering and Technology*, 1( 1): 37- 42.
- Lillesand, T. M. and Keifer, R.W. (1987). *Remote Sensing and Image Interpretation*. John Wiley and Sons, Singapore.
- Lillesand, T. M., Kiefer, R. W. and Chipman, J. W. (2004). *Remote Sensing and Image Interpretation*. New York, John Wiley and Sons.
- Lindsay, W.L. and Norvell, W.A. (1978). Development of a DTPA micronutrients soil test for Zn, Fe, Mn and Cu. *Soil Sci. Soc. Am. Proceeding*, 42: 421-428.
- Liu, Y. S. and Deng, X. Z. (2001). Structural patterns of land types and optimal allocation of land use in Qinling Mountainous. *Journal of Geographical Sciences*. 11(1): 99-109.
- Liu, Y. S., Gao, J. and Yang, Y. F. (2003). A holistic approach towards assessment of severity of land degradation along the Great Wall in Northern Shaanxi Province, China. *Environmental Monitoring and Assessment*, 82(2): 187-202.
- Liu, Y. S., Hu, Y. C. and Peng, L. Y. (2005). Accurate quantification of grassland cover density in an alpine meadow soil based on remote sensing and GPS. *Pedosphere*, 15(6): 778-783.

- MacDonald, J.A. (2006). A Decision-Support Model of Land Suitability Analysis for the Ohio Lake Erie Balanced Growth Program. AICP EcoCity Cleveland :1-50.
- Malczewski, J. (1999). GIS and Multicriteria Decision Analysis, Wiley, New York.
- Malczewski, J. (2004). GIS-based land-use suitability analysis: a critical overview. *Progress in Planning*, 62 : 3–65.
- Maohua, W. (2001). Possible adoption of precision agriculture for developing countries at the threshold of the new millennium. *Computer and Electronics in Agriculture*, 30:145-50.
- Martin, D. and Saha, S.K. (2009). Land evaluation by integrating remote sensing and GIS for cropping system analysis in a watershed. *Current Science*, 96(4):569-575.
- Mashreki, M.H.A., Akhir, J.B.M., Rahim, S.A., Desa, K.M. and Rahman, Z.A. (2010). Remote Sensing and GIS application for assessment of land suitability potential for agriculture in IBB governorate, the republic of Yemen. *Pakistan Journal of Biological Sciences*, 13(23):1116-1128.
- McHarg, I.L. (1969). *Design With Nature*, Wiley, New York.
- Ministry of Agriculture (2011). Govt. of India Census reports.
- Mongkolsawat, C. and Paiboonsak. S. (2014). GIS-based Land Evaluation for Combining Economic Crops as a Model for Agricultural Land Use Planning, Geoinformatics Center for The Development of Northeast Thailand, KhonKaen University. Research Gate:1-5,a-a-r-s.org.
- Mueller, T., Pierce, F., Schabenberger, O. and Warncke, D.D. (2001). Map Quality for Site-Specific Fertility Management. *Soil Science Society of America Journal*, 65:1547-1558. 10.2136/sssaj2001.6551547x.
- NABARD (2012). National Bank for Agriculture and Rural Development, XI Five Year Plan (2009-12 Period):1-163.
- NBBS & LUP, (1990). Soil resources of Tamil Nadu for land use planning - detailed report Bangalore Centre.
- NBBS & LUP (1992). Soil of West Bengal, NBSS Publ.27:1-48.
- NBBS & LUP (2001). Soil series of West Bengal, NBSS publ. no. 89. NBSS and LUP (ICAR), Nagpur:38–40.

- Nualachawee, K. and Barcareza, L. (1996). Application of RS/GIS techniques for land use mapping land suitability studies of a national forest, Thailand . *International Archives of Photogrammetry and Remote Sensing*,31(B4): 609-615.
- Olsen, S.R., Cole, C.V., Watanabe, F.S. and Dean, L.A. (1954). Estimation of Available Phosphorus in Soils by Extraction with Sodium Bicarbonate. USDA Circular 939. Washington D.C.
- Pereira, J.M.C. and Duckstein, L. (1993). A multiple criteria decision-making approach to GIS-based land suitability evaluation. *International Journal of Geographical Information Systems*, 7 (5):407–424.
- Perveen, M.F., Nagasawa, R., Uddin, M.I. and Delowar, H.K.M. (2007). Crop-land suitability analysis using a multicriteria evaluation & GIS approach. In: 5<sup>th</sup> International Symposium on Digital Earth (ISDE5), June 5–9, University of California, Berkeley, USA: 1-8.
- Perveen, F., Nagasawa, R., Md Ali, S. and Husnain, H. (2008). Evaluation of aster spectral bands for agricultural land cover mapping using pixel-based and object-based classification approaches. Conference: GEOBIA 2008-Pixels, Objects, intelligence. Geographic Object Based Image Analysis for 21 century. At: University of Calgary , Calgary Alberta, Canada, Volume: ISPRS Vol. No. XXVII I - 4/ C 1.
- Perveen, M. F., Nagasawa R., Ahmed , A. O. C., Uddin, M. I. and Kimura, R. (2008). Integrating biophysical and socio-economic data using GIS for land evaluation of wheat cultivation: A case study in north-west Bangladesh , *Journal of Food, Agriculture & Environment*, 6(2): 432 - 437 .
- Peuguet, D. J. and Marble, D. F. (1990). (Ed) *Introductory Readings in GIS*, Tahlor and Francis, London.
- Piper. C.S. (1942). *Soils and Plant analysis*. The university of Adelaide; Adelaide.
- Prakash, N.T. (2003). Land suitability analysis for agricultural crops : a fuzzy multicriteria decision making approach. International Institute for Geo Information Science and Earth Observation Enschede, The Netherlands:1-57.
- Rajan, M. S. (1991). *Natural Resources Management. Remote Sensing and Geographic Information Systems for Natural Resources Management*, Paper No. 9. Asian Development Bank, ADB Environment, Philippines.

- Ravallion, M. and Datt, G. (1996). How Important to India's Poor is the Sectoral Composition of Growth in India, *World Bank Economic Review*, 10: 1-25.
- Rigaux, P., Voisard, A. and Scholl, M.O. (2002). *Spatial Databases: With Application to GIS*, Morgan Kaufman, Los Altos.
- Roo, D.H.C. and Waggoner, P.E. (1961). Root development of potatoes. *Agron. J.* 53: 15-17.
- Rosegrant, M. W., Paisner, M. S., Meijer, S. and Witcover, J. (2001). *Global Food Projections to 2020. Emerging Trends and Alternative Future*. Washington, DC: International Food Policy Research Institute.
- Rossiter, D.G. and Van Wambeke, A.R. (1997). *Automated Land Evaluation System (ALES), version 4.65 user's manual*. Cornell Univ., Soil Dept., Crop & Atmosphere Sciences SCAS teaching series no. T93-2 revision 6. Ithaca, NY USA.
- Runquist, S., Zhang, N. and Taylor. R. K. (2001). Development of a field level geographic information system. *Computer and Electronics in Agriculture*, 31: 201-209.
- Rundquist, D. C., Jensen, J. R ., Nyquist, M. and Owens, T. W. (2002). Selected examples of remote sensing projects. In *Manual of Geospatial Science and Technology*, J. D. Bossler, J. R. Jensen, R. B. McMaster, and C. Rizos (eds):364-388, (London; New York: Taylor & Francis).
- Saaty, T.L. (1977). A scaling method for priorities in hierarchical structures. *Journal of Mathematical Psychology*, 15: 57-68.
- Saaty, T.L. (1980). *The analytic hierarchy process*, McGraw-Hill, New York.
- Saaty, T.L. and Vargas, L.G. (2001). *Models, Methods, Concepts and Applications of the Analytic Hierarchy Process*. Kluwer, Dordrecht.
- Samanta, S., Pal, B. and Pal, D.K. (2011). land suitability analysis for rice cultivation based on multi-criteria decision approach through GIS in, Morobe Province, Papua New Guinea. *Int. J Sci. Emerging Tech*, 2 (1):12-20.
- Santos, T., Tenedorio, J. A., Encarnacao, J. S. and Rochae (2005). *SATSTAT: Exploratory Analysis of Envisat-MERIS Data for Land Cover Mapping of Portugal in 2003*. Proceedings of the 14th European Colloquium on Theoretical and Quantitative Geography.
- Schmitz, P.M.U.(2008). Using supply chain management to enable GIS units to improve their response to their customers' needs. incorporating the GISSA 2008 Conference 29

- September - 3 October 2008, Cape Town, South Africa ISBN 978-0-620-42117-1:100-107.
- Setojima, M., Horiuchi, T. M. and Yoshinga, K. (1988). GIS for Agriculture Development by the Use of Remote Sensing and GIS. Proceedings of Workshop on GIS, ESCAP/UNDP/National Research Council of Thailand, Bangkok, 21-29 November.
- Silva, A. C. and Blanco, J. L. (2003). Delineation of suitable areas for crops using a Multi-Criteria Evaluation approach and land use/cover mapping: A case study in Central Mexico. *Agricultural Systems*. 77:117-136. 10.1016/S0308-521X(02)00103-108.
- Singha, C. and Swain, K. C. (2016). Land suitability evaluation criteria for agricultural crop selection: A review. *Agricultural Reviews*, 37 (2): 125-132.
- Singh, S. (2017). Change detection using remote sensing-. Land cover change analysis of the teba catchment in Spain. (a case study), Acces 29.04.2017, = [www.iasri.res.in/.../Chap%2020\\_Change%20Detection%20using%20RS\\_sharda%20si](http://www.iasri.res.in/.../Chap%2020_Change%20Detection%20using%20RS_sharda%20si).
- Smyth. A.J. and Dumanski, J. (1993). FESLM:Aninternational frame work for evaluation using sustainable and management (FAO, Soil Resource Paper),FAO, Rome, Italy.
- Sohan L., Despande, B.B. and Sehga, J.L. (1994). Soil Series of India,national Bureau of Soil Survey, (NBBS). Pub.No. 40.
- Soil Survey Staff (1975). Soil taxonomy. U.S. Dep. Agric. Handbk. No. 436. U.S. Government Printing Office, Washington, D.C.:754.
- Soil Survey Staff (1993). Soil survey manual. Agricultural handbook. No. 18, US Department of Agriculture, Soil Conservation Service, Washington, DC.
- SREP (2011). Strategic Research and Extension Plan, Government of West Bengal.
- Srivastava, S. (2001). Space Inputs for Precision Agriculture: Scope for Proto-Type Experiments in the Diverse Indian Agro-Ecosystems, ISRO, Bangalore, India.
- Statistics on the Unites States of America (2002). Cobra USA Statistics USA.<http://www.cobras.org/usastats.htm>.
- State Statistical Handbook (2014). Bureau of Applied Economics & Statistics, Department of Statistics and Programme Implementation Government of West Bengal.
- Steinitz, C., Parker, P. and Jordan, L. (1976). Hand drawn overlays: their history and prospective uses. *Landscape Architecture*, 9: 444–455.

- Subbaiah, B.V. and Asija, G.L. (1965). A rapid procedure for determination of available nitrogen in soil. *Current Science*, 25: 259-260.
- Swain, S. (2001). *Geo-Information System for Land Suitability Assessment and Participatory Land Use Planning and Management for a Micro-Watershed in Orissa, India*, AIT Thesis No. RD-01-10, Asian Institute of Technology, Bangkok, Thailand.
- Swain, K.C., Thomson, S.J. and Jayasuriya, H.P.W. (2010). Adoption of an unmanned helicopter for low-altitude remote sensing to estimate yield and total biomass of a rice crop. *Transaction of ASABE*, 53: 21–27.
- Sys, C., Van Ranst, E. and Debaveye, J. (1991). *Land evaluation, part I: Principles in land valuation and crop production calculation*. Agricultural Publications General Administration for Development Cooperation, Brussels, Belgium:7.
- Sys, C., Van Ranst, E., Debaveye, J. and Beernaert, F. (1993). *Land evaluation, Part III: Crop requirements*. Agricultural Publications No 7. General Administration for Development Cooperation, Belgium.
- Tabi, F.O., Omoko, M., Boukong, A., Mvondo, Ze. A.D., Bitondo, D. and Fuh Che, C. (2012). Evaluation of lowland rice (*Oryza sativa*) production system and management recommendations for Logone and Chari flood plain – Republic of Cameroon. *Agricultural Science Research Journals*, 2(5):261-273.
- Townshend, J. R. G. (1981). (2 Ed.) *Terrain Analysis in Remote Sensing*. Allen and Unwin, Landon.
- Treitz, P. (2003). *Remote sensing for mapping and monitoring land-cover and land-use change*. *Progress in Planning* in press.
- Trung, N.H., Tri, L.Q., Mensvoort, M.E.F.V. and Bregt. A. (2006). *Comparing Land-Use Planning Approaches in the Coastal Mekong Delta of Vietnam*, In C. T. Hoanh, et al., eds. *Environment and Livelihoods in Tropical Coastal Zones: Managing Agriculture-Fishery-Aquaculture Conflicts*. CABI Publishing, UK.
- Tucker, C.J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8: 127–150:217-224.
- Tucker, C., Vanpraet, C., Sharman, M. and van Ittersum, G. (1985). Satellite remote sensing of total herbaceous biomass production in the Senegalese Sahel: 1980-1984. *Remote Sensing of Environment*, 17(3): 233–249.

- Tupe, B. K. (2009). The Changing Cropping Pattern - A Case Study of Rahata Taluka in Ahmednagar district, Unpublished M.Phil Dissertation, Submitted to Tilak Maharashtra Vidyapeeth, Pune, M. S, India:35-37.
- USDA (1980). Agricultural Research Service, Soil Texture Classification, Department of Biological System Engineering, Washington State University, USA.
- Vasundhara, R., Dharumarajan, S., Hegde, R., Srinivas, S., Niranjana, K. V., Srinivasan, N. and Singh, S. K. (2017). Characterization and Evaluation of Soils of Singanallur Watershed Using Remote Sensing and GIS, International Journal of Bio-resource and Stress Management , 8(1):051-056.
- Vinay, L. (2007). Characterization and classification of soil resource of Bhanapur microwatershed (Koppal district) for land evaluation. (Ph.D thesis). University of Agricultural Sciences, Dharwad. India.
- Vink, A. P. A. (1975). Introduction to Land Use in Advancing Agriculture Springer-Vetlag, Heiddlerg, Berlin, New York :394.
- Vogel, R. (2008). A Software Framework for GIS-based multiple criteria evaluation of land suitability". 11th AGILE International Conference on Geographic Information Science, University of Girona, Spain:1.
- Vyas, V.S. (2001). Agriculture: Second Round of Economic Reforms, Economic and Political Weekly, March 10.
- Walkley, A. and Black, L.A. (1934). An Examination of Datjareff Method for Determining Soil Organic Matter: and a Proposed Modification of the Chromic Acid Titration Method. Soil Science. 37: 29-38.
- Wandahwa, P. and Van Ranst, E. (1996). Qualitative land suitability assessment for pyrethrum cultivation in west Kenya based upon computer-captured expert knowledge and GIS, Agriculture, Ecosystems and Environment, 56:187 -202.
- Wang, F., Hall, G.B. and Subaryon, O. (1990). Fuzzy information representation and processing in conventional GIS software: database design and applications. Int. Jl. Geographical Information Systems, 4: 261-283.
- Whelan, B. M. and McBratney, A. B. (2003). Definition and interpretation of potential management zones in Australia. In: Proceedings of the 11th Australian Agronomy Conference, Geelong, Victoria, Feb. 2–6.

- Wu, L. X., Sun, B., Zhou, S. L., Huang, S. E. and Zhao, Q. G. (2004). A new fusion technique of remote sensing images for land use/cover. *Pedosphere*, 14: 187-194.
- WW-03425-GO ,(2017). Regents of the University of Minnesota.
- Yamaguchi, J. and Tanaka, A. (1990). Quantitative observation on the root system of various crops growing in the field. *Soil Science Plant Nutrition*, 36(3): 483-490.
- Yamamoto, H. (1988). Land Resources Evaluation for Agriculture Development by the Use of Remote Sensing and GIS, *Asia Pacific Remote Sensing J.*, 1(1): 37-53.
- Yansui, L., Jie-Yong, W. and Li-Ying, G. (2006). GIS-Based Assessment of Land Suitability for Optimal Allocation in the Qinling Mountains, China , *Pedosphere*, 16(5): 579-586.
- Yunhao, C., Peijun, S., Xiaobing, L., Jin, C. and Jing, L. (2006). A combined approach for estimating vegetation cover in urban/suburban environments from remotely sensed data", *Computers and Geosciences*, 32(9):1299-1309.
- Zhang, N., Wang, M. and Wang. N. (2002). Precision Agriculture-a worldwide overview. *Computers and Electronics in Agriculture*, 36:113-132.