

## LIST OF TABLES

S.No.	TITLE
1.	Frequency occurrence of different fungi in rhizosphere and rhizoplane of tomato cv. Pusa Ruby.
2.	Relative abundance (RA) of different fungi in rhizosphere and rhizoplane of tomato cv. Pusa Ruby.
3.	Effect of saprophytic fungi on the growth of pathogenic fungi by agar-disc method.
4.	Effect of culture filtrate of saprophytic fungi when incorporated in the culture medium on the growth of pathogenic fungi.
5.	Effect of inoculating tomato seedling cv. Pusa Ruby with different inoculum levels of root-knot nematode <u>M. incognita</u> on growth of plants.
6.	Effect of inoculating tomato seedlings cv. Pusa Ruby with different inoculum levels of root-knot nematode, <u>M. incognita</u> on root-knot index and multiplication of nematode.
7.	Effect of inoculating tomato seedling cv. Pusa Ruby with different inoculum levels of reniform nematode, <u>R. reniformis</u> on growth of plants.
8.	Effect of inoculating tomato seedlings with different inoculum levels of reniform nematode, <u>R. reniformis</u> on multiplication of nematode.
9.	Effect of inoculating tomato seedling with different inoculum levels of <u>Pythium aphanidermatum</u> on growth of plant and disease index.
10.	Effect of inoculating tomato seedlings with different inoculum levels of <u>Alternaria solani</u> on growth of plants and disease index.

11. Effect of inoculating tomato seedlings with different inoculum levels of Rhizoctonia solani on growth of plant and disease index.
12. Effect of inoculating tomato seedlings with different inoculum levels of Fusarium oxysporum f.sp. lycopersici on growth of plant and disease index.
13. Effect of inoculating seeds of tomato cv. Pusa Ruby with fungus on the germination of seed.
14. Effect of treating seeds of tomato cv. Pusa Ruby with culture filtrates of fungi on germination of seeds after 12 days.
15. Effect of inoculating soil with various fungi separately and together in different combination on germination of seeds of tomato cv. Pusa Ruby and development of damping-off.
16. Effect of inoculating soil with root-knot nematode and different fungi separately and together in various combinations on germination of seeds of tomato cv. Pusa Ruby and damping-off.
17. Effect of inoculating soil with reniform nematode and different fungi separately and together in various combinations on germination of seeds of tomato cv. Pusa Ruby and damping-off.
18. Effect of different combinations of Meloidogyne incognita, Rotylenchulus reniformis and fungi on the emergence of tomato seedlings cv. Pusa Ruby and later damping-off of emerged seedlings.
19. Effect of culture filtrate of different fungi on the larval hatch of root-knot nematode, M. incognita after various intervals.
20. Effect of culture filtrate of different fungi on larval hatch of reniform nematode, R. reniformis after various intervals.
21. Effect of culture filtrate of different fungi on mortality of larvae of M. incognita after various intervals.

22. Effect of culture filtrate of different fungi on mortality of larvae of R. reniformis after various intervals.
23. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Meloidogyne incognita and different inoculum levels of A. solani on growth of plants and disease index.
24. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Meloidogyne incognita and different inoculum levels of A. solani on multiplication of nematode.
25. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita and different inoculum levels of F. oxysporum f.sp. lycopersici on growth of tomato plants and disease index.
26. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita and different inoculum levels of F. oxysporum f.sp. lycopersici on multiplication of nematode.
27. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita and different inoculum levels of R. solani on plants and disease index.
28. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Meloidogyne incognita and different inoculum levels of Rhizoctonia solani on multiplication of nematode.
29. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita and different inoculum levels of P. aphanidermatum on plants and disease index.
30. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita and different inoculum levels of P. aphanidermatum on multiplication of nematode.
31. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of Pythium aphanidermatum on growth of plants and disease index.
32. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of Pythium aphanidermatum on multiplication of nematode.

33. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of Alternaria solani on growth of plants and disease index.
34. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of Alternaria solani on multiplication of nematode.
35. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Rotylenchulus reniformis and different inoculum levels of Rhizoctonia solani on growth of plants and disease index.
36. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of R. solani on multiplication of nematode.
37. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of F. oxysporum f.sp.lycopersici on growth of plants and disease index.
38. Effect of inoculating seedlings of tomato cv. Pusa Ruby with R. reniformis and different inoculum levels of F. oxysporum f.sp.lycopersici on multiplication of nematode.
39. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of P. aphanidermatum on growth of plants and disease index.
40. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of P. aphanidermatum on multiplication of nematode.
41. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of A. solani on growth of plants and disease index.
42. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of A. solani on multiplication of nematode.

43. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels R. solani on growth of plants and disease index.
44. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of R. solani on multiplication of nematode.
45. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and different inoculum levels of F. oxysporum f.sp.lycopersici on growth of plants and disease index.
46. Effect of inoculating seedlings of tomato cv. Pusa Ruby with M. incognita, R. reniformis and F. oxysporum f.sp.lycopersici on multiplication of nematode.
47. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Aspergillus niger, M. incognita and F. oxysporum f.sp. lycopersici on growth of plants and disease index.
48. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Aspergillus niger on the M. incognita and F. oxysporum f.sp.lycopersici on multiplication of nematode.
49. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Aspergillus niger on the R. reniformis and F. oxysporum f.sp.lycopersici growth of plants and disease index.
50. Effect of inoculating seedlings of tomato cv. Pusa Ruby with Aspergillus niger on the R. reniformis and F. oxysporum f.sp.lycopersici on multiplication of nematode.
51. Effect of incorporating 'S' conc. of leaf extracts of different plants on growth of fungi isolated from rhizosphere of tomato.
52. Effect of leaf extract of certain plants on the larval hatch of M. incognita.
53. Effect of leaf extract of certain plants on the larval hatch of R. reniformis.
54. Effect of leaf extract of certain plants on the mortality of root-knot nematode, M. incognita.

55. Effect of leaf extract of certain plants on the mortality of R. reniformis.
  56. Effect of different doses of organic amendment through chopped leaves of certain plants on the growth of tomato plants inoculated with M. incognita.
  57. Effect of different doses of organic amendment through chopped leaves of certain plants on the multiplication of nematode, M. incognita.
  58. Effect of different doses of organic amendment through chopped leaves of certain plants on the growth of tomato plants inoculated with R. reniformis.
  59. Effect of different doses of organic amendment through chopped leaves of certain plants on multiplication of nematode, R. reniformis.
  60. Effect of organic amendment through chopped leaves of Azadirachta indica on the inoculating tomato seedlings cv. Pusa Ruby with M. incognita and F. oxysporum f.sp. lycopersici in plants growth.
  61. Effect of organic amendment through chopped leaves of Azadirachta indica on the inoculating tomato seedlings cv. Pusa Ruby with M. incognita and F. oxysporum f.sp. lycopersici on multiplication of nematode.
  62. Effect of organic amendment through chopped leaves of Azadirachta indica on the inoculating tomato seedlings cv. Pusa Ruby with R. reniformis and F. oxysporum f.sp. lycopersici in plants growth.
  63. Effect of organic amendment through chopped leaves of Azadirachta indica on the inoculating tomato seedlings cv. Pusa Ruby with R. reniformis and F. oxysporum f.sp. lycopersici on multiplication of nematode.
- 
-