

# References

Acien P, Velasco I. Endometriosis: a disease that remains enigmatic. *ISRN Obstet Gynecol.* 2013; 2013: 242149.

Artini P. *Endometriosis and Angiogenic Factors.* Publisher: INTECH. 2012.

Attia GR, Zeitoun K, Edwards D, Johns A, Carr BR, Bulun SE. Progesterone receptor isoform A but not B is expressed in endometriosis. *J Clin Endocrinol Metab.* 2000; 85: 2897-2902.

Baker AH, Edwards DR, Murphy G. Metalloproteinase inhibitors: biological actions and therapeutic opportunities. *J Cell Sci.* 2002; 115: 3719-3727.

Baserga R. The contradictions of the insulin-like growth factor 1 receptor. *Oncogene.* 2000 Nov 20; 19(49):5574.

Becker CM, Sampson DA, Rupnick MA, Rohan RM, Efstathiou JA, Short SM, Taylor GA, Folkman J, D'Amato RJ. Endostatin inhibits the growth of endometriotic lesions but does not affect fertility. *Fertil Steril.* 2005 Oct 31; 84:1144-55.

Becker CM, Sampson DA, Short SM, Javaherian K, Folkman J, D'Amato RJ. Short synthetic endostatin peptides inhibit endothelial migration in vitro and endometriosis in a mouse model. *Fertil Steril.* 2006; 85(1):71-7.

Bedaiwy MA, T Falcone. Peritoneal fluid environment in endometriosis. Clinicopathological implications. *Minerva Ginecol.* 2003; 55: 333-345.

Bischoff F, Simpson JL. Genetic basis of endometriosis. *Ann NY Acad Sci.* 2004; 1034: 284-299.

Bonnans C, Chou J, Werb Z. Remodelling the extracellular matrix in development and disease. *Nat Rev Mol Cell Biol.* 2014; 15:786-801.

Borghese B, Chiche JD, Vernerey D, Chenot C, Mir O, Bijaoui G, Bonaiti-Pellié C, Chapron C. Genetic polymorphisms of matrix metalloproteinase 12 and 13 genes are implicated in endometriosis progression. *Hum Reprod.* 2008 Feb 28;23(5):1207-13.

Brew K, Nagase H. The tissue inhibitors of metalloproteinases (TIMPs): An ancient family with structural and functional diversity. *Biochimica et biophysica acta.* 2010; 1803: 55-71.

Brinckerhoff CE, Matrisian LM. Matrix metalloproteinases: a tail of a frog that became a prince. *Nat Rev Mol Cell Biol.* 2002; 3: 207-214

Bruner-Tran KL, Zhang Z, Eisenberg E, Winneker RC, Osteen KG. Down-regulation of endometrial matrix metalloproteinase-3 and -7 expression in vitro and therapeutic regression of experimental endometriosis in vivo by a novel nonsteroidal progesterone receptor agonist, tanaproget. *J Clin Endocrinol Metab.* 2006; 91: 1554-1560.

Bulun SE. Endometriosis. *New Eng J Med.* 2009; 360: 268-279.

Chung HW, Lee JY, Moon HS, Hur SE, Park MH, Wen Y, Polan ML. Matrix metalloproteinase-2, membranous type 1 matrix metalloproteinase, and tissue inhibitor of metalloproteinase-2 expression in ectopic and eutopic endometrium. *Fertil Steril.* 2002; 78(4):787-95.

Cornet PB, Galant C, Eeckhout Y, Courtoy PJ, Marbaix E, Henriët P. Regulation of matrix metalloproteinase-9/gelatinase B expression and activation by ovarian steroids and LEFTY-A/endometrial bleeding-associated factor in the human endometrium. *J Clin Endocrinol Metab.* 2005;90(2):1001–1011.

Cox KE, Piva M, Sharpe-Timms KL. Differential regulation of matrix metalloproteinase-3 gene expression in endometriotic lesions compared with endometrium. *Biol Reprod.* 2001; 65(4):1297-303.

De Vivo I, Huggins GS, Hankinson SE, Lescault PJ, Boezen M, Colditz GA, Hunter DJ. A functional polymorphism in the promoter of the progesterone receptor gene associated with endometrial cancer risk. *Proc. Natl. Acad. Sci.* 2002 Sep 17;99(19):12263-8.

Deryugina EI, Bourdon MA, Luo GX, Reisfeld RA, Strongin A. Matrix metalloproteinase-2 activation modulates glioma cell migration. *J Cell Sci.* 1997 Oct 1; 110(19):2473-82.

Dmowski WP, Ding J, Shen J, Rana N, Fernandez BB, Braun DP. Apoptosis in endometrial glandular and stromal cells in women with and without endometriosis. *Hum Reprod.* 2001; 16: 1802-1808.

Dunsmore SE, Saarialho-Kere UK, Roby JD, Wilson CL, Matrisian LM, Welgus HG, Parks WC. Matrilysin expression and function in airway epithelium. *J Clin Invest.* 1998; 102: 1321-1331.

Eferl R, Wagner EF. AP-1: a double-edged sword in tumorigenesis. *Nat Rev Cancer.* 2003; 3: 859-868.

Fàbregas FF, Guimferrer MC, Casas FT, Caballero SB, Xauradó RF. Malignant transformation of abdominal wall endometriosis with lymph node metastasis: Case report and review of literature. *Gynecol Oncol Case Rep.* 2014; 8: 10- 13.

Ferrari M, Biondi ML, Rossi G, Grijuela B, Gaita S, Perugino G, Viganò P. Analysis of two polymorphisms in the promoter region of matrix metalloproteinase 1 and 3 genes in women with endometriosis. *Acta Obstet Gynecol Scand.* 2006 Feb 1;85(2):212-7.

Freitas S, Meduri G, Le Nestour E, Bausero P, Perrot-Applanat M. Expression of metalloproteinases and their inhibitors in blood vessels in human endometrium. *Biol Reprod.* 1999; 61(4):1070–1082.

Garcia-Velasco JA, Mulayim N, Kayisli UA, Arici A. Elevated soluble Fas ligand levels may suggest a role for apoptosis in women with endometriosis. *Fertil Steril.* 2002; 78: 855-859.

Gebel HM, Braun DP, Tambur A, Frame D, Rana N, Dmowski WP. Spontaneous apoptosis of endometrial tissue is impaired in women with endometriosis. *Fertil Steril.* 1998; 69: 1042-1027.

Goffin F, Munaut C, Frankenne F, Perrier d'Hauterive S, Béliard A, Fridman V, Nervo P, Colige A, Foidart JM. Expression pattern of metalloproteinases and tissue inhibitors of matrix-metalloproteinases in cycling human endometrium. *Biol Reprod.* 2003; Sep 1;69(3):976-84.

Gomis-Rüth FX. Catalytic Domain Architecture of Metzincin Metalloproteases. *J Biol Chem.* 2009; 284:15353-15357.

Hall JE. *Guyton and Hall Textbook of Medical Physiology.* E-book: Elsevier Health Sciences. 2010

- Hampton AL, Salamonsen LA. Expression of messenger-ribonucleic acid encoding matrix metalloproteinases and their tissue inhibitors is related to menstruation. *J Endocrinol*. 1994;141(1): 1-3.
- Han SJ, Hawkins SM, Begum K, Jung SY, Kovanci E, Qin J, Lydon JP, DeMayo FJ, O'malley BW. A new isoform of steroid receptor coactivator-1 is crucial for pathogenic progression of endometriosis. *Nature medicine*. 2012 Jul 1;18(7):1102-11.
- Han SJ, Jung SY, Wu SP, Hawkins SM, Park MJ, Kyo S, Qin J, Lydon JP, Tsai SY, Tsai MJ, DeMayo FJ. Estrogen receptor  $\beta$  modulates apoptosis complexes and the inflammasome to drive the pathogenesis of endometriosis. *Cell*. 2015;163(4):960-74.
- Han YJ, Kim HN, Yoon JK, Yi SY, Moon HS, Ahn JJ, Kim HL, Chung HW, Haplotype analysis of the matrix metalloproteinase-9 gene associated with advanced-stage endometriosis. *Fertil Steril*. 2009; 91(6), 2324-2330.
- Hanahan D, Weinberg RA. Hallmarks of cancer: the next generation. *Cell*. 2011 Mar 4; 144(5):646-74.
- Harada T, Kaponis A, Iwabe T, Taniguchi F, Makrydimas G, Sofikitis N, Paschopoulos M, Paraskeva E, Terakawa N. Apoptosis in human endometrium and endometriosis. *Hum Reprod Update*. 2004 Jan 1; 10(1):29-38.
- Heaps JM, RK Nieberg, JS Berek. Malignant neoplasms arising in endometriosis. *Obstet Gynecol*. 1990; 75: 1023-1028.
- Henriet P, Cornet PB, Lemoine P, Galant C, Singer CF, Courtoy PJ, Eeckhout Y, Marbaix E. Circulating ovarian steroids and endometrial matrix metalloproteinases (MMPs). *Ann N Y Acad Sci*. 2002; 955:119–138.
- Henriet P, Mon KS, Marbaix E. Are matrix metalloproteinases and their inhibitors reliable diagnosis biomarkers and attractive therapeutic targets in endometriosis? *Metalloproteinases Med*. 2016; 3: 81–92.
- Herman MP, Sukhova GK, Kisiel W, Foster D, Kehry MR, Libby P, Schonbeck U. Tissue factor pathway inhibitor-2 is a novel inhibitor of matrix metalloproteinases with implications for atherosclerosis. *J Clin Invest*. 2001; 107: 1117-1126.

- Higashi S, Miyazaki K. Identification of a region of beta-amyloid precursor protein essential for its gelatinase A inhibitory activity. *J Biol Chem.* 2003; 278: 14020-14028.
- Hiroyasu M, Ozeki M, Kohda H, Echizenya M, Tanaka T, Hiai H, Toyokuni S. Specific allelic loss of p16INK4A tumor suppressor gene after weeks of iron-mediated oxidative damage during rat renal carcinogenesis. *Am J Pathol.* 2002 Feb 28;160(2):419-24.
- Hsieh YY, Chang CC, Tsai FJ, Lin CC, Tsai CH. T homozygote and allele of epidermal growth factor receptor 2073 gene polymorphism are associated with higher susceptibility to endometriosis and leiomyomas. *Fertil Steril.* 2005;83(3):796-9.
- Ilyas M. Wnt signalling and the mechanistic basis of tumour development. *J Pathol.* 2005; 205: 130-144
- Inagaki M, Yoshida S, Kennedy S, Takemura N, Deguchi M, Ohara N, Maruo T. Association study between epidermal growth factor receptor and epidermal growth factor polymorphisms and endometriosis in a Japanese population. *Gynecol Endocrinol.* 2007 Jan 1; 23(8):474-8.
- Irwin JC, Kirk D, Gwatkin RB, Navre M, Cannon P, Giudice LC. Human endometrial matrix metalloproteinase-2, a putative menstrual proteinase. *J Clin Invest.* 1996; 97(2):438-447.
- Jana S, Chatterjee K, Ray AK, DasMahapatra P, Swarnakar S. Regulation of Matrix Metalloproteinase-2 Activity by COX-2-PGE2-pAKT Axis Promotes Angiogenesis in Endometriosis. *PLoS One.* 2016a; 11: e0163540.
- Jana S, Ray AK, Chatterjee K, DasMahapatra P, Swarnakar S. ‘Achilles Heel’ for Endometriosis: Pathway to Malignancy? *Med J Obstet Gynecol.* 2016b; 4: 1085.
- Jana S, Paul S, Swarnakar S. Curcumin as anti-endometriotic agent: implication of MMP-3 and intrinsic apoptotic pathway. *Biochem Pharmacol.* 2012a; 83: 797-804.
- Jana S, Rudra DS, Paul S, Snehasikta S. Curcumin delays endometriosis development by inhibiting MMP-2 activity. *Indian J Biochem Biophys.* 2012b; 49: 342-348.

Jeziorska M, Nagase H, Salamonsen LA, Woolley DE. Immunolocalization of the matrix metalloproteinases gelatinase B and stromelysin1 in human endometrium throughout the menstrual cycle. *J Reprod Fertil.* 1996; 107:43–51.

Kalluri R, Weinberg RA. The basics of epithelial-mesenchymal transition. *J Clin Invest.* 2009; 119: 1420-1428.

Kang S, Wang Y, Zhang JH, Jin X, Fang SM, Li Y. Single nucleotide polymorphism in the matrix metalloproteinases promoter is associated with susceptibility to endometriosis and adenomyosis. *Zhonghua Fu Chan Ke Za Zhi.* 2005; 40(9):601-4.

Kang S, Zhao XW, Wang N, Chen SC, Zhou RM, Li Y. Association of polymorphisms of the MMP-2 and TIMP-2 genes with the risk of endometriosis in North Chinese women. *Fertil Steril.* 2008; 90(5):2023-9.

Kesh K, Subramanian L, Ghosh N, Gupta V, Gupta A, Bhattacharya S, Mahapatra NR, Swarnakar S. Association of MMP7 -181A>G Promoter Polymorphism with Gastric Cancer Risk: Influence of nicotine in differential allele-specific transcription via increased phosphorylation of camp-response element-binding protein (CREB). *J Biol Chem.* 2015; 290: 14391-14406.

Kheradmand F, Rishi K, Werb Z. Signaling through the EGF receptor controls lung morphogenesis in part by regulating MT1-MMP-mediated activation of gelatinase A/MMP2. *J Cell Sci.* 2002; 115: 839-848.

Khokha R, Murthy A, Weiss A. Metalloproteinases and their natural inhibitors in inflammation and immunity. *Nat Rev Immunol.* 2013; 13: 649-665.

Kim JG, Kim JY, Jee BC, Suh CS, Kim SH, Choi YM. Association between endometriosis and polymorphisms in endostatin and vascular endothelial growth factor and their serum levels in Korean women. *Fertil Steril.* 2008;89(1):243-5.

Klein T, Bischoff R (2011) Physiology and pathophysiology of matrix metalloproteases. *Amino Acids* 41: 271-290.

Kobayashi H, Yamada Y, Kanayama S, Furukawa N, Noguchi T, Haruta S, Yoshida S, Sakata M, Sado T, Oi H. The role of iron in the pathogenesis of endometriosis. *Gynecol Endocrinol.* 2009 Jan 1;25(1):39-52.

Kokorine I, Marbaix E, Henriot P, Okada Y, Donnez J, Eeckhout Y, Courtoy PJ. Focal cellular origin and regulation of interstitial collagenase (matrix metalloproteinase-1) are related to menstrual breakdown in the human endometrium. *J Cell Sci.* 1996; Aug 1;109(8):2151-60.

Kokorine I, Nisolle M, Donnez J, Eeckhout Y, Courtoy PJ, Marbaix E. Expression of interstitial collagenase (matrix metalloproteinase-1) is related to the activity of human endometriotic lesions. *Fertil Steril.* 1997; 68(2):246-51.

Lamouille S, Xu J, Derynck R. Molecular mechanisms of epithelial–mesenchymal transition. *Nat Rev Mol Cell Biol.* 2014; 15: 178-196.

Liu H, Zhang T, Li X, Huang J, Wu B, *et al.* Predictive value of MMP-7 expression for response to chemotherapy and survival in patients with non-small cell lung cancer. *Cancer Sci.* 2008; 99: 2185-2192.

Löffek S, Schilling O, Franzke C-W. Biological role of matrix metalloproteinases: a critical balance. *Eur Res J.* 2011; 38: 191-208

Lu P, Takai K, Weaver VM, Werb Z. Extracellular Matrix Degradation and Remodeling in Development and Disease. *Cold Spring Harb Perspect Biol.* 2011; 3: a005058

Lund J, Olsen OH, Sørensen ES, Stennicke HR, Petersen HH, Overgaard MT. ADAMDEC1 Is a Metzincin Metalloprotease with Dampened Proteolytic Activity. *J Biol Chem.* 2013; 288:21367-21375.

Matsuzaki S, Darcha C. Epithelial to mesenchymal transition-like and mesenchymal to epithelial transition-like processes might be involved in the pathogenesis of pelvic endometriosis. *Hum Reprod.* 2012; 27: 712-721.

Matsuzaki S, Canis M, Murakami T, Dechelotte P, Bruhat MA, Okamura K. Expression of the cyclin-dependent kinase inhibitor p27Kip1 in eutopic endometrium and peritoneal endometriosis. *Fertil Steril.* 2001. 75: 956-960.

Matsuzaki S, Darcha C, Pouly JL, Canis M. Effects of matrix stiffness on epithelial to mesenchymal transition-like processes of endometrial epithelial cells: Implications for the pathogenesis of endometriosis. *Sci Rep.* 2017; 7: 44616.



- Matsuzaki S, Murakami T, Uehara S, Canis M, Sasano H, Okamura K. Expression of estrogen receptor alpha and beta in peritoneal and ovarian endometriosis. *Fertil Steril*. 2001; 75: 1198-1205.
- McGuire JK, Li Q, Parks WC. Matrilysin (matrix metalloproteinase-7) mediates E-cadherin ectodomain shedding in injured lung epithelium. *Am J Pathol*. 2003; 162: 1831-1843.
- McQuibban GA, Gong JH, Tam EM, McCulloch CA, Clark-Lewis I, Overall CM. Inflammation dampened by gelatinase A cleavage of monocyte chemoattractant protein-3. *Science*. 2000 Aug 18; 289(5482):1202-6.
- Mimori K, Yamashita K, Ohta M, Yoshinaga K, Ishikawa K, Ishii H, Utsunomiya T, Barnard GF, Inoue H, Mori M. Coexpression of matrix metalloproteinase-7 (MMP-7) and epidermal growth factor (EGF) receptor in colorectal cancer: an EGF receptor tyrosine kinase inhibitor is effective against MMP-7-expressing cancer cells. *Clin Cancer Res*. 2004; 10: 8243-8249.
- Morris AP *et al*. Genome-wide enrichment analysis between endometriosis and obesity-related traits reveals novel susceptibility loci. *Hum Mol Genet* 2015a; 24:1185–1199.
- Mott JD, Thomas CL, Rosenbach MT, Takahara K, Greenspan DS, Banda MJ. Post-translational proteolytic processing of procollagen C-terminal proteinase enhancer releases a metalloproteinase inhibitor. *J Biol Chem*. 2000; 275: 1384-1390.
- Munksgaard PS, Blaakaer J. The association between endometriosis and ovarian cancer: a review of histological, genetic and molecular alterations. *Gynecol Oncol*. 2012; 124: 164-169.
- Nagase H, Visse R, Murphy G. Structure and function of matrix metalloproteinases and TIMPs. *Cardiovasc Res*. 2006; 69: 562-573.
- Noë V, Fingleton B, Jacobs K, Crawford HC, Vermeulen S, Steelant W, Bruyneel E, Matrisian LM, Mareel M. Release of an invasion promoter E-cadherin fragment by matrilysin and stromelysin-1. *J Cell Sci*. 2001 Jan 1; 114(1):111-8.
- Overall CM, Lopez-Otin C. Strategies for MMP inhibition in cancer: innovations for the post-trial era. *Nat Rev Cancer*. 2002; 2: 657-672.

Page-McCaw A, Ewald AJ, Werb Z. Matrix metalloproteinases and the regulation of tissue remodelling. *Nat Rev Mol Cell Biol.* 2007; 8: 221- 233.

Page-McCaw A, Ewald AJ, Werb Z. Matrix metalloproteinases and the regulation of tissue remodelling. *Nat Rev Mol Cell Biol.* 2007; 8: 221-233.

Pagliardini L, Gentilini D, Panina-Bordignon P, Busacca M, Candiani M, Di Blasio AM. An Italian association study and meta-analysis with previous GWAS confirm WNT4, CDKN2BAS and FN1 as the first identified susceptibility loci for endometriosis. *J Med Genet.* 2013 Jan 1; 50(1):43-6.

Paul S, Bhattacharya P, Das Mahapatra P, Swarnakar S. Melatonin protects against endometriosis via regulation of matrix metalloproteinase-3 and an apoptotic pathway. *J Pineal Res.* 2010; 49: 156-168.

Paul S, Sharma AV, Mahapatra PD, Bhattacharya P, Reiter RJ, Swarnakar S. Role of melatonin in regulating matrix metalloproteinase-9 via tissue inhibitors of metalloproteinase-1 during protection against endometriosis. *J Pineal Res.* 2008; 44: 439-449.

Pearce CL, Templeman C, Rossing MA, Lee A, Near AM, Webb PM, Nagle CM, Doherty JA, Cushing-Haugen KL, Wicklund KG, Chang-Claude J. Association between endometriosis and risk of histological subtypes of ovarian cancer: a pooled analysis of case-control studies. *Lancet Oncol.* 2012 Apr 30;13(4):385-94.

Pilka R, Domanski H, Hansson S, Eriksson P, Casslén B. Endometrial TIMP-4 mRNA is high at midcycle and in hyperplasia, but downregulated in malignant tumours. Coordinated expression with MMP-26. *Mol Hum Reprod.* 2004;10(9):641-650.

Pilka R, Whatling C, Domanski H, Hansson S, Eriksson P, Casslén B. Epithelial expression of matrix metalloproteinase-26 is elevated at midcycle in the human endometrium. *Mol Hum Reprod.* 2003; 9(5):271-277.

Puente XS, Sanchez LM, Overall CM, Lopez-Otin C. Human and mouse proteases: a comparative genomic approach. *Nat Rev Genet.* 2003; 4: 544-558

Radisky DC, Levy DD, Littlepage LE, Liu H, Nelson CM, Fata JE, Leake D, Godden EL, Albertson DG, Nieto MA, Werb Z. Rac1b and reactive oxygen species mediate MMP-3-induced EMT and genomic instability. *Nature*. 2005 Jul 7;436(7047):123.

Rahmioglu N, Missmer SA, Montgomery GW, Zondervan KT. Insights into assessing the genetics of endometriosis. *Curr Obstet Gynecol Rep*. 2012; 1:124–137.

Rahmioglu N, Montgomery GW, Zondervan KT. Genetics of endometriosis. *Womens Health (Lond Engl)* 2015; 11:577–586

Rahmioglu N, Nyholt DR, Morris AP, Missmer SA, Montgomery GW, Zondervan KT. Genetic variants underlying risk of endometriosis: insights from meta-analysis of eight genome-wide association and replication datasets. *Hum Reprod Update* 2014;20:702–716.

Rahmioglu N, Nyholt DR, Morris AP, Missmer SA, Montgomery GW, Zondervan KT. Genetic variants underlying risk of endometriosis: insights from meta-analysis of eight genome-wide association and replication datasets. *Hum Reprod Update*. 2014; 20: 702–716.

Rigot V, Marbaix E, Lemoine P, Courtoy PJ, Eeckhout Y. In vivo perimenstrual activation of progelatinase B (proMMP-9) in the human endometrium and its dependence on stromelysin 1 (MMP-3) ex vivo. *Biochem J*. 2001; 358(Pt 1):275–280.

Rocha ALL, Reis FM, Taylor RN. Angiogenesis and Endometriosis. *Obstetr Gynecol Int*. 2013; 2013: 8.

Rodgers WH, Matrisian LM, Giudice LC, Dsupin B, Cannon P, Svitek C, Gorstein F, Osteen KG. Patterns of matrix metalloproteinase expression in cycling endometrium imply differential functions and regulation by steroid hormones. *J Clin Invest*. 1994; Sep;94(3):946.

Rodgers WH, Osteen KG, Matrisian LM, Navre M, Giudice LC, Gorstein F. Expression and localization of matrilysin, a matrix metalloproteinase, in human endometrium during the reproductive cycle. *Am J Obstet Gynecol*. 1993;168(1):253–260.

Saare M, Lamp M, Kaart T, Karro H, Kadastik Ü, Metspalu A, Peters M, Salumets A. Polymorphisms in MMP-2 and MMP-9 promoter regions are associated with endometriosis. *Fertil Steril*. 2010 Sep 30; 94(4):1560-3..

Samani EN, Mamillapalli R, Li F, Mutlu L, Hufnagel D, Krikun G, Taylor HS. Micrometastasis of endometriosis to distant organs in a murine model. *Oncotarget*. 2017.

Sampson JA. Peritoneal endometriosis due to the menstrual dissemination of endometrial tissue into the peritoneal cavity. *Am J Obstet Gynecol*. 1927; 14: 422-469.

Sanchez M, Torres JV, Tormos C, Iradi A, Muñoz P, Espinosa O, Salvador A, Rodriguez-Delgado J, Fandos M, Sáez GT. Impairment of antioxidant enzymes, lipid peroxidation and 8-oxo-2'-deoxyguanosine in advanced epithelial ovarian carcinoma of a Spanish community. *Cancer Lett*. 2006 Feb 20;233(1):28-35.

Shaco-Levy R, Sharabi S, Benharroch D, Piura B, Sion-Vardy N. Matrix metalloproteinases 2 and 9, E-cadherin, and beta-catenin expression in endometriosis, low-grade endometrial carcinoma and non-neoplastic eutopic endometrium. *Eur J Obst Gynecol Reprod Biol*. 2008; 139(2):226-32.

Shan K, Lian-Fu Z, Hui D, Wei G, Na W, Xia J, Yan L. Polymorphisms in the promoter regions of the matrix metalloproteinases-7, -9 and the risk of endometriosis and adenomyosis in China. *Mol Hum Reprod*. 2006 Jan 1;12(1):35-9.

Shan K, Ying W, Jian-Hui Z, Wei G, Na W, Yan L. The function of the SNP in the MMP1 and MMP3 promoter in susceptibility to endometriosis in China. *Mol Hum Reprod*. 2005;11(6):423-7.

Sheu BC, Hsu SM, Ho HN, Lien HC, Huang SC, Lin RH. A novel role of metalloproteinase in cancer-mediated immunosuppression. *Cancer Res*. 2001 Jan 1; 61(1):237-42.

Shi M, Liu D, Duan H, Han C, Wei B, Qian L, Chen C, Guo L, Hu M, Yu M, Song L. Catecholamine up-regulates MMP-7 expression by activating AP-1 and STAT3 in gastric cancer. *Mol Cancer*. 2010; 9: 269.

Shintani S, Matsuo K, Crohin CC, McBride J, Tsuji T, Donoff RB, Posner M, Todd R, Wong DT. Intragenic mutation analysis of the human epidermal growth factor receptor

(EGFR) gene in malignant human oral keratinocytes. *Cancer Res.* 1999 Aug 15;59(16):4142-7.

Sizemore ST, Keri RA. The forkhead box transcription factor FOXC1 promotes breast cancer invasion by inducing matrix metalloproteinase 7 (MMP7) expression. *J Biol Chem.* 2012; 287: 24631-24640.

Skinner JL, Riley SC, Gebbie AE, Glasier AF, Critchley HO. Regulation of matrix metalloproteinase-9 in endometrium during the menstrual cycle and following administration of intrauterine levonorgestrel. *Hum Reprod.* 1999;14(3):793–799.

Starzinski-Powitz A, Zeitvogel A, Schreiner A, Baumann R. In search of pathogenic mechanisms in endometriosis: the challenge for molecular cell biology. *Curr Mol Med.* 2001; 1: 655-664.

Szamatowicz J, Ludański P, Tomaszewska I. Matrix metalloproteinase-9 and tissue inhibitor of matrix metalloproteinase-1: a possible role in the pathogenesis of endometriosis. *Hum Reprod.* 2002 Feb; 17(2):284-8.

Uimari O, Rahmioglu N, Nyholt DR, Vincent K, Missmer SA, Becker C, Morris AP, Montgomery GW, Zondervan KT. Genome-wide genetic analyses highlight mitogen-activated protein kinase (MAPK) signaling in the pathogenesis of endometriosis. *Hum Reprod.* 2017 Apr 1;32(4):780-93.

Varma R, Rollason T, Gupta JK, Maher ER. Endometriosis and the neoplastic process. *Reproduction.* 2004; 127: 293-304.

Vassilev V, Pretto CM, Cornet PB, Delvaux D, Eeckhout Y, Courtoy PJ, Marbaix E, Henriët P. Response of matrix metalloproteinases and tissue inhibitors of metalloproteinases messenger ribonucleic acids to ovarian steroids in human endometrial explants mimics their gene-and phase-specific differential control in vivo. *J Clin Endocrinol Metab.* 2005 Oct 1;90(10):5848-57.

Vercellini P, Vigano P, Somigliana E, Fedele L. Endometriosis: pathogenesis and treatment. *Nat Rev Endocrinol.* 2014; 10: 261-275

Verma RP, Hansch C. Matrix metalloproteinases (MMPs): Chemical-biological functions and (Q)SARs. *Bioorg Med Chem.* 2007; 15:2223-2268.

Vinatier D, Orazi G, Cosson M, Dufour P. Theories of endometriosis. *Eur J Obstet Gynecol Reprod Biol.* 2001; 96: 21-34.

Visse R, Nagase H. Matrix metalloproteinases and tissue inhibitors of metalloproteinases: structure, function, and biochemistry. *Circ Res.* 2003; 92: 827-839

Vu TH, Shipley JM, Bergers G, Berger JE, Helms JA, Hanahan D, Shapiro SD, Senior RM, Werb Z. MMP-9/gelatinase B is a key regulator of growth plate angiogenesis and apoptosis of hypertrophic chondrocytes. *Cell.* 1998 May 1; 93(3):411-22.

Wei JJ, J William, S Bulun. Endometriosis and ovarian cancer: a review of clinical, pathologic, and molecular aspects. *Int J Gynecol Pathol.* 2011; 30: 553-568.

Xiong Y, Liu Y, Xiong W, Zhang L, Liu H, Du Y, Li N. Hypoxia-inducible factor 1 $\alpha$ -induced epithelial-mesenchymal transition of endometrial epithelial cells may contribute to the development of endometriosis. *Hum Reprod.* 2016; 31: 1327-1338.

Yamaguchi K, Mandai M, Toyokuni S, Hamanishi J, Higuchi T, Takakura K, Fujii S. Contents of endometriotic cysts, especially the high concentration of free iron, are a possible cause of carcinogenesis in the cysts through the iron-induced persistent oxidative stress. *Clin Cancer Res.* 2008 Jan 1;14(1):32-40.

Yan C, Boyd DD. Regulation of matrix metalloproteinase gene expression. *J Cell Physiol.* 2007; 211: 19-26.

Yang CW, Chang CY, Lai MT, Chang HW, Lu CC, Chen Y, Chen CM, Lee SC, Tsai PW, Yang SH, Lin CH. Genetic variations of MUC17 are associated with endometriosis development and related infertility. *BMC Med Genet.* 2015 Aug 19;16(1):60.

Ye S. Polymorphism in matrix metalloproteinase gene promoters: implication in regulation of gene expression and susceptibility of various diseases. *Matrix Biol.* 2000; 19(7):623-9.

Yu Q, Stamenkovic I. Cell surface-localized matrix metalloproteinase-9 proteolytically activates TGF- $\beta$  and promotes tumor invasion and angiogenesis. *Gene Dev.* 2000; 14: 163-176.

Zeitoun K, Takayama K, Sasano H, Suzuki T, Moghrabi N, Andersson S, Johns A, Meng L, Putman M, Carr B, Bulun SE. Deficient 17 $\beta$ -hydroxysteroid dehydrogenase type 2 expression in endometriosis: failure to metabolize 17 $\beta$ -estradiol. *J Clin Endocrinol Metab.* 1998 Dec 1;83(12):4474-80.

Zeitvogel A, R Baumann, A Starzinski-Powitz. Identification of an invasive, N-cadherin-expressing epithelial cell type in endometriosis using a new cell culture model. *Am J Pathol.* 2001; 159: 1839-1852.

Zeng ZS, Shu WP, Cohen AM, Guillem JG. Matrix metalloproteinase-7 expression in colorectal cancer liver metastases: evidence for involvement of MMP-7 activation in human cancer metastases. *Clin Cancer Res.* 2002; 8: 144-148.

Zhang Q, Liu S, Parajuli KR, Zhang W, Zhang K, Mo Z, Liu J, Chen Z, Yang S, Wang AR, Myers L. Interleukin-17 promotes prostate cancer via MMP7-induced epithelial-to-mesenchymal transition. *Oncogene.* 2017; 36: 687-699.

Zhao XW, Li Y, Wang N, Zhao J, Li XL, Liu Q, Jia JH, Yang ZF, Kang S. Study on the association of SNPs of MMP-2 and TIMP-2 genes with the risk of endometriosis and adenomyosis. *Chinese J Med Genet.* 2008 June;25(3):280-3.

Zondervan KT, Rahmioglu N, Morris AP, Nyholt DR, Montgomery GW, Becker CM, Missmer SA. Beyond endometriosis genome-wide association study: from genomics to phenomics to the patient. *Semin Reprod Med.* 2016; 34:242–254.