

REFERENCES

1. Agarwal C.S. and Garg P.K. (2000), 'Textbook on Remote Sensing in Natural Resources Monitoring and Management', Wheeler Publishing, New Delhi, India, pp.121-133.
2. AIS and LUS (1990), 'Watershed Atlas of India, Department of Agriculture and Co-operation', All India Soil and Land Use Survey, IARI Campus, New Delhi, pp.45-53.
3. Arnold J.G., Srinivasan, Muttiah R.S. and Williams J.R. (1998), 'Large area hydrologic modeling and assessment part I: model development', Journal of the American Water Resources Association, Vol.34, No.1, pp.74-89.
4. Ashish Pandey, Chowdary V.M. and Mal B.C. (2004), 'Morphological analysis and watershed management using GIS', Hydrology Journal, Vol.27, No.3-4.
5. Babar Md. (2005), 'Hydrogeomorphology, New Delhi, India', Publishing Agency, New Delhi, pp.109-131.
6. Behera G. (1986), 'Integrated Micro-Watershed Management – A system approach', Soil Conservation in India, Gupta R.K and Khybri M.L. (eds.), Jukal Kishore & Co., Dehradun, India, pp.1-8.
7. Bhuwadesh Prasad, Sah Kiyoshi Honda and Shunji Murai (ACRS 1997), 'Subwatershed Prioritization for Watershed Management using Remote Sensing and GIS', pp.1- 4.
8. Biswas Sujata S., Sudhakar V.R. and Desai (2002), 'Application of remote sensing and GIS in watershed prioritization', International Conference on Advances in Civil Engineering; Kharagpur; India, pp. 7-19.
9. Bitter P. (1997), 'Application of GIS and remote sensing in planning for mountain Agriculture and Landuse Management, Vol.5, Project Manual, Katmandu: ICIMOD, Vol.5, pp.79-87.

10. Burrough P.A. (1996), 'Principles of geographic information system for land resources assessment', Oxford University Press, New York, pp.127-143.
11. Burrough P.A. and McDonnell R.A. (1998), 'Principles of Geographical Information Systems', Oxford University Press, Oxford, pp.333-352.
12. Chandramohan T. and Dilip G. Durbude (2002), 'Estimation of Soil Erosion Using Universal Soil Loss Equation', Journal of the Indian Society of Remote Sensing, Vol.30, No.4, pp.181-190.
13. Charles F. L (1985), 'Watershed Management in 1985', Watershed Management in the Eighties, Bruce Jones E. and Timothy J. Ward (eds.), Journal of American Society of Civil Engineering, Vol.17, pp.97-121.
14. Chaudry R.S. and Sharma P.D. (1998), 'Erosion Hazard Assessment and Treatment prioritization of Giri river catchment in north western Himalayas', Indian Journal of Soil Conservation, Vol.26, No.1, pp.6-11.
15. Chen Xiuwan (2002), 'Remote Sensing and GIS to analyse land cover change and its impacts on regional sustainable development', International Journal of Remote Sensing, vol.23, No.1, pp. 107-124.
16. Chess C and Gibson G. (2001), 'Watersheds are not equal: Exploring the feasibility of watershed management', Journal of the American Water Resources Association, Vol.37, No.4, pp.775-793.
17. Clarke J.I. (1966), 'Morphometry from Maps, Essays in Geomorphology' Elsevier Publ. Co., New York, pp.235-274.
18. Crist E.P. and Cicone R.C. (1984), 'Comparisons of the dimensionality and features of simulated Landsat-4 MSS and TM data', Remote Sens. Envir., Vol.14, pp.235-246.
19. Dhruva and Alfred (2001), 'Land-use classification in mountainous areas: integration of image processing', digital elevation data and field knowledge for part of Nepal JAG, Vol.3, No.1, pp.78-85.

20. Dube P.O. (1994), 'Monitoring land degradation in semi-arid regions using high resolution satellite data', Scurlock J.M.O., Wooster M.J. and Souza G.D. (eds.), *Natural Vegetation as a Resource: A Remote Sensing Workbook For East & Southern Africa*, NRI, pp.125-135.
21. Frank T.D. (1984), 'Assessing change in surficial character of a semiarid environment with Landsat residual images', *Journal of Photogrammetric Engineering and Remote Sensing*, Vol.50, pp.471-480.
22. Frazier B.E. and Cheng Y. (1989), 'Remote sensing of soils in the eastern Palouse region with Landsat Thematic Mapper', *Journal of Remote Sensing of Environment*, Vol.28, pp.317-25.
23. Goel R.S. (2002), 'Remote Sensing and GIS Applications in Water Resources Development- an Overview', *Proceedings of International Conference on Hydrology and Watershed Management*, Hyderabad, Vol.2, pp.429-436.
24. Gosain A.K. (2004), 'GIS-based technologies for Doddahalla watershed management', *Current Science*, Vol.87, No.7, pp.117-124.
25. Government of India Planning Commission (2001), 'Report of the Working Group on Watershed Development', *Rainfed Farming and Natural Resource Management, Tenth Five Year Plan*. <http://planningcommission.nic.in/aboutus/committee/wrkgrp/wgwrshd.pdf>
26. Grohmann C.H. (2004), 'Morphometric analysis in geographic information systems: applications of free software GRASS and Computers & Geosciences', Vol.30, pp.1055-1067.
27. Grohmann C.H. (2005), 'Trend-surface analysis of morphometric parameters: A case study in southeastern Brazil Computers & Geosciences', Vol.31, pp.1007-1014.
28. Gurmel Singh, Venkataramana and Sastry (1981), 'Manual of Soil and Water Conservation practices' in *Indian Central Soil and Water Conservation Research and Training Institute*, Dehradun, pp.83-101.
29. Guruswamy (1977), 'Report on Morphometric and Water budget of Baldi Nadi basin along with the hydrological studies of a part of Song river basin', Dehradun, Thesis presented at Indian Institute of Remote Sensing, pp.76-83.

30. Hanson H.C. (1954), 'Dictionary of Ecology', Crown Publishers, New York, pp.127-129.
31. Horton R.E. (1945), 'Erosional Development of Streams and their Drainage Basins Hydrophysical approach to Quantitative Morphology', Geological Society of America Bulletin, Vol.56, pp.275-370.
32. Horton RE (1932), "Drainage basin characteristics" Transactions of the American Geophysical Union, Vol.13, pp.350–361
33. Indian Space Research Organisation (2001), 'Integrated mission for sustainable development', Nilgiris District, A project for Eco-Restoration and Eco-Development – Part I - Technical Report, pp.16–38.
34. Jain S.K. (2001), 'Issues in sustainable development of water resources', Journal of Indian Water Resources Society, Vol.21, No.1, pp.20-23.
35. Javed Akram (2000), 'Geomorphological study of Bulandshahr district (UP) using remotely sensed data', Journal of the Indian Society of Remote Sensing, Vol.28, No.2&3, pp.115-127.
36. Jayakumar S. and Arockiasamy D.I. (2003), 'Land use/Land Cover Mapping and Change Detection in part of Eastern Ghats of Tamil Nadu using Remote Sensing and GIS', Journal of the Indian Society of Remote Sensing, Vol. 31 No. 4, pp. 15-19.
37. Jose C.S. and Das, D.C. (1982), 'Geomorphic prediction models for sediment production rate and intensive priorities of watershed in Mayurakshi catchment', Proc. of the international symposium on Hydrological Aspects of Mountains Watershed held at School of Hydrology, University of Roorke, Nov. 4-6, Vol. 1, pp. 15-23.
38. Kamble A.M. (2001), 'Hydrological modeling for micro watersheds using SWAT model', Unpublished thesis submitted to the Faculty of Agricultural Engineering I.G.K.V.V. Raipur (Chhattisgarh) for descertain of the M. Tech. degree, pp. 110-122.
39. Kandasamy V. (1986), "Hydrological study of Sillahalla watershed in the Nilgiris district" – M. Tech thesis presented at Anna University Chennai, pp 40-53.

40. Kandasamy V. and Venugopal K. (2002), "Cadastral level resources information system for Mynalli watershed in the Nilgiris district, South India using Remote Sensing GPS and GIS", In the Proceedings Volume of International Symposium of ISPRS Commission VII on Resource and Environmental Monitoring held at Hyderabad during Dec. 3-6, 2002, XXXIV part 7, pp.934-937.
41. Kauth R.J. and Thomas G.S. (1977), 'The graphic description of the spectral-temporal development of agricultural crops as seen by Landsat', Research Report, Vol.3, Purdue University, West Lafayette, Indiana, pp.41-57.
42. Khan M.A., Gupta V.P. and Moharana P.C.(2001), 'Watershed prioritization using remote sensing and geographical information system: A case study from Guhiya, India', Journal of Arid Environments, Vol.49, pp.465-475.
43. Krishna Pahari (1996), 'Remote sensing and GIS for Sustainable Watershed Management Study from Nepal', Paper presented at the 4th International Symposium on High Mountain Remote Sensing Cartography, Karlstad - Kiruna - Tromsø, pp.97-105.
44. Langbein W.B. (1947), 'Topographic Characteristics of Drainage Basins', Journal of U.S. Geological Survey, Vol.986(c), pp.157-159.
45. Lengerke H.J. (1980), The Nilgiris weather and climate of mountain area in South India, International Journal of Theoretical and applied climatology, Vol. 28, pp. 115-122
46. Lillesand T.M. and Kiefer R.W. (2000), 'Remote Sensing and Image Interpretation', John Wiley and Sons, New York, pp. 169-213.
47. Lo G. P. and Robert L. S (1990), 'A GIS approach to land-use change dynamic detection', Photogrammetric Engineering And Remote Sensing, Vol.58, No.11, pp. 1483-1491.
48. Mark R.L, Karen K.K and Hugo A.L (1993) "implementing of GIS for water resources planning and management" Journal of water resource planning and management (ASCE), Vol.119, pp. 1-13.
49. Metternicht G. (2001), 'Assessing temporal and spatial changes of salinity using fuzzy logic, remote sensing and GIS, Foundation of an expert system ', Ecological modeling, Vol.144, pp. 163-179.

50. Miller V.C. (1953), 'A Quantitative Geomorphic Study of Drainage Basin Characteristics in the Clinch Mountain area, Virginia and Tennessee', Technical Report 3, Columbia University, Department of Geology, ONR, New York, pp.389-402.
51. Mishra N., Satyanarayana T. and Mukherjee R.K. (1984), 'Effect of topo element on the sediment production rate from subwatersheds in upper Damodar Valley', Journal of Agricultural Engineering, Vol.21, No.3, pp.65-70.
52. Mongkolsawat, C. Thirangoon, P. Sriwongsa, S. (1994), 'Soil erosion mapping with Universal Soil Loss Equation and GIS', Proceedings of the 15th Asian Conference on Remote Sensing, India, November 17-23, 1994, pp. 72-82.
53. Mutua B. M. and Klik A. (2004) Soil erosion management at a large catchment scale using the RUSLE-GIS: the case of Masinga catchment, Kenya, Management Information Systems 2004: Incorporating GIS and Remote Sensing, Vol.32, pp.124-134.
54. Myers V.I. and Allen W.A. (1968), 'Electro optical remote sensing methods as nondestructive testing and measuring techniques in agriculture applications', International Journal of Remote Sensing, Vol.7, pp.1819-1838.
55. Nag S.K. (1998), 'Morphometric Analysis Using Remote Sensing Techniques in the Chaka Sub-Basin, Purulia District, West Bengal', Journal of Indian Society of Remote Sensing, Vol.26, No.1&2, pp.69-76.
56. Nag S.K. and Chakraborty S. (2003), 'Influence of Rock Types and Structures in the Development of Drainage Network in Hard Rock Area', Journal of Indian Society of Remote Sensing, Vol.31, No.1, pp.25-35.
57. National Remote Sensing Agency (1989), 'Manual of National wide Landuse/Land Cover Mapping using Satellite Imagery', NRSA-National Remote Sensing Agency, Department of Space, Hyderabad pp.68-77.
58. Nautiyal M. D. (1994) "Morphometric analysis of drainage basin using aerial photos, a case study of Khikuli basin Dehradun district" journal of Indian society of remote sensing, 22(4), 251-261.

59. Perry C.R. and Lautenschlager L.F. (1984), 'Functional equivalence of spectral vegetation indices', *International Journal of Remote Sensing of Environment*, Vol.14, pp.169-182.
60. Pickup G. (1990), 'Remote sensing of landscape processes', In: Hobbs R.J. and Mooney H.A. (eds.), *Remote sensing of biosphere functioning. Ecological Studies 79*, Springer-Verlag, New York, pp.221-247.
61. Pickup G. and Chewings V. (1988), 'Random field modelling of spatial variations in erosion and deposition in flat alluvial landscapes in arid central Australia', *Remote Sensing of Environment*, Vol.33, pp.269-296.
62. Pickup G. and Nelson (1984), 'Use of Landsat Radiance Parameters to distinguish Soil Erosion, Stability, and Deposition in Arid Central Australia', *Remote Sensing of Environment*, Vol.16, pp.195-209.
63. Robinove C.J., Chavez P.S., Gehring D. and Holmgren R. (1981), 'Arid land monitoring using Landsat albedo difference images', *Remote Sens. Envir.* Vol. 11, pp. 133-156.
64. S. Giriappa (1983) Book on "Water Use Efficiency in Agriculture." Oxford and IBH Publishing, New Delhi, pp.102-112.
65. Saha S.K. (1996), 'Integrated use of Remote Sensing and GIS for Soil Erosion Hazard Modelling - A Case Study', *Proceedings of ACRS held in Sri Lanka*, pp. 1-3.
66. Sameena M., Ranganna G., Mukund Rao and Jayaraman V. (2005), 'Quantitative Morphometric Analysis of a Hardrock Terrain - A Case Study for Bhadra River Basin, South India', *Journal of Indian Mineralogist Special*, Vol.1, pp.50-57.
67. Sarangi A. (2003), 'Development of User Interface in ArcGIS for Estimation of Watershed Geomorphology', *Journal of Canadian Society for Engineering in Agricultural, Food and Biological Systems*, pp.120-127.
68. Schumn S.A. (1956), 'Evolution of Drainage Systems and Slopes in Badlands at Perth Amboy, New Jersey', *Geological Society of America Bulletin*, Vol.67, pp.597-646.

69. Sebastian M., Nageswara Rao P.P. and Jayaraman V. (1993), 'An Intergraded approach to Watershed Management for Sustainable Development', Proc. UN-Indonesia Regional Conference on 'Space Science and Technology for sustainable development, pp.197-210.
70. Seshagiri D.N., Upendran R. and Lakshmikandan P. (1982), GSI Report on Nilgiris Landslide, pp. 87-98.
71. Sharma A. K., Navalgund R. R., Pandey A. K., Rao K. K. (2002),s Micro-watershed development plans using Remote Sensing and GIS for a part of Shetrunji River basin, Bhavnagar district, Gujarat., <http://www.gisdevelopment.net/application/miscellaneous/index.htm>.
72. Shrestha B. (1998), 'Population and landuse Dynamics, in the Jhikhu Khola watershed a GIS based resource evaluation', Technical Report, Katmandu:MNR/ICIMOD.
<http://www.icimod.org/archive/icimod/publications/imd/imd99-3.htm>
73. Siddiqui M. N., Jamil Z. and Afsar J. (2004), 'Monitoring changes in reverine forests of Sidh Pakistan using remote sensing and GIS techniques', Advance in Space Research, vol.33, pp.333-337.
74. Singh A. (1994), 'Watershed Management in India-Retrospect and Future Possibilities', Natural Resources Management for Sustainable Agriculture and Environment, Deb D.L. (ed.), Angkor Publishes (P) Ltd., New Delhi, pp.136-144.
75. Singh, S. and Singh M.C. (1997), 'Morphometric Analysis of Kanhar River Basin', National Geographical Journal of India, Vol.43, No.1, pp.31-43.
76. Soil Survey of Coonoor taluk (1995), Technical Report, Soil Survey and Landuse Organisation, Coimbatore, pp.16-32.
77. Soil Survey of Udthagamandalam taluk, Nilgiris (1988), Technical Report No.68, Soil Survey and Landuse Organisation, Coimbatore, pp.23-37.
78. Srinivas C.V., Maji A.K., Obi Reddy G.P. and Charry G.R. (2002), 'Assessment of Soil Erosion Using Remote Sensing and GIS in Nagpur District, Maharashtra for Prioritisation and Delineation of Conservation Units', Journal of Indian Society of Remote Sensing, Vol.30, No.4, pp.198-212.

79. Srivastava P.K. and Bhattacharya A.K. (2004), 'Delineation of Ground Water Potential Zones in a Hard Rock Terrain of Bargarh District, Orissa Using IRS Data', *Journal of Indian society of Remote Sensing*, Vol.28, No.2&3, pp.129-140.
80. Srivnivasa Vittala S., Govindaiah S. and Honne Gowda H. (2004), 'Morphometric Analysis of Sub-Watersheds in the Pavagada Area of Tumkur District, South India using Remote Sensing and GIS Techniques', *Journal of the Indian Society of Remote Sensing*, Vol.32, No.4, pp.117-129.
81. Stafford Smith M. and Pickup G. (1993), Report on 'Understanding vegetation change and its implications for management in Australian rangelands', pp. 196-226.
82. Stoner E.R. and Baumgardner M.F. (1981), 'Characteristic variations in reflectance of surface soils', *Journal of American Society of Soil Sciences*, Vol.45, pp.1161-1165.
83. Stones D.M. and Estes U.E. (1993), 'A Remote Sensing Research Agenda for Mapping and monitoring Biodiversity', *International Journal of Remote Sensing*, Vol.14, No.10, pp.1839-1860.
84. Strahler A.N. (1957), 'Quantitative analysis of watershed geomorphology', *Transaction of American Geophysical Union*, Vol.38, pp.913-920.
85. Strahler A.N. (1964), 'Quantitative geomorphology of drainage basins and channel networks', In: Chow V.T. (ed.), *Handbook of Applied Hydrology*, McGraw Hill Book Company, New York, Section 4-II.
86. Subbian K. (2002), 'National Resource Management in Watersheds: Key issues', *Lead Papers of the Southern Regional Seminar on land and water management of livelihood security*, Chennai, pp.56-66.
87. Suresh M., Sudhagar S., Tiwari K.N. and Chowdary V.M. (2004), 'Prioritization of watersheds using morphometric parameters and assessment of surface water potential using remote sensing', *Journal of Indian Society of Remote Sensing*, Vol.32, No.3, pp.249-311.
88. Sushil P (2002) A report on Regional land cover mapping of the Hindu Kush-Himalayan using satellite image: An approach to understand the dynamics of land use and land cover change, pp.52-60.

89. Tideman E.M. (1996), 'Watershed Management, Guidelines for Indian Conditions, New Delhi' Omega Scientific Publishers, pp.372.
90. Tomar J.M.S Satapaythy K.K. and Dhyani S.K. (2002), 'Intergraded approach of Remote Sensing and GIS in characterization and evaluation of natural resources for watershed management in upper Shipra Watershed', Indian Journal of Soil Conservation, Vol.30, No.3, pp.206-213.
91. Tripathi M.P. (1999), 'Hydrological modeling for effective management of a small watershed, Ph.D. thesis, Agricultural and Food Engineering Department, Indian Institute of Technology, Kharagpur, India', pp.40-75.
92. Turcotte R., Fortin T.P., Rousseau A.N., Massicotte S. and Villeneuve J.P. (2001), 'Determination of the drainage structure of a Watershed using a DEM and a digital river and lake network', International Journal of Hydrology, Vol.240, pp.225-242.
93. Venkataramani G. (1991), 'A Man Made Disaster', In The Hindu Survey of the Environment, Publication Kasturi and sons, Madras pp.135-143.
94. Wessman C. (1991), 'Remote sensing of soil processes', Agricultural Ecosystems and Environment, pp.479-493.
95. Westmoreland and Stow D. A. (1992), 'Category identification of changed land-use polygons in an integrated image processing / Geographic Information System', Photogrammetric Engineering and Remote Sensing, Vol.58, No.11, pp.1593-1599.
96. Wischmeier W.H. and Smith D.D. (1965), 'Predicting rainfall-erosion losses from cropland east of the Rocky Mountains-Guide for selection of practices for soil and water conservation', Agricultural Handbook No. 282, USDA, pp.217-231.