


References



CHAPTER-VI
REFERENCES



- Ahmed, K. M. and Reddy, R. (1993). A Pictorial Guide to the Identification of seed borne fungi of Sorghum, Pearl millet, Finger millet, Chickpea, Pigeon pea and Groundnut. *Information Bulletin*, **34**: pp.132.
- *Akhtar, K. P.; Khan, I. A.; Jaskani, M. J.; Asif, M. and Khan, M. A. (1999). Isolation and characterization of *Fusarium moniliforme* from malformed mango. *J. of Scientific Res. Agril. Sci.*, **4** (2): 19-25.
- Alagarsamy and Sivaprakasam (1988). Effect of antagonists in combination with carbendazim against *Macrophomia phaseolina* infection in cowpea. *J. Biol. Control*, **2** (2): 123-125.
- Anahosur, K. H. (1992). Sorghum diseases in India: knowledge and research needs. *Sorghum and Millets Dis.*, pp.45-56.
- Anonymous, (1980). Diseases and their control: in Jowar. Indian council of Delhi Agricultural Research, New, India, pp.22-29.
- Anonymous, (2007). Monthly review of the Indian Economy. Monitoring Indian Economy. Pvt. Ltd., Ahmedabad. pp: 25.
- Arif, A.G. and Ahmed, M. (1969). Some studies on the fungi associated with sorghum seeds and sorghum soils and their control. Part I. Flora of sorghum seed and seed treatment. *W. Pak. J. Agric.Res.*, **7** (4): 102-117.
- *Asalmol, M.N.; Sen, B. and Awasthi, J. (1990). Role of temperature and pH in antagonisms of *Aspergillus niger* and *T. viride* against *Fusarium solani*. *Proc. All India Phytopathol. Soc.*, (West zone), Pune. pp. 11-13.
- Ataga, A. E. and Akueshi, C. O. (1996). Fungi associated with sunflower seeds in Nigeria. *Seed Res.*, **24** (1): 64-65.

-
-
- *Aurangzeb, M.; Ahmed, J. and Ilyas, M. B. (1998). Chemical control of bakanae disease of rice caused by *Fusarium moniliforme*. *Pak. J. Phytopath.*, **10** (1): 14-17.
- *Aurangzeb, M.; Shafqat, A.; Ilyas, B. and Gill, M. A. (2003). Physiological studies on *Fusarium moniliforme* Sheld, the causal organism of bakanae disease of rice. *Mycopath.*, **1** (1): 49-52.
- Bagade, E. (2006). Management of blight, bud necrosis and wilt diseases of watermelon cv. Sugarbaby and varietal screening. Ph. D. thesis submitted to Dr. B. S. K. K. V., Dapoli.
- Baig, M. M. and Baig, M. I. (2004). Application of *Pseudomonas fluorescence* for enhanced seed germination and seedling emergence in sorghum. *Intern. Sorghum and Millet Newsletter*, **44**: 144-145.
- Bhagwat, V.Y. and Pedgaonkar, S.M. (1973). Pink mold on grain sorghum. *Sorghum Newsletter*, **17**: 60-61.
- Bharathi, R.; Vivekanathan; Harish, R.; Ramanathan A. and Samiyappan R. (2004). Rhizobacteria based bio-formulations for the management of fruit rot infection in chillies. *Crop Prot.*, **23**(9): 835-843.
- Bhave, P.C. (2005). Studies on leaf spot and blight of black pepper and their management. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Bhuvaneshwari, V. and Rao, M.S. (2001). Evaluation of *Trichoderma viride* antagonism to post harvest pathogens on mango. *Indian Phytopath.*, **54** (4): 493-494.
- Booth, C. (1977). *Fusarium*, laboratory guide to the identification of the major species. CAB publication, pp. 1-37.
- Bora, L. C. and Gogoi, R. (1992). Seed borne microflora of deep water rice. *Oryza*, **29**: 355-357.
- Cardwell, K.F. (1989). Pathotypes of *Colletotrichum graminicola* and seed transmission of sorghum anthracnose. *American Phytopath. Soc.*, pp-73.
- Castor, L.L. and Frederikson, R.A. (1980). *Fusarium* and *Curvularia* grain mold in Texas. *Sorghum Dis.*, pp. 93-192.
-
-

-
-
- Chandel, S. (2001). Chemical control of *Fusarium oxysporum* f.sp. *dianthi* an incient of carnation wilt. *Indian J. microbio.*, **41**(2) : 135-137.
- Chattopadhyay, C. and Sastry, K. (1997). Effect of bio-agents on safflower wilt caused by *Fusarium oxysporum* f.sp. *carthami*. IV International Safflower Conference, pp. 299-302.
- Chattopadhyay, C. and Sen, B. (1996). Integrated management of fusarium wilt of muskmelon caused by *Fusarium oxysporum*. *Indian J. Myco. Pl. Pathol.*, **26**(2): 162-170.
- Chauhan, V. B. and Kumar, P. (2006). Effect of different media on radial growth and sporulation of *Alternaria alternata* (Fr.) Keissler. *Crop. Prot. Prod.*, **2** (1): 32-34.
- Chavan, R.A.; Dhoke, P.K. and Jadhav, V.T. (2001). Efficacy of fungicides against *Fusarium oxysporum* f.sp. *carthami* *in vitro*. *Madras Agril. J.*, **88** (416): 329-331.
- Chirame, B.B. and Padule, D.N. (2005). Effect of *Trichoderma* spp. on the growth of *Fusarium moniliforme* isolated from cotton seed. *Agric. Sci. Digest*, **25**(3): 217-218.
- Corona, C. P.; Mena, M. R.; Rincon, A. M.; Luna, I. C. and Zapata, J. A. (2008). Biocontrol potential and polyphasic characterization of novel native *Trichoderma* strains against *Macrophomina phaseolina* isolated from sorghum and common bean. *Applied Microbio. and Biotech.*, **80**(1) :167-177
- Cunfer, B. M. and Griffin, G. A. (2007). Head mold - *Fusarium* spp., and other secondary fungi. The University of Georgia College of Agricultural and Environmental Sciences. *Plant Pathology*, pp.14
- Das, I.K.; Fakrudin, B. and Arora, D.K. (2008). RAPD cluster analysis and chlorate sensitivity of some Indian isolates of *Macrophomina phaseolina* from sorghum and their relationships with pathogenicity. *Microbio. Res.*, **163** (2): 215-224.
- Dennis, C. and Webster, J. (1971). Antagonistic properties of species groups of *Trichoderma* III hyphal interaction. *Trans. Brt. Mycol. Soc.*, **57**: 363-369.

-
-
- Deshmukh, H.V. (1997). Studies on anthracnose diseases of anthurium incited by *Colletotrichum gloeosporioides* (Penz. and Sacc.). M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Dubey, R.C. and Dwivedi, R.S. (1991). Fungitoxic properties of some plant extract against vegetative growth and sclerotial viability of *Macrophomina phaseolina*. *Indian Phytopath.*, **44** : 411-413.
- Dubey, R.C. and Kumar, R. (2003). Efficacy of azadirachtin and fungicides on growth and survival of sclerotia of *Macrophomina phaseolina* causing charcoal rot of soybean. *Indian Phytopath.*, **56**(2): 216-217.
- Dubey, S.C. (2002). Bio-agent based integrated management of collar rot of frenchbean. *Indian Phytopath.*, **55**(2): 230-231
- Elad, Y.; Vieli, Y. and Chet, I. (1986). Biological control of *Macrophomina phaseolina* (Tassi.) Goid. by *Trichoderma harzianum*. *Crop Prot.*, **5**: 282-292.
- FAO (2007). Production yearbook. *FAO*, **26**: 497.
- Frederiksen, R. A.; Castor, L. L. and Rosenow, D.T. (1982). Grain mold small seed and head blight: The *Fusarium* connection in sorghum. Proc.37th Ann. Corn. and Sorgh. Ind. Res. Conf. **37**:26-36.
- Funnell, D. L. (2006) Association of plant color and pericarp color with colonization of grain by members of *Fusarium* and *Alternaria* in near isogenic sorghum lines. *Plant Dis.*, **90** (4) 411 418.
- Gallegos, H. M. and Castro, M. A. (1977). The occurrence in Mexico of *Curvularia lunata* on sorghum kernels. *Plant Dis. Repr.*, **61**(12): 1082-1083.
- Gangopadhyay, S. (1983). In Current concepts of fungal diseases of rice, pp.349.
- Gaudet, D.A. (1986). Factors affecting seedling emergence of sorghum for short season areas. *Plant Dis.*, **70**: 572-575.
- Gawande, A.D. (2003). Studies on leaf spot of *Piper longum* Linn. M.Sc. (Agri.) thesis submitted to Dr. P.D.K.V., Akola, M.S.

-
-
- Ghosh, C.; Pawar, C.R.; Kshirsagar, C. R. and Jadhav, A.C. (2002). Studies on management of leaf spot caused by *Alternaria alternata* on gerbera. *J. Mah. Agri.Univ.*, **27**(2): 165-167.
- Girish, A. G.; Rao, V. P. and Thakur, R. P. (2004). Diversity of grain mold fungi on selected sorghum genotypes. *Indian Phytopath.*, **57**: 84-87.
- Gohil, V.P. and Vala, D.G. (1996). Effect of extracts of some medicinal plants on the growth of *Fusarium moniliforme*. *Indian J. Mycol. and Pl. Pathol.*, **26**(1): 110-111
- Gurjar, K.I.; Singh, S.D. and Rawal, P. (2004). Management of seed borne pathogen of okra with bio-agents. *Pl. Dis. Res.*, **19** (1): 44-46.
- *Haq, I. U.; Khan, S. M. and Ahmad, R. (1999). Physiological studies on six fungal isolates from rotted roots of cotton. *Pak. J. Phytopath.*, **11** (2): 173-177.
- Haralpatil, S. (2006). Efficacy of fungicides, bioagents, bio-organics and botanicals against major fungal diseases of betelvine (*Piper betle* l.). M.Sc. (Agri.) thesis submitted to Dr. B. S. K. K. V., Dapoli, M. S.
- Hiremath, R.V.; Palaxappa, M. G. and Lakhman, M. (1993). Evaluation of sorghum genotypes for resistance to grain molds. *Karnatka J. Agril. Sci.*, **6**(2): 155-159.
- Horne, C. W. and Frederiksen, R. A. (1993). Diseases of Sorghum (*Sorghum bicolor* (L.) Moench). *Common Names of Pl. Diseases*.
- *Ilyas, M. B. and Iftikhar, K. (1997). Screening of rice germplasms and fungitoxicants against bakanae disease of rice. *Pak. J. Phytopath.*, **9** (1): 67-73.
- Indira, S. and Muthusubramanian, V. (2003). The major pattern of spore liberation in major mold pathogen of sorghum. *Intern. Sorghum and Millet Newsletter*, **44**: 120-122.
- Indira, S.; Mohan, J. and Rana, B. S. (1991). Genotype x environment interaction for grain mold resistance and seed weight in sorghum. *Indian Phytopath.*, **44**: 523-525.
- ISTA, (1976). International rules for seed testing. *Seed Sci. and Tech.*, **4**: 3-49.
-
-

-
-
- Jadhav, G.M. (2003). Studies on leaf blight of Gaillardia (*Gaillardia pulchella* Foug) incited by *Alternaria alternata* (Fr.) Keissler. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M. S.
- *Jha, A.K. and Dubey, S.C. (2000). Occurance of collar rot of okra (*Abelmoschus esculantus* L.) in the plateau region of Bihar. *J. Res., Birsa Agric. Univ.*, **12**(1):67-72.
- Joi, M. B. and Ahmed, L. (1976). Seed borne mycoflora of rice (*Oryza sativa* L.). *J. Mah. Agril. Univ.*, **1** (1): 37-39.
- Joi, M. B.; Mahajan, P. D.; Gaikwad, D. G. and Ekbote, M. V. (1990). Documentation of different seed-borne fungi of sorghum and their effect on seed germination. Proc. of 3rd *Indian Phytopathol. Soc.*, Pune, pp. 16-17
- Joshi, V. (2005). Studies on management of fungal wilt of cashew seedlings. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Kadam, U.B. (1997). Studies on leaf spot of gerbera (*Gerbera jamesonii* Hook) incited by *Alternaria alternata* (Fr.) Keissler. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Kakade S. K. (1999). Studies on seed mycoflora of groundnut (*Arachis hypogea*). M.Sc. (Agri.) thesis submitted to M.P.K.V., Rahuri, M.S.
- Kannan, R. and Subbaraja, K.T. (1999). Comparative evaluation of selected plant extracts and fungicides on the incidence of leaf blight on onion caused by *Alternaria alternata* (Fr.) Keissler. *Pestology*, **23**(5): 31-33
- Konde, B.K. and Pokharkar, B.R. (1979). Seed-borne fungi of sorghum. *Seed Res.*, **7**(1): 54-57.
- Korade, B.B. (1995). Studies on anthracnose disease of spider lilly caused by *Colletotrichum gloeosporioides* Penz. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.

-
-
- Kotgire , G. (2009). Studies on ear-infecting fungi of sorghum (*Sorghum bicolor* (L.) Moench). M.Sc. (Agri.) thesis submitted to B. A. College of Agriculture, AAU, Anand.
- Kucuk, C. and Kivane, M. (2003). Isolation of *Trichoderma* spp. and determination of their antifungal, biochemical and physiological features. *Turkish J. Biology*, **27**(4): 247-253.
- Kumar, A. (2006). Investigation on leaf spot disease [*Macrophomina phaseolina* (tassi.) goid.] of cowpea [*Vigna unguiculata* (l.) walp.] under south gujarat condition. M.Sc. (Agri.) thesis submitted to N.M. College of Agriculture, NAU, Navsari.
- Kumar, A.; Srivastava, M. and Lal, B. (1997). Studies on bio-fungicidal properties of some plants. *Indian Phytopathol*, **30**(3): 408-411.
- Kumar, S.; Upadhyay, J. P. and Kumar, S. (2007). Bio-control of *Alternaria* leaf spot of *Vicia faba* using antagonistic fungi. *J. Bio. Control*, **20** (2): 247-250.
- Laing, L.W. and Pearson, R.D. (1998). The structure of sorghum and its relation to processing and nutritional value. In Proceedings Symposium on Sorghum and Millets for Human Food. Tropical Products Institute, London, UK, pp. 91-109.
- Lambhate, S.S.; Chaudhari, G.K.; Mehetre, S.S. and Zanjare, S.R. (2002). Biological control of root rot of cotton caused by *Macrophomina phaseolina*. *J. Maharashtra Agric. Univ.*, **27**(1): 98.
- Landge, L.A. (1992). Studies on interaction between genotypes x environment in grain mold of sorghum. M.Sc. (Agri.) thesis submitted to MPKV, Rahuri, M.S.
- Leslie, J. F.; Kurt, A. Z.; Sandra, C. L.; Rheeder, J. and Marasas, W. F. (2005). Toxicity, pathogenicity and genetic differentiation of five species of *Fusarium* from sorghum and millet. *American Pl.Pathol. Soc.*, **95** (3): 275-276.
- Mahalinga, D. M., Anahosur, K.H. and Hegde, R. K. (1988). *Fusarium* species associated with grain mold and stalk rot of sorghum and their effect on seed germination and growth of seedlings. *Current Sci.*, **57**: 177-178.

-
-
- Majumdar, V.L.; Jat, J.R. and Gour, H.N. (1996). Effect of bio-control agents on the growth of *Macrophomina phaseolina* the incitant of blight of mothbean. *Indian J. Mycol. Pl. Pathol.*, **26** (2):202-203.
- *Medeiros, S.A. and Menezes, M. (1994). Antagonistic potential of some fungi to *Colletotrichum gloeosporioides*, agent of cashew tree (*Anacardium occidentale*) anthracnose. *Fitopatologia Brasileira*, **19** (1): 84-91.
- Meena, P. D.; Kumar, V. R. and Chattopadhyay, C. (2002). Eco-friendly options in management of Alternaria blight of mustard (*B. juncea*). *J. Mycol. Pl. Pathol.*, **32** (3): 397.
- Meena, S. S. and Mariappan, V. (1994). Factor influencing seed-borne mycoflora of sorghum. *Madras Agric. J.*, **81**(9): 518-519.
- Mehendale, S.K. (1994). Studies on anthracnose disease of Mimosa (*Mimosa elengi* L.) caused by *Colletotrichum gloeosporioides* Penz. and Sacc. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Menaka, C.; Vanangamudi, K.; Prabhakar, K.; Bharathi, A. and Natesan, P. (2003). Management of seed born grain mold disease of sorghum with botanicals. *Madras Agric. J.* **90** (7-9): 557-560.
- Mishra, P.K.; Mukhopadhyay, A.N. and Singh, U.S. (2004). Suppression of *Fusarium oxysporum* f.sp. *gladioli* population in soil by application of *Trichoderma virens* and *in vitro* approaches for understanding biological control mechanisms. *Ind. J. Mycol. Pl. Pathol.*, **34**(3): 382-384.
- Misra, A. K. and Vir, D. (1990). Efficacy of Fungicides-XLVI: Effect of fungicidal seed treatment against heavy inoculum pressure of certain fungi causing discoloration of paddy seeds. *Indian Phytopath.*, **43** (2): 175-178.
- Mistry, D. S. (1992). Investigations on leaf spot (*Alternaria alternata*) and leaf blight (*Drechslera hawaiiensis*) diseases of papaya. M.Sc. (Agri.) thesis submitted to G.A.U., S.K. Nagar.
- Mohammed, S. S. and Rajasab, A. H. (2004). Diversity of *Fusarium* species on sorghum grain. *Indian Phytopath.*, **57**(4): 450-453.
-
-

-
-
- Nandoskar, R.A. (2001). Studies on leaf spot of turmeric (*Curcuma longa*) caused by *Colletotrichum gloeosporioides* Penz. and Sacc. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Narasimhan, K. S., and Rangaswamy, G. (1969). Influence of mold isolates from sorghum grain on viability of the seed. *Current Sci.*, **38**: 389-390.
- Narnaware, S.W.; Wadibhasme, S.S. and Wavre S.H. (2006). Effect of weather conditions on grain mold diseases incidence in sorghum. *J.Pl.Dis.Sci.*, **1**(2): 245-246.
- Navi, S. S.; Bandyopadhyay, R.; Reddy, R. K.; Thakur, R. P. and Yang, X. B. (2005). Effect of wetness duration and grain development stages on sorghum grain mold infection. *Plant Dis.*, **89**: 872-878.
- Navi, S.S.; Banyopadhyay, R.; Hall, A.J. and Bramel, P. (1999). A pictorial guide for the identification of mold fungi on sorghum grain. Inf. Bull. 59 (in Eng, Fr). International Crops Research Institute for the Semi-Arid Tropics, Andhra Pradesh, India.
- *Nene, Y.L. and P.N.Thapliyal (1993). Fungicides in plant disease control. Third edition, Oxford and IBH Publishing Co., New Delhi, pp.531.
- Ou, S. H. (1985). Rice Diseases. CMI, Kew Survey, U.K. pp. 294.
- *Padwick, G. W. (1950). Manual of rice diseases, 198 pp. Kew., Common Wealth Mycological Institute.
- *Pande, A. (1985). Biocontrol characteristics of some molds. *Biovigyanam*, **11** (1): 14 - 18.
- Padule, D.N., Mahajan, P.D. and Perne, R.R. (1997). Working sheet on seed-borne diseases. Grain mold of sorghum. Published by National Seed Project, IARI, New Delhi, pp.9.
- Patel, J. P. (2003). Investigations on leaf spot of green gram (*Phaseolus aureus* Roxb.) caused by *Alternaria alternata* under South Gujarat conditions. M.Sc. (Agri.) thesis submitted to G.A.U., S.K. Nagar.

-
-
- Patel, K. M. (2008). Investigations on leaf spot (*Alternaria alternata* (Fr.) Keissler) of bitter gourd (*Momordica charantia* L.) under south Gujarat conditions. M.Sc. (Agri.) thesis submitted to Navsari Agricultural University, Navsari.
- Patel, R.V. (2000). Studies on leaf spot (*Colletotrichum gloeosporioides* Penz.) of turmeric (*Curcuma longa* L.) under South Gujarat conditions. M.Sc. (Agri.) thesis submitted to Gujrat Agricultural University, Navsari.
- Patel, V.R. (2004). Investigation on dieback and fruit rot (*Colletotrichum gloeosporioides* Penz. and Sacc.) of chilli (*Capsicum annum* L.) under south Gujarat condition. M.Sc. (Agri.) thesis submitted to Navsari Agricultural University, Navsari.
- Patibanda, A. K. and Sen, B. (2004). In vitro screening of *Aspergillus niger* van Teigh against *Fusarium oxysporum* f. sp. *melonis*, muskmelon wilt pathogen. *J. Biol. Control.*, **18** (1): 29-34.
- Patil, M. B. (2003a). Physio-chemical and pathological investigation on *Alternaria alternata* (Fr.) Keissler causing leaf spot and inflorescence blight of marigold (*Tagetes erecta* L.) under south gujarat conditions M.Sc. (Agri.) thesis submitted to G.A.U., S.K. Nagar.
- Patil, P.J.; Padule, D.N.; Suryawanshi, J.S. and Pinjari, S.S. (2008). Fungi associated with mouldy seeds of sorghum cv. CSH-9 in Western Maharashtra. *Inter. J. of Plant Prot.*, **1**(2): 84-87.
- Patil, R.N. (2003b). Studies on wilt and root rot complex of Patchouli. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Paulkar, P.K. (2000). Studies on pathogen variability of chickpea wilt (*Fusarium oxysporum* f.sp. *ciceri*). M.Sc. (Agri.) thesis submitted to Dr. P.D.K.V., Akola, M.S.
- Pawar, V.D. (2004). Studies on major diseases of watermelon (*Citrullus vulgaris* Schrad.) and their management. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.

-
-
- Pinto, N. J. (2002). Control of sorghum seed borne fungi and protection against soil borne fungi through fungicide seed treatment. *Agropecuaria Brasileira*, **37**(5):723-728.
- Politis, D. J. (1975). The identity and perfect stage of *Colletotrichum graminicola*. *Mycologia* pp.36.
- Potphode, P.D. (2004). Studies on anthracnose of Jasmine (*Jasminum sambac* L.) and its management. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- Prom, L. K.; Waniska R. D.; Kollo A. I. and Rooney, W. L. (2003). Response of eight sorghum cultivars inoculated with *Fusarium thapsinum*, *Curvularia lunata* and a mixture of the two fungi. *Crop Prot.*, **22**: 623-628.
- Raheja, S. and Thakare, B.B. (2002). Effects of physical factors, plant extracts and bio-agents on *Colletotrichum gloeosporioides* Penz. The causal organism of anthracnose of yam. *J. Mycol. Pl. Patho.*, **32**(2): 293.
- Rajaram, S.; Manuja, S.; Dhyani, D. and Mukherjee, D. (2004). Evaluation of fortfield fungicide solutions in managing corm rot disease of gladiolus caused by *Fusarium oxysporum*. *Crop prot.*, **23**(9): 783-788.
- Ramados, S. and Sivaprakasam, K. (1989). Control of root rot of cowpea with soil application of fungicides and granular insecticides. *Madras Agric. J.*, **76**(2): 82-84.
- Rana, B. S. and Rao, N. G. (1986). In Genetics and crop improvement, pp: 105-114.
- Rana, J.P.; Das, S. and Das, S. (2004). Management of *Fusarium* yellows of gladiolus by *Fusarium oxysporum* f.sp. *gladioli*. *Annals of Plant Protection Sci.*, **12**(2): 332-335.
- Rani, K.; Mohan, M. and Mukerjt, K. G. (1978). Studies on seed borne fungi I. Occurrence of three pathogenic fungi on sorghum seeds. *Seed Res.*, **6** (1): 38-42
- Rao, K. N. and Williams, R. J. (1978). The ICRISAT Sorghum Pathology Program. International sorghum workshop 6-13, ICRISAT, Hyderabad, India.
- Rashid, M. M. (2001). Detection of *Curvularia* sp. on Boro rice seeds of Dinajpur. *J.Bio. Sci.*, **1**(7): 591-592.

-
-
- Raut, V.S. (1999). Studies on root rot of gerbera incited by *Fusarium oxysporum* schl. and its management. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli, M.S.
- *Raza, T.; Ahmed, I. and Nasir, M. A. (1993). Extent of infection of *Fusarium moniliforme* Sheld. in different rice seed samples and *in vitro* effect of certain fungicides on the fungus. *Sharad J. Agriculture*, **9** (3):231-233.
- Reddy, K. M. (1977). A study on the chemical control of grain molds of sorghum. *Indian Phytopath.*, pp.10-15.
- *Sahi, S.T.; Shakir, A.S.; Bajwa, M.N. and Hassan, M. (1992). Physiological studies on *Macrophomina phaseolina* (Tassi.) Goid.causing dry rot of mungbean. *J. Agril. Res.*, **30** (3): 409-413.
- Sahu, R. K. and Agarwal, V.K. (2003). Effect of fungicidal seed treatment on seed born fungi germination and seedling vigour of rusty shield bearer. (*Peltophoram terruineum*) *J. Mycol. Pl. Pathol.*, **33**(1) 84-88.
- Sangle, V.R. and Bambawale, O.M. (2004). New strain of *Trichoderma* spp. strongly antagonistic against *Fusarium oxysporum* f.sp. *sesame*. *J.Mycol. Pl. Pathol.*, **34** (1): 107-109.
- Selvarajan, R. and Jeyarajan, R. (1996). Inhibitions of chickpea root rot pathogens, *Fusarium solani* and *Macrophomina phaseolina*, by antagonists. *Indian J. Mycol. Pl. Pathol.*, **26** (3): 248-251.
- *Sempere, F. and Santamarina, M. P. (2007). *In vitro* biocontrol analysis of *Alternaria alternata* (Fr.) Keissler under different environmental conditions. *Mycopathologia*, **163** (3): 183-190.
- Sharma, P.; Singh, S. D. and Lodha, P. C. (2002a). Effect of fungicides on mycelial growth of seed borne fungi of Pea (*Pisum sativum* L.). *J. Mycol. Pl. Pathol.*, **32** (3): 387.

-
-
- Sharma, R.L.; Singh; B.P.; Thakur, M.P. and Verma, K.P. (2002b). Chemical management of linseed wilt caused by *Fusarium oxysporum* f.sp.*lini*. *Ann.Pl.Prot.Sci.*, **10**(2): 390-91.
- Sharma, S.N. and Chandel, S.S. (2003). Screening of bio-control agents *in vitro* against *Fusarium oxysporum* f.sp. *gladioli* and their mass multiplication on different substrate. *Plant Dis. Res.*, **18**(2): 135-138.
- Sindhan, G.S.; Hooda, I. and Prashar, R.D. (1999). Effect of some plant extracts on the vegetative growth of root causing fungi. *J. Mycol. Pl. Pathol.*, **29**(1): 110-111.
- Singh, F.; Hooda, I. and Sindhan, G.S. (2004). Biological control of Tomato wilt caused by *Fusarium oxysporum* f.sp. *lycopersici*. *Ind. J. Mycol. Pl. Pathol.*, **34**(2): 568-571.
- Singh, M.; Majumdar, V.L. and Singh, P. (1995). Antagonistic activity of *Trichoderma* sp to *Macrophomina phaseolina* (Tassi.) Goid. *in vitro*. *Env. and Eco.*, **13** (2): 481-482.
- Singh, S.N. and Goswami, G.P. (2003). Management of sugarcane wilt disease caused by *Fusarium moniliforme* through chemical and physical set treatment. *Cooperative sugar*, **34**(5): 381-384.
- Somani R.B. and Indira , S. (2001). Effect of grain molds culture filtrates on germination and seedling vigour in sorghum. *Annals of Pl. Physiology*, **14** (2): 166-168.
- Somwanshi, S. D. and Kurundkar, B. P. (2008). Prevalence of *Fusarium* and *Curvularia* Species in mold affected grains of sorghum genotypes. *J. Mycol. Pl. Pathol.*, **38**(1): 148-150.
- Somwanshi, S.D. (2005). Studies on sorghum grain mold. M.Sc. (Agri.) thesis submitted to MAU, Parbhani, M.S.
- Suriachandraselvan, M. and Seetharaman, K. (2000). Relationship among pigment synthesis, culture media, growth and virulence of the geographical isolates of *Macrophomina Phaseolina* causing charcoal rot of sunflower. *J. Mycol. Pl. Pathol.*, **30** (3): 370-374.
-
-

-
-
- Suryawanshi, A.V. and Deokar, C.D. (2001). Effect of fungicides on growth and sporulation of fungal pathogens causing fruit rot of chilli. *Madras Agril. Journal*, **88**(1/3): 181-182.
- Suryawanshi, B.B. (2005). Studies on major diseases of vanilla and their management. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli (M.S.).
- Taylor, H. C. (1998). Management of sorghum grain molds. M.Sc. (Agri.) thesis submitted to G.A.U., S.K. Nagar.
- Tandel D.H. (2004). Epidemiology and management of leaf blight of greengram (*Phaseolus aureus* Roxb.) caused by *Macrophomina phaseolina* (Tassi). Goid., M.Sc. (Agri.) thesis submitted to NAU, Navsari.
- Tarkegn, G.; Mclearn, N.W. and Swart, W.J. (2004). Relationship between grain development stage and sorghum cultivar susceptibility to grain mold. *African Plant Prot.*, **10** (1) 53-62.
- Tarr, S. A. (1962). Diseases of sorghum, sudan grass and broom corn. Kew (Surrey), UK; Commonwealth Mycological Institute, pp .380.
- Tasiwal, V. and Benagi, V. I. (2009). Studies on the cultural and nutritional characteristics of *Colletotrichum gloeosporioides*, the causal organism of papaya anthracnose. *Karnataka J. Agric. Sci.*, **22** (4) :787-789.
- Thakare, Y.M. (2003). Studies on leaf spot and blight of golden champa (*Michelia champaca* L.) caused by *Fusarium oxysporum* Schl. and *Botryodiplodia theobromae*. M.Sc. (Agri.) thesis submitted to Dr. B.S.K.K.V., Dapoli (M.S.).
- Thakur, R.P.; Rao, V.P.; Agarkar, G.D.; Solunke, R.B.; Bhat, B. and Navi, S.S. (2006). Variation in occurrence and severity of major sorghum grain mold pathogens in India. *Indian Phytopath.*, **59**: 410–416.
- Thakur, R.P.; Rao, V.P.; Navi, S.S.; Garud, T.B.; Agarkar, G.D. and Bhat, B. (2003). Sorghum grain mold “variability in fungal complex. *Int. Sorghum and Millets Newsletter*, **44**: 104-108.

-
-
- Thippeswamy, T. and Lokesh, S. (1997). Effect of leaf extracts on seed mycoflora germination and seedling vigour of sunflower. *Int. J. Tropical Pl. Dis.*, **15**: 53-58.
- Tripathi, R. K. (1974). Head fungi of sorghum, phytotoxins and their effect on seed germination. *Indian Phytopath.*, **27**: 499-501.
- Ushamalini, C.; Rajappan, K. and Kousalya, G. and Gangadharan, K. (1997). Management of charcoal rot of cowpea using bio-control agents and plant products. *Indian Phytopath.*, **50** (4): 504-507.
- *Vincent, J. M. (1947). The esters of 4-hydroxy benzoic acid and relate compounds. Part I. Methods for study of their fungistatic properties. *J. Soc. Chem. Land*, **66** (5):149-155.
- *Wei, C. I. and Swartz, D. D. (1985). Growth and production of mycotoxins by *Alternaria alternata* in Synthetic, Semi synthetic and rice media. *J. Food Protection*, **48** (4): 306-311.

* Original not seen.