

---

---

## LIST OF FIGURES

Fig 4.1:	Effect of grain molds on seed germination, shoot and root length	<b>67</b>
Fig 4.2:	Effect of plant extracts on growth of <i>Alternaria alternata</i>	<b>70</b>
Fig 4.3:	Effect of plant extracts on growth of <i>Fusarium oxysporum</i>	<b>73</b>
Fig 4.4:	Effect of plant extracts on growth of <i>Colletotrichum graminicola</i>	<b>75</b>
Fig 4.5:	Effect of plant extracts on growth of <i>Fusarium moniliforme</i>	<b>77</b>
Fig 4.6:	Effect of plant extracts on growth of <i>Macrophomina phaseolina</i>	<b>78</b>
Fig 4.7:	<i>In vitro</i> screening of antagonists against <i>Macrophomina phaseolina</i> by dual culture method	<b>80</b>
Fig 4.8:	<i>In vitro</i> screening of antagonists against <i>Macrophomina phaseolina</i> by pathogen at centre method	<b>82</b>
Fig 4.9:	<i>In vitro</i> screening of antagonists against <i>Macrophomina phaseolina</i> by pathogen at periphery method	<b>84</b>
Fig 4.10:	<i>In vitro</i> screening of antagonists against <i>Fusarium moniliforme</i> by dual culture method	<b>85</b>
Fig 4.11:	<i>In vitro</i> screening of antagonists against <i>Fusarium moniliforme</i> by pathogen at centre method	<b>87</b>
Fig 4.12:	<i>In vitro</i> screening of antagonists against <i>Fusarium moniliforme</i> by pathogen at periphery method	<b>88</b>
Fig 4.13:	<i>In vitro</i> screening of antagonists against <i>Colletotrichum graminicola</i> by dual culture method	<b>90</b>
Fig 4.14:	<i>In vitro</i> screening of antagonists against <i>Colletotrichum graminicola</i> by pathogen at centre method.	<b>91</b>
Fig 4.15:	<i>In vitro</i> screening of antagonists against <i>Colletotrichum graminicola</i> by pathogen at periphery method.	<b>93</b>
Fig 4.16:	<i>In vitro</i> screening of antagonists against <i>Alternaria alternata</i> by dual culture method	<b>94</b>
Fig 4.17:	<i>In vitro</i> screening of antagonists against <i>Alternaria alternata</i> by pathogen at centre method	<b>96</b>
Fig 4.18:	<i>In vitro</i> screening of antagonists against <i>Alternaria alternata</i> by pathogen at periphery method	<b>97</b>

---

---

---

---

Fig 4.19: <i>In vitro</i> screening of antagonists against <i>Fusarium oxysporum</i> by dual culture method	<b>98</b>
Fig 4.20: <i>In vitro</i> screening of antagonists against <i>Fusarium oxysporum</i> by pathogen at centre method	<b>100</b>
Fig 4.21: <i>In vitro</i> screening of antagonists against <i>Fusarium oxysporum</i> by pathogen at periphery method	<b>102</b>
Fig 4.22 <i>In vitro</i> screening of fungicides against <i>Alternaria alternata</i>	<b>104</b>
Fig 4.23: <i>In vitro</i> screening of fungicides against <i>Fusarium oxysporum</i>	<b>106</b>
Fig 4.24: <i>In vitro</i> screening of fungicides against <i>Colletotrichum graminicola</i>	<b>107</b>
Fig 4.25 <i>In vitro</i> screening of fungicides against <i>Fusarium moniliforme</i>	<b>110</b>
Fig 4.26: <i>In vitro</i> screening of fungicides against <i>Macrophomina phaseolina</i>	<b>112</b>

---

---