

## List of Tables

<b>Chapter 2</b>	<b>THEORETICAL BACKGROUND AND EXPERIMENTAL TECHNIQUES</b>	<b>Page No.</b>
<b>Table 2.1</b>	Different glass compositions used for growth of semiconductor quantum dot.	<b>37</b>
<b>Table 2.2</b>	Some selective parameters that can extracted from Photoluminescence spectroscopy [6].	<b>61</b>
<b>Chapter 3</b>	<b>GROWTH AND CHARACTERIZATION OF CdSQUANTUM DOTS</b>	
<b>Table 3.1</b>	Some basic properties of CdS semiconductor as per literature [7].	<b>76</b>
<b>Table 3.2</b>	Four different glass compositions used in the present study showing the weight percent of the individual oxides along with $T_{melt}$ and $T_g$ . The last column shows the values of $B$ coefficient (of Equation 3.1) for the constituent oxides used to calculate the glass viscosity of each batch. The values of $B$ are taken from reference 27.	<b>80</b>
<b>Table 3.3</b>	Calculated average particle (dot) size of CdS quantum dots for all four glass compositions.	<b>87</b>

<b>Table 3.4</b>	The average particle size from XRD, the absorption edge (band gap) and photoluminescence peak energy of CdS doped glass samples of different heat treatments.	<b>102</b>
<b>Chapter 4</b>	<b>GROWTH AND CHARACTERIZATION OF CdSe QUANTUM DOTS</b>	
<b>Table 4.1</b>	Some basic properties of CdSe semiconductor reported in literature [1, 11].	<b>114</b>
<b>Table 4.2</b>	Excitation peak position of absorption ( $\lambda_{absorption}$ ), calculated dot size, experimentally observed dot size, peak position of Photoluminescence spectra ( $\lambda_{PL}$ ), Stock shift and FWHM of PL spectra for CdSe Quantum Dots (QDs) in glass matrix at different thermal treatment conditions.	<b>120</b>
<b>Chapter 5</b>	<b>GROWTH AND CHARACTERIZATION OF Sb<sub>2</sub>S<sub>3</sub> QUANTUM DOTS</b>	
<b>Table 5.1</b>	Band gap variation of glass samples with heat treatment	<b>154</b>