

REFERENCES

1. Alagirusamy, R & Vinayak Ogale, J 2005, 'Development and Characterization of GF/PET, GF/ Nylon, GF/PP Commingled Yarns for Thermoplastic Composites' *Thermoplastic Composite Materials*, vol. 18, pp. 269.
2. Arbelaiz, A, Cantero, G, Fernández, B, Mondragon, I, Gañán,P & Kenny, JM 2005, 'Flax fiber surface modifications: Effects on fiber physico mechanical and flax/polypropylene interface properties' *Polym. Compos*, vol.26, pp.324–332.
3. Balasubramanian, P & K R 1985, 'Effect of strain rate on yarn Tenacity' *Textile Res J.*, vo. 55(1), pp.74-75.
4. Barella, A & Sust, A 1962, 'Cohesion Phenomena in cotton Roveing and Yarns'. Part-1, General study, *Textile Res J*, no.3, pp.217-226.
5. Bharani, M & Mahendra Gowda 2012, 'A study of tensile behaviour of Ring, Rotor Air-Jet and DREF-3 Friction yarns at different gauge lengths'. *International Journal of Scientific and Research Publications*, vol.2(9), pp.1-11.
6. Belser, RB & Taylor, JL 1969, 'Frictional properties of Cotton Fibres in Premier Sym pint Recherche Textile Cotonniere', Paris', pp 111-137.
7. Blanchard, EJ, Graves, EE & Batiste, SL 2000, "Enzymatic Hydrolysis of Modified Cotton, *Textile Chem. Color.*, Am. Dyest. Rep. vol.32, pp. 37-41
8. Bledzki, AK, Reihmane, S & Gassan, J 1996, 'Properties and Modification Methods for Natural Fibre Composites', *J. Appl. Polym. Sci.*, pp. 59-1329.
9. Bohringer, J 2002, *Rupp, ITB*, vol. 48, no. 6, pp. 6.
10. Buchert, J & Pere, J 2000, Scouring of cotton with pectinases, proteases and lipases', *Textile Chemist and Colorist & American Dyestuff Reporter*, vol. 31, no. 5, pp. 48-52.
11. Buschle-Diller, G, Yang, XD & Yamamoto, R 2001. Enzymatic bleaching of cotton fabric with glucose oxidase. *Textile Res. J.* vol.71 (5), pp.388–394

12. Buschle-Diller, G & Traore, MK 1998, 'Influence of Direct and Reactive Dyes on the Enzymatic Hydrolysis of Cotton', *Text Res J*, vol. 68, pp. 185-192.
13. Buschle-Diller, G, El Mogahzy, Y, Inglesby, MK & Zeronian, SH 1998, 'Effects of scouring with enzymes, organic solvents, and caustic soda on the properties of hydrogen peroxide bleached cotton yarn', *Textile Research Journal*, vol. 68, no. 12, pp. 920-929.
14. Carlene, PW 1950, 'The relation between fibre and yarn flexural rigidity in continuous filament viscose rayons. *Journal of the Textile Institute*, vol. 41, no 5, pp.159-171.
15. Cavaco - Paulo, A & Almeida 2001, 'Enzymatic bleaching of cotton' *Text. Res. J.*, vol. 71, pp. 842.
16. Cavaco-Paulo, A, Almeida, L & Bishop, D 1996, 'Effects of agitation and endoglucanase pre-treatment on the hydrolysis of cotton fabrics by a total cellulase', *Textile Research Journal*, vol. 66, no. 5, pp.287-294.
17. Cavaco-Paulo, A, Almeida, L & Bishop, D 1998, 'Hydrolysis of cotton cellulose by engineered cellulases from *Trichoderma reesei*', *Textile Research Journal*, vol. 68, no. 4, pp. 273-280.
18. Cavaco-Paulo, A, Cortez, J & Almeida, L 1996, 'The effect of cellulase treatment in textile washing processes', *Journal of the Society of Dyers and Colourists*, vol. 117, pp. 17-21.
19. Chattopadhyay R 1999, 'The influence of the strain rate on the characteristics of the load – elongation curves of ring spun and air jet spun yarns', *J.Text.Inst.*, vol. 90(2), pp.268-271.
20. Chand, N & Rohatgi, PK 1987, 'The Toughness of Sunhemp-Carbon-Fibre-Polyester Hybrid Composite', *Polym. Commun.*, vol.28, no. 146.
21. Chiu, FC, Lai, SM, Chen, JW & Chu, PH 2004, 'Combined Effects of Clay Modifications and Compatibilizers on the Formation and Physical Properties of Melt-Mixed Polypropylene / Clay Nanocomposites', *J. Polym. Sci.: Part B Polym. Phy.*, vol. 42(22), pp. 4139–4150.
22. Chow, WSM, Ishak, ZA, Ishiaku, US, Karger Kocsis, J & Apostolov, AA 2004, 'The Effect of Organoclay on the Mechanical Properties and Morphology of Injection-Molded Polyamide 6/Polypropylene Nanocomposites', *J. Appl. Polym. Sci.*, vol. 91(1), pp. 175–189.

23. Cortez, JM, Ellis, J & Bishop, DP 2002, 'Using cellulases to improve the Dimensional Stability of Cellulosic Fabrics', *Text. Res. J.*, vol. 72, no. 8, pp. 673.
24. Cotton world statistics – by International cotton advisory committee. Source - Food and agriculture organisations of the UN, [dated on 25-06-2005], < <http://www.fao.org/es/ESC/en/index.html> >
25. Csiszar, E, Urabanszki, K & Szakacs, G 2001, 'Biotreatment of desized cotton fabric by commercial cellulase and xylanase enzymes', *Journal of Molecular Catalysis B: Enzymatic*, vol. 1, pp. 1065 - 1072.
26. Degani, O, Gepstein, S & Dosoretz, CG 2002, 'Potential use of cutinase in enzymatic scouring of cotton fibre cuticle', *Applied Biochemistry and Biotechnology, Part A, Enzyme Engineering and Biotechnology*, vol. 102, no. 14, pp. 277-290.
27. DeLuca, LB & Thibodeaux, DP 1992, 'Comparison of yarn tenacity data obtained using Tensorapid, Dynamat and Scottskein Testing', *Textile Res J.*, vol. 62, pp.175-184.
28. Doh, JG & Cho, I 1998, ' Synthesis and Properties of Polystyrene-Organ ammonium Montmorillonite Hybrid', *Polym. Bull.*, vol.41(5), pp.511–518.
29. Doshi, R & Shelke, V 2001, *Indian J. Fibre Text. Res.*, 'Enzymes in textile industry- An environment-friendly approach', vol. 26, pp. 202.
30. Eichhorn, SJ, Young, RJ & Yeh, WY 2001, 'Deformation processes in regenerated cellulose fibers', *Textile research Journal*, vol. 71, no. 2, pp.121-129.
31. Eppers, JN, Husain, PA & Lange, NK 1999, 'Alkaline pectinase: an eco-friendly approach to cotton preparation', *Textile Asia*, pp. 83-86.
32. Fu, S, Lauke, B, Madder, E, Yue, C, Hu, X & Mai, YW 2001, 'Hybrid Effects on Tensile Properties of Hybrid Short-Glass-Fibre- and Short-Carbon-Fibre-Reinforced Polypropylene Composites', *J. Mater. Sci.*, pp. 36-1243.
33. Gassan, J & Bledki, AK 1997, 'The Influence of Fibre Treatment on the Mechanical Properties of Jute- Polypropylene Composites', *Compos. Part A*, pp 28A: 1001.

34. Gatenholm, P, Bertilsson, H & Mathiasson, A 1993, 'The effect of chemical composition of interphase on dispersion of cellulose fibers in polymers. I. PVC-coated cellulose in polystyrene' *Journal of Applied Polymer Science*, vol.49(2), pp. 197–208.
35. Ghosh, A, Ishtiaque, SM & Rengasamy, RS 2005, 'Analysis of spun failure.1. Tensile failure of yarns as a function structure and Testing Parameters', *Textile Res J.*, vol.75(20), pp.731-740.
36. Ghosh, A, Ishtiaque, SM & Rengasamy, RS 2003, 'Proceedings of Ist International Conference'. *Baltic Textile & Leather*, pp 1-6, Kaunos Lithuania.
37. Gokarneshan, N, Anbumeni, N & Subramaniam, V 2005, 'An investigation on the minimum twist of cohesion of ring and compact yarns' *Indian Journal of Fibre & Textile Research*, vol.30, pp.340-343.
38. Goldwaith, FG & Guthrie, JD 1984, 'Mathew's Textile fibres', HR Marers berger, ed., Wiley Interscience, New York.
39. Grethlien, HE 1985, 'Comparison of the economics of acid and Enzymatic hydrolysis of newsprints', *Biotechnology and Bioengineering*, vol.97, pp.209-217.
40. Hardin, IR & Li, Y 1997, 'Enzymatic scouring of cotton: effects on structure and properties', *Textile Chemist and Colorist*, vol. 29, no. 8, pp.71-76.
41. Hartzell, MM & Hsieh, YL 1998, 'Enzymatic scouring to improve cotton fabric wettability', *Textile Research Journal*, vol. 68, vol. 4, pp. 233-241.
42. Hornsby, PR, Hinrichsen, E & Tarverdi, K 1997, 'Preparation and Properties of Polypropylene composites reinforced with wheat and flax straw fibres' *Journal of Mat. Sci.* vol.32, pp.1009-1015.
43. Home page of cotton Australia, [dated on 25-06-2005], <http://www.cottonaustralia.com.au/LI_worldhistory.html>.
44. Home page of national cotton council, [dated 25-06-2005], <<http://www.cotton.org/pubs/cottoncounts/story/index.cfm>>.
45. Home page of LSU agriculture centre, research and education, [dated on 25-06-2005], <<http://www.lsuagcenter.com/en/communications/publications/agmag/Archive/2003/Spring/Cotton+History.html>>.

46. Chien-Hua Lin & You-Lo Hsieh 2001, 'Direct Scouring of Greige Cotton Fabrics with Proteases' *Textile Research Journal*, vol. 71, no.5, pp. 425-434.
47. Ismail, H, Hong, HB, Ping, CY & Abdul Khalil, HPS 2002, 'The Effects of a Compatibilizer on the Properties of Polypropylene/Silica/ White Rice Husk Ash Hybrid Composites', *J. Reinf. Plast. Compos*, pp. vol. 21, no. 18, pp. 1685.
48. Jaakko Pere, Arja Puolakka, Pertti Nousiainen 2001, 'Action of purified *Trichoderma reesei* cellulases on cotton fibers and yarn' *J. Bio Tech.*, vol. 89, pp. 247.
49. Ji, X.L, Jing, JK & Jiang, B.Z. (2002). 'Tensile Modulus of Polymer Nanocomposites', *Polym. Eng. Sci.*, 4(5): 983-993.
50. Jin, C & Maekawa, M 2001, 'Evaluating an Enzyme Treatment of Ramie Fabrics', *Text. Res. J.*, vol. 71, pp. 779.
51. Kang, TK & Kin, MS 2001, 'Effects of Silicone Treatments on the Dimensional Properties of Wool Fabric' *Textile Research Journal*, April 2001 71: 295-300,
52. Karmakar, SR 1999, 'Chemical technology in the pretreatment processes of textiles', in *Textile Science and Technology Series*, 1st ed., ISBN 0-444-500060- X, Elsevier Science B.V., Amsterdam, the Netherlands, pp. 12.
53. Karmaker, AC & Schneider, JP 1996, 'Mechanical Performance of Short Jute Fibre Reinforced Polypropylene', *J. Mater. Sci. Lett.*, pp. 15-201.
54. Kaushik, RCD, Salhotra, KR & Tyagi, GK 1989, 'Influence of extension rate and specimen length on tenacity and breaking extension of Acrylic/Viscose Rayon Rotor spun Yarns', *Textile Res J.*, vol.559(2), pp.97-100.
55. Kodgire, P, Kalgaonkar, R, Hambir, S, Bulakh, N & Jog, JP 2001, 'Nano composites: Effect of clay treatment on morphology and dynamic mechanical properties', *J. Appl. Polym. Sci.*, vol.81(7), pp.1786-1792.
56. Kojima, M, Usuki, A, Okada, A & Kamigato, O 1993, 'Mechanical properties of nylon 6-clay hybrid', *J. Mater. Res.*, vol.8, pp.1185.

57. Koo, H, Veda, M & Wakida, T 1994, 'Cellulase Treatment of Cotton Fabrics,Text'. Res. J., vol. 64, pp. 70.
58. Kumar, S 1994, 'Chemical Modification of wood', Wood Fibre Sci., vol.26, pp.270.
59. Kurokawa, Y, Yusuda, H & Oya, A 1996, 'Tensile loading of ropes of single', J. Mater. Sci. Lett., vol.15, pp.1481.
60. Kurz, J 1969, 'Die praxis der chemischreinigung' Gemmrighe'm: Fachbuchverlag.
61. Lange, NK 1997, Text. Chem., Colour, vol. 29, pp. 23.
62. Lei, SG, Hoa, SV & Ton-That, MT 2006, Effect of Clay Types on the Processing and Properties of Polypropylene Nanocomposites, Compos. Sci. Technol., vol.66(10), pp.1274–1279.
63. Lenting, HBM & Warmoeskerken, MMCG 2001, 'Guidelines to come to minimised tensile strength loss upon cellulase application', Journal of Biotechnology, vol. 89, no. 2-3, pp. 217-226.
64. Lenting, HBM, Zwier, E & Nierstrasz, VA 2002 'Identifying important parameters for a continuous bioscouring process', Textile Research Journal, vol. 72, no. 9, pp.825-831.
65. Li, Y & Hardin, IR 1998, 'Enzymatic scouring of cotton-surfactants, agitation and selection of enzyme', Textile Chemist and Colorist, vol. 30, no. 9, pp. 23-29 .
66. Lin, CH & Hsieh, YL 2001, 'Direct scouring of greige cotton fabric with proteases', Textile Research Journal, vol.71, no.5, pp. 415-434.
67. Lu, P & Hsieh, YL 2009, 'Cellulose nanocrystal filled poly(acrylic acid) nanocomposite fibrous membranes', Nanotechnology, vol. 20.
68. Luca, DLB &Thibodeaux DP 1992, 'Comparison of yarn tenacity data obtained using the uster Tensorapid Dynamat K & Scott screen Testers, Textile Res J, vol.62(3), pp.175-184.
69. Maiti, P, Nam, PH, Okamoto, M, Hasegawa, N & Usuki, A 2002, Influence of Crystallization on Intercalation, Morphology, and Mechanical Properties of Polypropylene/Clay Nanocomposites, Macromol., vol.35(6), pp.2042–2049.

70. Midgley, E & Peirce, FT 1926, 'Tensile test for cotton yarns. The rate of loading', *J.Text. Inst.*, vol.17, pp.T330-T341.
71. Mat Taib, R, Mohd Ishak, ZA, Rozman, HD & Glasser, 2006, WG, Effect of moisture absorption on the tensile properties of steam exploded Acacia Mangium fibre pp composites, vol. 10, no. 55, pp. 475-489
72. Mecloskey, SG & Jump, JM 2005, 'Bio-Polishing of Polyester and Polyester/Cotton Fabric' *Text. Res. J.*, vol. 75, pp. 480.
73. Menachem, L, Lewin, EM Pearce & Lewin, EM 1998, 'Handbook of fibre chemistry', in *International Fibre Science and Technology Series*, 2nd ed., ISBN 0-8247-9471-0, Marker Dekker, Inc, New York, USA.
74. Meredith, R 'The effect of the rate of extension on the strength and extension of cotton yarns, *J.Text. Inst.*, vol.41, pp.T199-T124.
75. Mohanty, S, Verma, SK, Tripathy, SS & Nayak, SK 2004, 'Effect of MAPP as Coupling Agent on the Performance of Sisal-PP Composites', *J. Reinf. Plast. Compos*, pp. 23-1823.
76. Mohanty, S, Verma, SK, Tripathy, SS & Nayak, SK 2004, Effect of MAPP as Coupling agent on the Performance of Jute-PP Composites, *J. Reinf. Plast. Compos.*, vol.23, pp.625.
77. Mohanty, S, Verma, SK, Tripathy, SS & Nayak, SK 2004, Effect of MAPP as Coupling Agent on the Performance of Sisal-PP Composites, *J. Reinf. Plast. Compos.*, vol.23, pp.1823.
78. Mohanty, S, Verma, SK, Tripathy, SS & Nayak, SK 2004, 'Effect of MAPP as Coupling agent on the Performance of Jute-PP Composites', *J. Reinf. Plast. Compos*, pp 23-625.
79. Mori, R, Haga, T & Takagisi, T 1999, 'Bending and Shear Properties of Cotton Fabrics Subjected to Cellulase Treatment' *Text. Res. J.*, vol. 69, pp. 742.
80. Mukherjee, PS, Sathyanarayana KG 1984, 'Structure and properties of some vegetable fibres, Part I, Sisal Fibre', *Journal of Material Science*, vol.19, pp.3925-3934.
81. Nabi Saheb, D, Jog, P 1999, 'Natural fiber polymer composites: A review' *Adv in Polymer Techn.*, vol.18, pp.351-363.

82. Pravin Kodgire, Rajendra Kalgaonkar, Sangeetha Hambir, Neelima Bulakh & Jog, JP 2001, 'PP/clay nanocomposites: Effect of Clay Treatment on Morphology and Dynamic Mechanical Properties', *J. Appl. Polym. Sci.*, vol.81(7), pp.1786–1792.
83. Nierstrasz, VA & Warmoeskerken, MMCG 2003, 'Textile Processing with Enzymes', (Cavaco-Paulo A., & Gübitz, G.M., Eds.), ISBN 1-85573-610-1, Woodhead Publishing Ltd., Cambridge, England.
84. Norma, E, Marcovich, María, M, Reboredo, Aranguren, MI 1998, 'Mechanical properties of wood flour unsaturated polyester composites' *J Appl Polym Sci.*, vol.70, pp.2121–2131.
85. Panthapulakkal, S & Sain, M 2007, 'Studies on the water Absorption Behaviour of short Hemp-Glass Fibre hybrid Polypropylene Composites', *J.Compos.Materials*, vol.41, pp.1871-1883.
86. Parija, S, Nayak, SK, Verma, SK & Tripathy, SS 2004, Studies on Physico-Mechanical Properties and Thermal Characteristics of Polypropylene/Layered Silicate Nanocomposites, *Polym. Compos.*, vol.25(6), pp.646–652.
87. Patni, AK, Agarwal, G & Garg, A 2004, *Indian Text. J.*, vol. 114, pp. 25.
88. Paulo, AC 2001, 'Improving Dimensional Stability of Cotton Fabrics with Cellulase Enzymes', *Text. Res. J.*, vol. 71, no. 9, pp. 842.
89. Peirce, FT 1926, Tensile Tests for cotton yarns, Part V: 'The weakest link theorems on the strength of long and composite specimens', *J. Text. Inst.*, vol17, pp.T355-T368.
90. Pere, J, Puolakka, A, Nousiainen, P & Buchert, J 2001, 'Action of purified trichoderma reesei cellulases on cotton fibres and yarn', *Journal of Biotechnology*, vol. 89, no. 2-3, pp. 247-255.
91. Radhakrishnaiah, P, Jingwu He & Fred LCook 2008 'Hand-Related Mechanical Behavior of Enzyme-Treated Yarn', *Textile Res J*, vol.73, pp. 265-273.
92. Rana, AK, Mandal, A, Mitra, BC, Jacobson, R, Rowell, R & Banerjee, AN 1998, 'Short Jute Fibre Reinforced Polypropylene Composites: Effects of Compatibilizer', *J. Appl. Polym. Sci.*, pp. 69-329.

93. Realf, ML, Schwartz, P, Seo, M, Boyce MC & Backer, S 1994, 'Mechanical Properties of Fabric woven from yarn produced by different spinning technologies; yarn failure as a function of gauge length' *Textile Res J.*, vol.1(9), pp.517-530.
94. Rossner, U 1993, 'Enzymatischer Abbau von Baumwollbegleitsubstanzen' *Melliand Textilber*, vol. 72, pp. 144.
95. Rouette, HK 2001, 'Encyclopaedia of Textile Finishing', ISBN 3-540-65031-8, Springer-Berlin, Germany, pp 1-3.
96. Samal, SK, Mohanty, S & Nayak, SK 2009, Polypropylene-bamboo/glass fibre hybrid composites: fabrication and analysis of mechanical, morphological, thermal and dynamic mechanical behaviour, *J Reinf Plast Compos*, vol.28(22), pp.2729-2747.
97. Samanta, AK, Singhee, D, Basu, G & Mahalanabis, KK 2005, *Indian, J. Fibre Textile Res.*, vol. 30, pp. 451.
98. Sanjay K Nayak & Smita Mohanty 2010 'Sisal glass fibre reinforced PP Hybrid composites: Effect of MAPP on the dynamic mechanical and thermal properties' *J Reinforced Plastics and composites*, vol.29.
99. Sreenivasan, S, Bhama Iyer, P & Krishna Iyer, KR 1996, 'The influence of Delignification and alkali Treatment on the Fine structure of Coir Fibres (*cocos nucifera*)', *J.Mater. Sci.*, vol.37, pp.721.
100. Stephen, WWA 1957, 'High speed process for desizing and bleaching cotton goods', United State Patent number 2790699.
101. Sushantha K Samal, Sanjay K Nayak & Smita Mohanty 2008, 'Polypropylene Nanocomposites: Effect of Organo-modified Layered Silicates on Mechanical, Thermal & Morphological Performance', *J Thermoplastic composites materials*, vol.21.
102. DR & Bain, LJ 1969, 'Two sample tests in the Weibull Distributors, *Technometrics*, vol.11(4), pp.805-815.
103. Thomas, MA 2002, A2LA, 'Guidelines for Estimation of Measurement Uncertainty in Testing', pp.1-42.
104. Throtman, ER, 1984, 'Dyeing and chemical technology of textile fibre', 6thed., ISBN 0-85264-267-9, Charles Griffin and Company LTD, England.

105. Thwe, MM & Liao, K 2002, 'Effects of Environmental Aging on the Mechanical Properties of Bamboo–Glass Fibre Reinforced Polymer Matrix Hybrid Composites', *Composites Part A*, pp. 33-43.
106. Thwe, MM & Liao, K 2003, 'Environmental Effects on Bamboo-Glass / Polypropylene Hybrid Composites', *J. Mater. Sci.*, pp. 35-363.
107. Topalovic, T, Nierstrasz, VA & Warmoeskerken, MMCG 2002, 'Catalytic bleaching', *Proceedings of the 3rd AUTEX Conference*, Gdansk, Poland, 25-27, Book II, pp 80-82.
108. Tröger, J, Schlegl, E & Schwabe, B, Influence of the preliminary Drafting factor and the Drafting Factor and the Drafting unit speed on the static and dynamic friction characteristics of slivery in high drft units. *Melliand Textilberichte*, [Eng ED., E3-E6], vol.74(1), pp.11-16.
109. Tyagi, GK & Gupta, SK 2009, 'Study on cotton ring and OE rotor yarns characteristics: Part III – Effect of enzymatic wet processing on various characteristics', *Indian J Fibre & Tex Res* vol. 34, pp. 41-46.
110. Tyagi, GK, Bhattacharya, S & Gupta, S 2009, 'Study on ring and OE rotor yarn characteristics, Part III Effect of Enzymatic wet processing on various characteristics', *Indian J. Fibre & Tex. Res.*, vol. 34, pp. 20.
111. Tzanko, T, Calafell, M, Guebitz, GM & Cavaco-Paulo, A 2001, 'Bio-preparation of cotton fabrics', *Enzyme and Microbial Technology*, vol. 29, no.6-7, pp. 357-362.
112. Van Krevelen, DW 1997, 'Properties of Polymers', 3rd rev. edn, Elsevier Scientific, Amsterdam/New York.
113. Vigo, TL 1997, 'Textile processing and properties – preparation dyeing, finishing and performance', in *Textile Science and Technology Series*, 1st ed., ISBN 0-444- 88224-3, Elsevier Science B.V., Amsterdam, the Netherlands, pp. 11.
114. Wadham, M 1994, 'Biopolishing of cellulosic fabrics', *JSDC*, vol. 110, pp 367-368.

115. Wakida, T, Moriya, T, Leel, M, Yoshika, H & Yanai, Y 2000, 'Effect of Liquid Ammonia, Sodium Hydroxide/Liquid Ammonia, and Subsequent Cellulase Treatments on Mechanical Properties of Cotton Fabric', *Text. Res. J.*, vol. 70, pp. 161.
116. William, CJ & Stephen, WWA 1968, 'Textile treatment', Great Britain Patent number 1121864.
117. Yang, GC, Zeng, HM, Jain, NB & Li, JJ 1996, Properties of Banaba Fibre/Glass Fibre Reinforced PVC Hybrid Composites, *Plastics Industry*, vol.1, pp.79-81.
118. Yuan, I & Zhang, X 1999, 'Maleated Polypropylene as a Coupling Agent for Polypropylene Waste Newspaper Flour Composites', *J. Appl. Polym. Sci.*, pp. 71-333.