

TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO.
	ABSTRACT	iii
	LIST OF TABLES	xviii
	LIST OF FIGURES	xx
	LIST OF SYMBOLS AND ABBREVIATIONS	xxiii
1	INTRODUCTION	1
1.1	GENERAL INTRODUCTION	1
1.1.1	Cotton History	2
1.1.2	Cotton: from Fields to Textiles	2
1.1.3	Wet Pre treatment Process for the Cotton Textiles	3
1.1.4	Overview of the Alkaline Scouring for Grey Cotton	5
1.1.5	Draw Backs Associated with the Alkaline Scouring	10
1.1.6	Overview of Enzymatic Scouring	10
1.1.7	Definition, Research Strategy and Scope of the Thesis	13
1.1.8	Cotton Yarns	13
1.2	MOTIVATION AND OBJECTIVES	15
1.2.1	Natural Fibres in Composites	17
1.2.2	Scouring with Solvents	18
1.3	OBJECTIVES OF THE RESEARCH	25
1.4	ORGANISATION OF THE THESIS	27

CHAPTER NO.	TITLE	PAGE NO.
2	COTTON AND ITS TREATMENT	29
2.1	LITERATURE SURVEY	29
2.1.1	Chemical Aspects of Cellulose	29
2.2	CELLULASE TREATMENT OF COTTON YARNS	30
2.2.1	Enzymes	30
2.2.2	Enzyme Preparation	31
2.2.3	Enzymatic Hydrolysis of Cellulose Substrates	31
2.2.4	Size and Diffusibility of Cellulolytic Enzymes in Relation to the Capillary Structure of Cotton	33
2.2.5	Degree of Crystallinity	33
2.2.6	Extraneous Matter	34
2.2.7	Structure of Enzymes	34
2.2.8	Properties of the Enzymes	35
2.2.8.1	Accelerate reactions	35
2.2.8.2	Specificity	35
2.2.9	Mild Operating Conditions	35
2.3	FACTORS AFFECTING ENZYME ACTIVITY	36
2.3.1	Temperature	36
2.3.2	Effects of pH	36
2.3.3	Enzyme Concentration	37
2.3.4	Substrate Concentration	37
2.3.5	Effects of Inhibitors on Enzyme Activity	38
2.4	CELLULASE	38
2.4.1	Fabric Softening	39
2.4.2	Colour Revival	40

CHAPTER NO.	TITLE	PAGE NO.
	2.4.3 Ageing Effect	40
	2.4.4 Cleansing Effect	40
2.5	COMPACT YARN SPINNING SYSTEMS	41
2.6	WEIBULL DISTRIBUTION	42
	2.6.1 Design and Development of Weibull Distribution	42
	2.6.2 Weibull Modulus	42
	2.6.3 Effect of Gauge Length and Strain Rate on Yarn Properties	45
2.7	HYBRID FIBRE REINFORCED POLYPROPYLENE COMPOSITES	46
	2.7.1 Natural Fibre	46
	2.7.2 Properties of Natural Fibre	48
2.8	SISAL FIBRE	50
	2.8.1 Properties of Sisal Fibre	51
	2.8.2 Surface Treatment of Sisal Fibre	53
2.9	SURFACE MODIFICATION OF NATURAL FIBRES	54
	2.9.1 Chemical Treatments	55
	2.9.1.1 Mercerization	55
	2.9.1.2 Silane treatment	55
	2.9.1.3 Acetylation treatment	56
	2.9.1.4 Benzoylation treatment	56
	2.9.1.5 Enzyme treatment	56
	2.9.2 Other Chemical Treatments	56
	2.9.3 Physical Treatment	57
2.10	NANOCLAY	58
	2.10.1 Structure of Nanoclay	59

CHAPTER NO.	TITLE	PAGE NO.
	2.10.2 Physical and Chemical Properties of Clay Nanoparticles	60
	2.10.3 Organic Treatment of Nanoclay	61
	2.10.4 Dispersing of Nanoclays in Polymer Matrix	61
	2.10.5 Miscibility/Thermodynamics of Nanocomposite Formation	63
	2.11 SUMMARY	65
3	MATERIALS AND METHODS	66
	3.1 INTRODUCTION	66
	3.1.1 Regular and Compact Cotton Yarns	66
	3.1.2 Sisal Fibres	66
	3.1.3 Chemicals	67
	3.1.4 Polypropylene	67
	3.1.5 Nano Clay (Cloisite 25A)	67
	3.1.6 MAPP	68
	3.2 CONDITIONING OF YARN SAMPLE	68
	3.3 YARN PRETREATMENTS	68
	3.3.1 Scouring	68
	3.3.2 Bleaching	68
	3.3.3 Mercerization	69
	3.4 ENZYMATIC TREATMENT	69
	3.5 DESIGN OF THE EXPERIMENTS	69
	3.6 TESTING OF YARNS	69
	3.6.1 Weight Loss	70
	3.6.2 Wickability	70
	3.6.3 Tensile Properties	70
	3.6.4 Work of Rupture	72
	3.6.5 Initial Modulus	72

CHAPTER NO.	TITLE	PAGE NO.
	3.6.6 Shrinkage	72
3.7	SCANNING ELECTRON MICROSCOPY	72
	3.7.1 Bending Test	72
	3.7.2 Minimum Twist of Cohesion	74
	3.7.3 Design and Development of Weibull Distribution	74
3.8	PREPARATION OF COMPOSITES	74
3.9	EXPERIMENTAL	76
	3.9.1 Physical Properties	77
	3.9.1.1 Water absorption behaviour	77
	3.9.2 Mechanical Properties	77
	3.9.2.1 Tensile Strength Test	77
	3.9.3 Flexural Properties	79
	3.9.3.1 Introduction	79
	3.9.3.2 Test procedure and measurement	80
	3.9.4 Impact Properties	82
	3.9.4.1 Introduction	82
	3.9.4.2 Test Procedures and measurements	83
3.10	ABRASION RESISTANCE	84
3.11	THERMAL ANALYSIS	85
	3.11.1 Differential Scanning Calorimetry (DSC)	85
	3.11.2 Thermo-Gravimetric Analysis (TGA)	86
	3.11.3 Heat Deflection Temperature (HDT)	
3.12	SCANNING ELECTRON MICROSCOPY	88
3.13	X-Ray Diffraction	89

CHAPTER NO.	TITLE	PAGE NO.
3.14	COMPOUNDING AND PROCESSING	89
3.14.1	Haake Rheocord	89
3.14.2	Compression Moulding	91
3.14.3	Fibre Surface Treatment	92
	3.14.3.1 Alkali treatment	93
	3.14.3.2 Benzoylation	93
	3.14.3.3 Effect of Fibre Surface Treatment	93
3.14.4	Compounding	94
3.14.5	Specimen Preparation	95
4	EFFECT OF CELLULASE ON THE MECHANICAL AND SURFACE PROPERTIES OF REGULAR AND COMPACT YARNS	96
4.1	INTRODUCTION	96
4.2	MATERIALS AND METHODS	96
4.3	RESULTS AND DISCUSSION	96
	4.3.1 Comparison of Regular and Compact Yarns	96
	4.3.2 Weight Loss	96
	4.3.3 FTIR of yarns	97
4.4	WICKABILITY	99
4.5	SHRINKAGE	100
4.6	MINIMUM TWIST OF COHESION OF ENZYME TREATED YARNS	101
4.7	TENSILE PROPERTIES	102
4.8	ELONGATION AND WORK OF RUPTURE	105

CHAPTER NO.	TITLE	PAGE NO.
4.9	SPECIFIC FLEXURAL RIGIDITY	106
4.10	SCANNING ELECTRON MICROSCOPY	106
4.11	CONCLUSION	108
5	THE EFFECT OF GAUGE LENGTH AND STRAIN ON THE TENSILE PROPERTIES OF REGULAR AND COMPACT YARNS AND WEIBULL MODELLING	110
5.1	INTRODUCTION	110
5.2	MATERIALS AND METHODS	110
5.3	GAUGE LENGTH	110
5.4	STRESS CURVES	113
5.5	Ln STRESS CURVES	115
5.6	WORK OF RUPTURE CURVES	116
5.7	WEIBULL PLOTS	119
	5.7.1 The Weibull	119
	5.7.2 Effect of Different Estimators on Weibull Modulus	119
5.8	WEIBULL PLOTS FOR VARIOUS YARNS	123
5.9	CONCLUSION	133
6	MECHANICAL AND THERMAL PROPERTIES OF SISAL/COTTON FIBRES REINFORCED POLYPROPYLENE HYBRID COMPOSITES	135
6.1	INTRODUCTION	135
6.2	MATERIALS AND METHODS	135
6.3	RESULTS AND DISCUSSION	135
	6.3.1 Mechanical Properties	135

CHAPTER NO.	TITLE	PAGE NO.
	6.3.2 Tensile Properties	135
	6.3.3 Flexural Properties	138
	6.3.4 Impact Strength	139
6.4	THERMAL PROPERTIES	141
	6.4.1 Thermo Gravimetric Data of Composites	141
	6.4.2 Differential Scanning Calorimetry	142
	6.4.3 Heat Deflection Temperature	144
6.5	ABRASION RESISTANCE	145
6.6	MORPHOLOGICAL PROPERTIES	146
	6.6.1 Scanning Electron Microscopy	146
6.7	WATER ABSORPTION BEHAVIOUR	148
6.8	CONCLUSION	149
7	MECHANICAL AND THERMAL PROPERTIES OF SISAL/COTTON FIBRES REINFORCED POLYPROPYLENE HYBRID NANOCOMPOSITES	151
	7.1 INTRODUCTION	151
	7.2 MATERIALS AND METHODS	151
	7.3 RESULTS AND DISCUSSION	151
	7.3.1 Mechanical Properties	151
	7.3.2 Tensile Properties	151
	7.4 WATER ABSORPTION BEHAVIOUR	154
	7.5 SEM ANALYSIS	154
	7.6 THERMAL PROPERTIES	156
	7.6 .1 Crystallization And Melting Behaviour	156
	7.6.2 Thermal Stability	157

CHAPTER NO.	TITLE	PAGE NO.
7.7	X-RAY DIFFRACTION (XRD)	159
7.8	CONCLUSION	161
8	SUMMARY AND CONCLUSION	162
8.1	CELLULASE TREATMENT OF COTTON YARNS	162
8.2	STATISTICAL VARIABILITY IN THE STRENGTH AND FAILURE OF COTTON YARNS AND WEIBULL MODELLING	164
8.3	MECHANICAL BEHAVIOUR OF SURFACE MODIFIED COTTON AND SISAL FIBRE REINFORCED POLYPROPYLENE (PP) COMPOSITES	164
8.4	EFFECT OF CLOISITE 25A ON THE MECHANICAL PROPERTIES OF COTTON/SISAL FIBRES REINFORCED POLYPROPYLENE COMPOSITES	165
8.5	CONCLUSION	166
8.6	FUTURE SCOPE OF WORK	166
	APPENDIX	168
	REFERENCES	189
	LIST OF PUBLICATIONS	200

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
1.1	Classification of traditional scouring agent	7
1.2	The removal of impurities of cotton fibre during alkaline scouring process	9
2.1	Probability estimators reported in the literature	44
2.2	Percentage chemical composition of plant fibres	48
2.3	Mechanical properties of natural fibres	50
2.4	Properties of sisal fibres reported by different researchers	52
2.5	Effect of treatment methods on tensile properties of sisal fibres	54
3.1	Yarn samples	66
3.2	Details of the particulars of Instron tensile tester	70
3.3	Various compositions of sisal/cotton fibres reinforced PP(mer-CSFP)	75
3.4	Various compositions of sisal/cotton fibres reinforced PP (cell-CSFP)	75
3.5	Various compositions of cotton fibres reinforced PP nano composite	75
3.6	Various compositions of sisal/ cotton fibres reinforced PP nano composite	76
4.1	Weight loss of cotton yarns after various treatments at 40°C and 50°C	97
4.2	Wicking rates of cotton yarns after pretreatment	99

TABLE NO.	TITLE	PAGE NO.
4.3	Wicking rates of cotton yarns after enzymatic treatments	99
4.4	Shrinkage loss of pre-treated yarns	100
4.5	Minimum twist of cohesion	101
4.6	Influence of enzymatic materials on the cohesion of regular and compact yarns	101
4.7	Tensile properties of grey yarns	102
4.8	Tensile properties of pre-treated yarns	103
4.9	Tensile properties of enzyme treated yarns	103
4.10	Specific flexural rigidity	106
5.1	Statistical data of yarns	111
5.2	ln stress data	114
5.3	ln stress values	115
5.4	Probability parameter calculated by 7 estimators for 60RG	120
5.5	Weibull modulus for 60s regular grey	121
5.6	Weibull modulus for 60s compact grey	121
5.7	Different estimators	122
6.1	Effect of fibre loading on mechanical properties	136
6.2.	Elongation at break and maximum load at break after fibre loading	140
6.3	Thermo gravimetric data of composites	141
6.4	Melting and crystallization behaviour of virgin PP and hybrid PP composites	143
6.5	Heat deflection temperature of composites	144
6.6	Abrasion resistance of composites	145
6.7	Water absorption behaviour of composites	149

TABLE NO.	TITLE	PAGE NO.
7.1	Tensile properties of CSFP nanocomposites	152
7.2	Breaking strain and maximum load of hybrid nano composites	153
7.3	Water absorption test results	154
7.4	Crystallisation and melting behaviour of nanocomposites	156
7.5	Thermal stability of CSFP hybrid nano composites	159

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
2.1	Classification of natural fibres used as reinforcement or fillers in polymers	47
2.2	The chemical structure of glucose showing the carbon numbers and two glucose to form cellobiose	48
2.3	Chemical structure of montmorillonite nanoclays	59
2.4	(a) Unmixed (b) Intercalated and (c) Exfoliated (delaminated) states of nanocomposites	62
2.5	In-situ intercalation of Polymer Nanocomposites	65
3.1	a) Instron Tester 5500R, b) Instron measuring tensile strength at 20mm gauge length	71
3.2	Representation of Flexural Test	80
3.3	Flexural specimens	80
3.4	(a) Specimen in hold position (b) Izod Impact meter	83
3.5	Taber abrader machine	85
3.6	Schematic representation of typical DSC sample cell	86
3.7	TGA Instrument (Perkin Elmer Inc.)	87
3.8	HAAKE Rheocord	89
3.9	Compression moulding machine	92
4.1	FTIR of pre-treated cotton yarns	98
4.2	FTIR of enzyme treated cotton yarns	98

FIGURE NO.	TITLE	PAGE NO.
4.3	Shrinkage of cotton	100
4.4	Minimum twist of cohesion	102
4.5	Tenacity of cotton yarns after various treatments	104
4.6	Work of rupture of cotton yarns after various treatments	104
4.7	Elongation of cotton yarns after various treatments	105
4.8	SEM of 80RG, 80RBE & 80RME	107
4.9	SEM of 80CG, 80CBE, 80CME	107
4.10	SEM of 60CG, 60CBE & 60CME	108
4.11	SEM of 60RG, 60RBE & 60 RME	108
5.1	Stress curves of 60R & 60C	113
5.2	Stress curves of 80C & 80R	113
5.3	In Strain curves of 60C & 60R	114
5.4	In Strain curves of 80R & 80C	114
5.5	In stress curves of 60C Grey and BET	115
5.6	In Stress curves of 60R Grey and BET	116
5.7	In stress curves of 80C Grey & BET	116
5.8	In stress curves of 80R Grey & BET	116
5.9	Work of rupture for 60CG & BET	117
5.10	Work of rupture for 60RG & BET	117
5.11	Work of rupture for 80RG & BET	118
5.12	Work of rupture for 80CG & BET	118
5.13	(a) Weibull plot of 60RG/127mm/500mm	123
5.13	(b) Weibull plot of 60RG 5 mm/min	124
5.14	Weibull plot of 60RG 500 mm/min	124
5.15	Weibull plot of 60R BET 5mm/min	125
5.16	Weibull plot of 60R BET 500mm/min	125

FIGURE NO.	TITLE	PAGE NO.
5.17	Weibull plot of 60R CG 5mm/min	126
5.18	Weibull plot of 60 CG 500mm/min	126
5.19	Weibull plot of 60C BET 5mm/min	127
5.20	Weibull plot of 60C BET 500mm/min	127
5.21	Weibull plot of 80RG 5mm/min	128
5.22	Weibull plot of 80RG 500mm/min	128
5.23	Weibull plot of 80R BET 5mm/min	129
5.24	Weibull plot of 80R BET 500 mm/min	129
5.25	Weibull plot of 80CG 5mm/min	130
5.26	Weibull plot of 80CG 500mm/min	130
5.27	Weibull plot of 80C BET 5mm/min	131
5.28	Weibull plot of 80C BET 500 mm/min	131
6.1	SEM images of (a) 10 % b) 20% c) 30% d) 40% mercerised CFP (e) 30% mercerised CSFP	147
6.2	SEM images of (a) 10% (b) 20% (c) 30% (d) 40% cell-CSFP	148
7.1	SEM image of 3% of nanoclay	155
7.2	SEM image of 5% of nanoclay	155
7.3	Cooling curves of CSFP nanocomposites	158
7.4	Heating curve of CSFP nanocomposites	158
7.5	TGA of CSFP nanocomposites	159
7.6	XRD of CSFP nanocomposites	160
7.7	XRD of CSFP nanocomposites in lower angle	161

LIST OF ABBREVIATIONS

ASTM	-	American Society for Testing and Materials
B	-	Bleached
BE	-	Bleached and Enzyme treated
C	-	Compact yarns
CG	-	Compact grey
Cell CSFP	-	Cellulase treated cotton/sisal hybrid fibre
polypropylene		Composite
CF	-	Cotton fibre
CFP	-	Cotton fibre reinforced polypropylene
CSFP	-	Cotton Sisal fibre reinforced polypropylene
DSC	-	Differential Scanning calorimetry
G	-	Grey
M	-	Mercedised
MAPP	-	Maleic anhydride grafted polypropylene
ME	-	Mercedised and Enzyme treated
Mercedised CSFP	-	Mercedised cotton/sisal hybrid fibre polypropylene composite
PP	-	Polypropylene
R	-	Regular yarns (conventional yarns)
RG	-	Regular grey
S	-	Scoured
SE	-	Scoured and Enzyme treated
SEM	-	Scanning electron microscopy
SF	-	Sisal fibre
TGA	-	Thermo gravimetric analysis
Tsi	-	Twist per inch
XRD	-	X Ray Diffraction