

References

- Adedayo, O., Javadpour, S., Taylor, C., Anderson, W.A. and Moo-Young, M. 2004. Decolourization and detoxification of methyl red by aerobic bacteria from a wastewater treatment plant. *World J. Microbiol. Biotechnol.* **20**, 545–550.
- Aksu, Z. 2003. Reactive dye bioaccumulation by *Saccharomyces cerevisiae*. *Process Biochem.* **38**, 1437–1444.
- Aksu, Z. and Donmez, G. 2000. The use of molasses in copper (II) containing wastewaters: effects on growth and copper (II) bioaccumulation properties of *Kluveromyces marxianus*. *Process Biochem.* **36**, 451–458.
- Aksu, Z. and Tezer, S. 2005. Biosorption of reactive dyes on the green alga *Chlorella vulgaris*. *Process Biochem.* **40**, 1347–1361.
- Ali, H. 2010. Biodegradation of Synthetic Dyes—A Review. *Water Air Soil Pollut.* **213**, 251–273.
- Ali, H., Ahmad, W. and Haq, T. 2009. Decolorization and degradation of malachite green by *Aspergillus flavus* and *Alternaria solani*. *Afr. J. Biotechnol.* **8**, 1574–1576.
- Aneja, K.R. 2003. Experiments in microbiology, plant pathology and biotechnology. 4th Edn. New Age International.
- Anjaneyulu, Y., Sreedhara Chary, N. and Raj, D.S.S. 2005. Decolourization of industrial effluents – available methods and emerging technologies – a review. *Rev. Environ. Sci. Biotechnol.* **4**, 245–273.
- APHA (American Public Health Association), AWWA (American Water Works Association) and WEF (Water Environment Federation) 1998. Standard methods for the examination of water and waste water 20th Edn., Washington. DC
- Asad, S., Amoozegar, M.A., Pourbabae, A.A., Sarbolouki, M.N. and Dastgheib, S.M.M. 2007. Decolorization of textile azo dyes by newly isolated halophilic and halotolerant bacteria. *Biores. Technol.* **98**, 2082–2088.
- Atlas, R.M. 1993. Alphabetical listing of media. In L.C. Parks (ed), Handbook of microbiological media. CRC press, Boca Raton, Florida, USA. 10-59.
- Bafana, A., Chakrabarti, T. and Devi, S.S. 2008a. Azoreductase and dye detoxification activities of *Bacillus velezensis* strain AB. *Appl. Microbiol. Biotechnol.* **77**, 1139–1144.

- Bafana, A., Krishnamurthi, K., Devi, S.S. and Chakrabarti, T. 2008b. Biological decolourization of C.I. Direct Black 38 by *E. gallinarum*. *J. Hazard. Mater.* **157(1)**, 187–193.
- Bakshi, D.K., Gupta, K.G. and Sharma, P. 1999. Enhanced biodecolorization of synthetic textile dye effluent by *Phanerochaete chrysosporium* under improved culture conditions. *World J. Microbiol. Biotechnol.* **15**, 507-509.
- Banat, I.M., Nigam, P., Singh, D. and Marchant, R. 1996. Microbial decolorization of textile dye containing effluents, a review. *Biores. Technol.* **58**, 217–227.
- Bell, J., Plumb, J.J., Buckey, C.A. and Stuckey, D.C. 2000. Treatment and decolourisation of dyes in an anaerobic baffled reactor. *J. Environ. Eng.* **126**, 1026-1032.
- Ben Messaoud, E., Ben Ammar, Y., Mellouli, L. and Bejar, S. 2002. Thermostable pullulanase type- I from new isolated *Bacillus thermoleovorans* US105: cloning, sequencing and expression of the gene in *E.coli*. *Enz. Microb. Technol.* **31**, 827–832.
- Bertani, G. 1951. Studies on lysogenesis I. The mode of phage liberation by lysogenic *Escherichia coli*. *J. Bacteriol.* **6**, 293-300.
- Bhatt, N., Patel, K.C., Keharia, H. and Madamwar, D. 2005. Decolorization of diazo-dye Reactive Blue 172 by *Pseudomonas aeruginosa* NBAR12. *J. Basic Microbiol.* **45(6)**, 407–418.
- Bhatti, H.N., Akram, N. and Asgher, M. 2008. Optimization of culture conditions for enhanced decolorization of Cibacron Red FN-2BL by *Schizophyllum commune* IBL-6. *Appl. Biochem. Biotechnol.* **149**, 255–264.
- Bin, Y., Jiti, Z., Jing, W., Cuihong, D., Hongman, H., Zhiyong, S. and Yongming, B. 2004. Expression and characteristics of the gene encoding azoreductase from *Rhodobacter sphaeroides* AS1.1737. *FEMS Microbiol. Lett.* **236**, 129–136.
- Blumel, S. and Stolz, A. 2003. Cloning and characterization of the gene coding for the aerobic azoreductase from *Pigmentiphaga kullae* K24. *Appl. Microbiol. Biotechnol.* **62**, 186–90.
- Blumel, S., Knackmuss, H.J. and Stolz, A. 2002. Molecular cloning and characterization of the gene coding for the aerobic azoreductase from *Xerophilus azovorans* KF46F. *Appl. Environ. Microbiol.* **68(8)**, 3948-3955.
- Bradford, M. 1976. A rapid and sensitive method for the quantification of microgram quantities of protein utilizing the principle of protein dye binding. *Anal. Biochem.* **72**, 248-254.

- Bras, R., Ferra, M.I.A., Pinheiro, H.M. and Goncalves, I.C. 2001. Batch tests for assessing decolorization of azo dyes by methanogenic and mixed cultures. *J. Biotechnol.* **89**, 155–162.
- Bromley-Challenor, K.C.A., Knapp, J.S., Zhang, Z., Gray, N.C.C., Hetheridge, M.J. and Evans, M.R. 2000. Decolorization of an azo dye by unacclimated activated sludge under anaerobic conditions. *Water Res.* **34**, 4410–4418.
- Brown, D. 1987. Effects of colorants in the aquatic environment. *Ecotoxicol. Environ. Safe.* **13**, 139–147.
- Brown, D. and Laboureur, P. 1983. The degradation of dyestuffs: part I—primary biodegradation under anaerobic conditions. *Chemosphere.* **12**, 397–404.
- Campos, R., Kandelbauer, A., Robra, K.H., Arthur, C.P. and Gubitz, G.M. 2001. Indigo degradation with purified laccases from *Trametes hirsuta* and *Sclerotim rolfsii*. *J. Biotechnol.* **8**, 131-139.
- Cappuccino, J.G. and Sherman, N. 1999. Microbiology A Laboratory Manual. 6th Edn. Pearson Education, Inc. 477-485.
- Carliell, C., Barclay, S. and Buckley, C. 1996. Treatment of exhausted dye bath effluent using anaerobic digestion: laboratory and full-scale trials. *Water SA.* **22**, 225–235.
- Carliell, C.M., Barclay, S.J., Naidoo, N., Buckley, C.A., Mulholland, D.A. and Senior, S. 1994. Anaerobic decolorisation of reactive dyes in conventional sewage treatment processes. *Water SA.* **20**, 341–344.
- Carliell, C.M., Barclay, S.J., Naidoo, N., Buckley, C.A., Mulholland, D.A. and Senior, E. 1995. Microbial decolourization of a reactive dye under anaerobic conditions. *Water Sci. Technol.* **21(1)**, 61- 69.
- Cervantes, F.J, van der Velde, S., Lettinga, G. and Field. J.A. 2000. Competition between methanogenesis and quinone respiration for ecologically important substrates in anaerobic consortia. *FEMS Microbiol. Eco.* **34**, 161-171.
- Cervantes, F.J. 2002. Quinones as electron acceptors and redox mediators for the anaerobic biotransformation of priority pollutants. Agrotechnology and Food Sciences, Sub-department of Environmental Technology, Wageningen University, Wageningen, The Netherlands. 166.
- Cetin, D. and Donmez, G. 2006. Decolorization of reactive dyes by mixed cultures isolated from textile effluent under anaerobic conditions. *Enz. Microb. Technol.* **38**, 926–930.

- Chagas, E.P. and Durrant, L.R. 2001. Decolorization of azo dyes by *Phanerochaete chrysosporium* and *Pleurotus sajor-caju*. *Enz. Microb. Technol.* **29**, 473–477.
- Chander, M. and Arora, D.S. 2007. Evaluation of some whiterot fungi for their potential to decolorize industrial dyes. *DyesPigments.* **72**, 192–198.
- Chang, C. and Lin, C. 2001. Decolorization kinetics of a recombinant *Escherichia coli* strain harboring azo-dye-decolorizing determinants from *Rhodococcus* sp. *Biotechnol. Lett.* **23**, 631–636.
- Chang, J.S., Chen, B.Y. and Lin, Y.S. 2004. Stimulation of bacterial decolorization of azo dye by extracellular metabolites from *Escherichia coli* strain NO3. *Biores. Technol.* **91**, 243-248.
- Chang, J.S., Chou, C.Y., Lin, C., Lin, P.J., Ho, J.Y. and Hu, T.L. 2001. Kinetic characteristics of bacterial azo-dye decolorization by *Pseudomonas luteola*. *Water Res.* **35**, 2841–2850.
- Chang, J.S., Kuo, T.S., Chao, Y.P., Ho, J.Y. and Lin, P.J. 2000. Azo dye decolorization with a mutant *Escherichia coli* strain. *Biotechnol. Lett.* **22**, 807-812.
- Chen, B.Y. 2002. Understanding decolorization characteristics of reactive azo dyes by *Pseudomonas luteola*: toxicity and kinetics. *Process Biochem.* **38**, 437–446.
- Chen, H., Hopper, S.L. and Cerniglia, C.E. 2005. Biochemical and molecular characterization of an azoreductase from *Staphylococcus aureus*, a tetrameric NADPH-dependent flavoprotein. *Microbiol.* **151**, 1433–1441.
- Chen, H., Wang, R.F. and Cerniglia, C.E. 2004. Molecular cloning, overexpression, purification, and characterization of an aerobic FMN-dependent azoreductase from *Enterococcus faecalis*. *Protein Expr. Purif.* **34**, 302–310.
- Chen, K.C., Huang, W.T., Wu, J.Y. and Hwang, J.Y. 1999. Microbial decolorization of azo dyes by *Proteus mirabilis*. *J. Ind. Microbiol. Biotechnol.* **23**, 686–690.
- Chen, K.C., Wu, J.Y., Liou, D.J. and Hwang, S.J. 2003. Decolorization of the textile dyes by newly isolated bacterial strains. *J. Biotechnol.* **101**, 57–68.
- Chinkewitvanich, S., Tuntoolvest, M. and Panswad, T. 2000. Anaerobic decolorization of reactive dyebath effluents by a two-stage UASB system with tapioca as a co-substrate. *Water Res.* **34**, 2223–2232.

- Chittranjan Desai. 1992. The ecological and toxicological properties of dyestuffs. *Colourage*. 51.
- Christie, R. 2001. Colour Chemistry. The Royal Society of Chemistry, Cambridge, United Kingdom.
- Christie, R.M., 2007. Environmental Aspects of Textile Dyeing. Woodhead, Boca.
- Chung, K.T. and Cerniglia, C.E. 1992. Mutagenicity of azo dyes: structure activity relationships. *Mutat. Res.* **277**, 201–220.
- Chung, K.T. and Stevens, S.E.J. 1993. Degradation of azo dyes by environmental microorganisms and helminths. *Environ. Toxicol. Chem.* **12**, 2121–2132.
- Claus, H., Faber, G. and Koenig, H. 2002. Redox-mediated decolorization of synthetic dyes by fungal laccases. *Appl. Microbiol. Biotechnol.* **59**, 672–678.
- Collee, J.G., Duguid, J.P., Fraser A.G. and Marmion, B.P. 1996. Mackie & McCartney Practical Medical Microbiology, 14th edn., Churchill, Newyork, London.
- Color Index, The Soc. Dyers Color. 1971. Third Edition, 4, USA.
- Conneely, A., Smyth, W.F. and McMullan, G. 1999. Metabolism of the phthalocyanine textile dye Remazol turquoise blue by *Phanerochaete chrysosporium*. *FEMS Microbiol. Lett.* **179**, 333-337.
- Cooper, P. 1995. Removing color from dye house waste waters. *Asian Text. J.* **4**, 52-56.
- Correia, V.M., Stephenson, T. and Judd, S.J. 1994. Characterization of textile wastewaters – a review. *Environ. Technol.* **15**, 917–929.
- Costa, M.C., Mota, S.R., Nascimento, F. and Dos Santos, A.B. 2010. Anthraquinone-2,6-disulfonate (AQDS) as a catalyst to enhance the reductive decolourisation of the azo dyes Reactive Red 2 and Congo Red under anaerobic conditions. *Biores. Technol.* **101**, 105–110.
- Coughlin, M.F., Kinkle, B.K. and Bishop, P.L. 1999. Degradation of azo dyes containing aminonaphthol by *Sphingomonas* sp. strain 1CX. *J. Ind. Microb. Biotechnol.* **23**, 341–346.
- Coughlin, M.F., Kinkle, B.K. and Bishop, P.L. 2002. Degradation of acid orange 7 in an aerobic biofilm. *Chemosphere.* **46**, 11–19.
- Coughlin, M.F., Kinkle, B.K., Tepper, A. and Bishop, P.L. 1997. Characterization of aerobic azo dye degrading bacteria and their activity in biofilms. *Water Sci. Technol.* **36**, 215-220.

- Couto, S.R., Rivela, I. and Sanroman, A. 2000. In vivo decolourization of the polymeric dye poly R-478 by corncob cultures of *Phanerochaete chrysosporium*. *Acta. Biotechnol.* **20**, 31–38.
- Dafale, N., Nageswara Rao, N., Meshram, S.U. and Wate, S.R. 2008. Water Decolorization of azo dyes and simulated dye bath wastewater using acclimatized microbial consortium – Biostimulation and halo tolerance. *Biores. Technol.* **99**, 2552–2558.
- Daneshvar, N., Ayazloo, M., Khatae, A.R. and Pourhassan, M. 2007. Biological decolourization of dye solution containing Malachite green by microalgae *Cosmarium* sp. *Biores. Technol.* **98**, 1-7.
- Dawkar, V.V., Jadhav, U.U., Kagalkar, A.N. and Govindwar, S.P. 2010. Decolorization and detoxification of sulphonated azo dye Red HE7B by *Bacillus* sp. VUS. *World J. Microbiol. Biotechnol.* **26**, 909–916.
- de Souza, A.N., Leal, M. and Martins, M.L. 2001. Isolation, properties and kinetics of growth of a thermophilic *Bacillus*. *Braz. J. Microbiol.* **32**, 271-275.
- Deller, S., Sollner, S., Trenker-El Toukshy, R., Jelesarov, I., Gubitzi, G.M. and Macheroux, P. 2006. Characterization of a thermostable NADPH:FMN oxidoreductase from the mesophilic bacterium *Bacillus subtilis*. *Biochem.* **45**, 7083-7091.
- Desai, C., Kunal Jain, K. and Datta Madamwar, D. 2008. Evaluation of in vitro Cr(VI) reduction potential in cytosolic extracts of three indigenous *Bacillus* sp. isolated from Cr(VI) polluted industrial landfill. *Biores. Technol.* **99**, 6059–6069.
- Donmez, G. 2002. Bioaccumulation of the reactive textile dyes by *Candida tropicalis* growing in molasses medium. *Enz. Microb. Technol.* **30**, 363-366.
- Dos Santos, A.B. 2005. Reductive decolourisation of dyes by thermophilic anaerobic granular sludge. Sub-department of Environmental Technology, Wageningen University, Wageningen. 176.
- Dos Santos, A.B., Bisschops, I.A.E., Cervantes, F.J. and Van Lier, J.B. 2005. The transformation and toxicity of anthraquinone dyes during thermophilic (55 °C) and mesophilic (30 °C) anaerobic treatments. *J. Biotechnol.* **15**, 345–353.

- Dos Santos, A.B., Cervantes, F.J., Yaya-Beas, R.E. and Van Lier, J.B. 2003. Effect of redox mediator, AQDS, on the decolourisation of a reactive azo dye containing triazine group in a thermophilic anaerobic EGSB reactor. *Enz. Microb. Technol.* **33**(7), 942–951.
- Dos Santos, A.B., Cervantes, F.J. and Van Lier, J.B. 2007. Review paper on current technologies for decolourisation of textile wastewaters: perspectives for anaerobic biotechnology. *Biores. Technol.* **98**, 2369–2385.
- Dunnivant, F.M., Schwarzenbach, R.P. and Macalady, D.L. 1992. Reduction of substituted nitrobenzenes in aqueous solutions containing natural organic matter. *Environ. Sci. Technol.* **26**, 2133–2141.
- Duran, N., Rosa, M.A., D'Annibale, A. and Gianfreda, L. 2002. Applications of laccases and tyrosinases (phenoloxidases) immobilized on different supports: a review. *Enz. Microb. Technol.* **31**, 907–913.
- Dykes, G.A., Timm, R.G. and Von Holy, A. 1994. Azoreductase activity in bacteria associated with the greening of instant chocolate pudding. *Appl. Environ. Microbiol.* **60**, 3027–3029.
- Encinas-Yocupicio, A.A., Razo-Flores, E., Sa'nchez Diaz, F., Dos Santos, A.B., Field, J.A. and Cervantes, F.J. 2006. Catalytic effects of different redox mediators on the reductive decolorization of azo dyes. *Water Sci. Technol.* **54**, 165–170.
- Felsenstein, J. 1985. Confidence limits on phylogenies, an approach using the bootstrap. *Evolution.* **39**, 783-791.
- Field, J.A. and Brady, J. 2003. Riboflavin as a redox mediator accelerating the reduction of the azo dye Mordant Yellow 10 by anaerobic granular sludge. *Water Sci. Technol.* **48**, 187–193.
- Flores, E., Luijten, M., Donlon, B., Lettinga, G. and Field, J. 1997. Biodegradation of selected azo dyes under methanogenic conditions. *Water Sci. Technol.* **36**, 65–72.
- Fontenot, E.J., Lee, Y.H., Mathews, R.D., Zhu, G. and Pavlostathis, S.G. 2003. Reductive decolorization of a textile reactive dyebath under methanogenic conditions. *Appl. Biochem. Biotechnol.* **109**, 207-225.
- Forgacs, E., Cserhati, T. and Oros, G. 2004. Removal of synthetic dyes from wastewaters: a review. *Environ. Int.* **30**, 953-71.

- Franciscon, E., Andrea Zille, A., Garboggini, F., Silva, S., Cavaco-Paulo, A. and Durrant, L.R. 2009. Microaerophilic–aerobic sequential decolourization / biodegradation of textile azo dyes by a facultative *Klebsiella* sp. strain VN-31. *Process. Biochem.* **44**, 446–452.
- Fredrickson, J.K., Kostandarithes, H.M., Li, S.W., Plymale, A.E. and Daly, M.J. 2000. Reduction of Fe(III), Cr(VI), U(VI), and Tc(VII) by *Deinococcus radiodurans* R1. *Appl. Environ. Microbiol.* **66**, 2006–2011.
- Fu, Y. and Viraraghavan, T. 2001. Fungal decolorization of wastewaters: a review. *Biores. Technol.* **79**, 251–262.
- Fu, Y. and Viraraghavan, T. 2002. Dye biosorption sites in *Aspergillus niger*. *Biores. Technol.* **82**, 139–45.
- Ghosh, D., Ghosh, S., Sadhukhan, P., Mandel, A. and Chaudhuri, J. 1993. Purification of two azoreductases from *Escherichia coli* K12. *In. J Exp. Biol.* **31**, 951–954.
- Ghosh, D.K., Mandal, A. and Chaudhuri, J. 1992. Purification and partial characterization of two azoreductases from *Shigella dysenteriae* Type 1. *FEMS Microbiol. Lett.* **98**, 229–234.
- Gill, P.K., Arora, D.S. and Chander, M. 2002. Biodecolourization of azo and triphenylmethane dyes by *Dichomitus squalens* and *Phlebia* spp. *J. Ind. Microbiol. Biotech.* **28**, 201–203.
- Gopinath, K.P., Sahib, H.A.M., Muthukumar, K. and Velan, M. 2009. Improved biodegradation of Congo red by *Bacillus* sp. *Biores. Technol.* **100**, 670–675.
- Guaratini, C.C.I. and Zanoni, M.V.B. 2000. Corantes Textesis. *Quimica. Nova.* **23**, 71–78.
- Gupta, V.K. and Suhas. 2009. Application of low-cost absorbents for dye removal – A review. *J. Environ. Manage.* **90**, 2313–2342.
- Gupta, V.K., Ali, I., Saini, V.K., Van Gerven, T., Van der Bruggen, B. and Vandecasteele, C. 2005. Removal of dyes from wastewater using bottom ash. *Ind. Eng. Chem. Res.* **44**, 3655–3664.
- Gurulakshmi, M., Sudarmani, D.N.P. and Venba, R. 2008. Biodegradation of Leather Acid dye by *Bacillus subtilis*. *Adv. Biotechol.* 12–18.
- Hai, F. I., Yamamoto, K., Nakajima, F., and Fukushi, K. 2008. Removal of structurally different dyes in submerged membrane fungi reactor-biosorption/PAC-adsorption, membrane retention and biodegradation. *J. Memb. Sci.* **325**, 395–403.

- Handayani, W., Meitiniarti, V.I. and Timotius, K.H. 2007. Decolorization of Acid Red 27 and Reactive Red 2 by *Enterococcus faecalis* under a batch system. *World J. Microbiol. Biotechnol.* **23**, 1239 -1244.
- Haug, W., Schmidt, A., Nortemann, B., Hempel, D.C., Stolz, A. and Knackmuss, J. 1991. Mineralization of the sulphonated azo dye Mordant Yellow 3 by a 6-aminonaphthalene-2-sulphonate-degrading bacterial consortium. *Appl. Environ. Microb.* **57**, 3144-3149.
- He, F., Hu, W. and Li, Y. 2004. Biodegradation mechanisms and kinetic of azo dyes 4BS by a microbial consortium. *Chemosphere.* **57**, 293–330.
- Heinfling, A., Bergbauer, M. and Szewzyk, U. 1997. Biodegradation of azo and phthalocyanine dyes by *Trametes versicolor* and *Bjerkandera adusta*. *Appl. Microbiol. Biotechnol.* **48**, 261–266.
- Holt, J.G., Krieg, N.R., Sneath, P.H.A. and Williams, S.T. 1994. Bergey's Manual of Determinative Bacteriology. Ninth ed., Williams and Wilkins, Baltimore, Maryland, USA. 175-189.
- Hong, Y., Chen, X., Guo, J., Xu, Z., Xu, M. and Sun, G. 2007. Effects of electron donors and acceptors on anaerobic reduction of azo dyes by *Shewanella decolorationis* S12. *Appl. Microbiol. Biotechnol.* **74**, 230–238.
- Horitsu, H., Takada, M., Idaka, E., Tomoyeda, M. and Ogawa, T. 1977. Degradation of p-aminoazobenzene by *Bacillus subtilis*. *Eur. J. Appl. Microbiol.* **4**, 217-224.
- Hsueh, C.C. and Chen, B.Y. 2007. Comparative study on reaction selectivity of azo dye decolorization by *Pseudomonas luteola*. *J. Hazard. Mater.* **141**, 842–849.
- Hu, T. 2001. Kinetics of azoreductase and assessment of toxicity of metabolic products from azo dye by *Pseudomonas luteola*. *Water Sci. Technol.* **43**, 261–269.
- Hu, T.L. 1994. Decolourization of reactive dyes by transformation with *Pseudomonas luteola*. *Biores. Technol.* **49**, 47-51.
- Hu, T.L. 1992. Sorption of reactive dyes by *Aeromonas* biomass. *Water Sci. Technol.* **26**, 357-366.
- Hu, T.L. 1998. Degradation of azo dye RP2B by *Pseudomonas luteola*. *Water Sci. Technol.* **38**, 299–306.
- Idaka, E. and Ogawa, Y. 1978. Degradation of azo compounds by *Aeromonas luteola*. *Biores. Technol.* **49**, 91–94.
- Ingamells, W. 1993. Colour for textiles A user's handbook. Soc. Dyers Colour. West Yorkshire.

- Isik, M. and Sponza, D.T. 2005. Effects of alkalinity and co-substrate on the performance of an upflow anaerobic sludge blanket (UASB) reactor through decolorization of Congo Red azo dye. *Biores. Technol.* **96**, 633–643.
- Itoh, K., Yatome, C. and Ogawa, T. 1993. Biodegradation of anthraquinone dyes by *Bacillus subtilis*. *Bull. Environ. Contam. Toxicol.* **50**, 522–527.
- Jacob, C.T. and Azariah, J. 1998. Decolorization of procio red MX-5B and colored textile effluent using *Phanerochate chrysosporium*. *J. Environ. Biol.* **19**, 741–747.
- Jadhav, J.P., Parshetti, G.K., Kalme, S.D. and Govindwar, S.P. 2007. Decolorization of azo dye methyl red by *Saccharomyces cerevisiae* MTCC 463. *Chemosphere.* **68**, 394–400.
- Jadhav, U.U., Dawkar, V.V., Ghodake, G.S. and Govindwar, S.P. 2008. Biodegradation of direct red 5B, a textile dye by newly isolated *Comamonas* sp. UVS. *J. Hazard. Mater.* **158**, 507–516.
- Jang, M.S., Lee, Y.M., Kim, C.H., Lee, J.H., Kang, D.W., Kim, S.J. and Lee, Y.C. 2005. Triphenylmethane reductase from *Citrobacter* sp. strain KCTC 18061P: purification, characterization, gene cloning, and overexpression of a functional protein in *Escherichia coli*. *Appl. Environ. Microb.* **71**, 7955–7960.
- Jiang, H. and Bishop, P.L. 1994. Aerobic biodegradation of azo dyes in biofilms. *Water Sci. Technol.* **29**, 525–530.
- Jin, X.C., Liu, G.Q., Xu, Z.H. and Tao, W.Y. 2007. Decolorization of a dye industry effluent by *Aspergillus fumigatus* XC6. *Appl. Microbiol. Biotechnol.* **74**, 239–243.
- Jinqi, L. and Houtian, L. 1992. Degradation of azo dyes by algae. *Environ. Pollut.* **75**, 273–278.
- Jirasripongpun, K., Nasanit, R., Niruntasook, J. and Chotikasatian, B. 2007. Decolorization and degradation of C. I. Reactive Red 195 by *Enterobacter* sp. Thammasat. *In. J. Sci. Technol.* **12**, 6–11.
- Joshi, T., Iyengar, L., Singh K. and Garg, S. 2008. Isolation, identification and application of novel bacterial consortium TJ-1 for the decolourization of structurally different azo dyes. *Biores. Technol.* **99**, 7115–7121.
- Junnarkar, N., Murty, D. S., Nikhil, S. B. and Datta, M. 2006. Decolorization of diazo dye Direct Red 81 by a novel bacterium consortium. *World J. Microbiol. Biotechnol.* **22**, 163–168.

- Kalme, S.D., Parshetti, G.K., Jadhav, S.U. and Govindwar, S.P. 2007. Biodegradation of benzidine based dye Direct Blue-6 by *Pseudomonas desmolyticum* NCIM 2112. *Biores. Technol.* **98**, 1405–1410.
- Kalyani, D., Patil, P., Jadhav, J. and Govindwar, S. 2007. Biodegradation of reactive textile dye Red BLI by an isolated bacterium *Pseudomonas* sp. SUK1. *Biores. Technol.* **99**, 4635–4641.
- Kalyani, D.C., Telke, A.A., Dhanve, R.S. and Jadhav, J.P. 2009. Ecofriendly biodegradation and detoxification of Reactive Red 2 textile dye by newly isolated *Pseudomonas* sp. SUK1. *J. Hazard. Mater.* **163**, 735–742.
- Kalyuzhnyi, S. and Sklyar. 2000. Biomineralization of azo dyes and their breakdown products in anaerobic-aerobic hybrid and UASB reactors. *Water Sci. Technol.* **41**, 23-30.
- Kapdan, I.K., Kargi, F., McMullan, G. and Marchant, R. 2000. Decolorization of textile dyestuffs by a mixed bacterial consortium. *Biotechnol. Lett.* **22**, 1179-1181.
- Kaushik, P. and Malik, A. 2009. Fungal dye decolorization: Recent advances and future potential. *Environ. Int.* **35**, 127–141.
- Khalid, A., Arshad, M. and Crowley, D.E. 2008. Accelerated decolorization of structurally different azo dyes by newly isolated bacterial strains. *Appl. Microbiol. Biotechnol.* **78**, 361–369.
- Khan, A.A. and Husain, Q. 2007. Decolorization and removal of textile and non-textile dyes from polluted wastewater and dyeing effluent by using potato (*Solanum tuberosum*) soluble and immobilized polyphenol oxidase. *Biores. Technol.* **98(5)**, 1012–1019.
- Khehra, M., Saini, H., Sharma, D., Chadha, B. and Chimni, S. 2005. Decolorization of various azo dyes by bacterial consortium. *Dyes Pigments.* **67(1)**, 55–61.
- Khelifi, E., Ayed, L., Bouallagui, H., Youssef Touhami, Y. and Hamdi, M. 2009. Effect of nitrogen and carbon sources on Indigo and Congo red decolorization by *Aspergillus alliaceus* strain 121C. *J. Hazard. Mater.* **163**, 1056–1062.
- Ki, J.S., Wen, Z. and Qien, P.Y. 2009. Discovery of marine *Bacillus* species by 16S rRNA and rpoB comparisons and their usefulness for species identification. *J. Microb. Methods.* **77**, 48–57.

- Kilic, N.K., Nielsen, J.L., Yuce, M. and Donmez, G. 2007. Characterization of a simple bacterial consortium for effective treatment of wastewaters with reactive dyes and Cr(VI). *Chemosphere*. **67**, 826–831.
- Knackmuss, H.J. 1996. Basic knowledge and perspectives of bioelimination of xenobiotic compounds. *J. Biotechnol.* **51**, 287–295.
- Knapp, J.S. and Newby, P.S. 1995. The microbiological decolorization of an industrial effluent containing a di-azo-linked chromophore. *Water Res.* **29**, 1807–1809.
- Kodam, K.M., Soojhawon, I., Lokhande, P.D. and Gawai, K.R. 2005 Microbial decolorization of reactive azo dyes under aerobic conditions, *World J. Microbiol. Biotechnol.* **21**, 367–370.
- Kolekar, Y.M., Pawar, S.P., Gawai, K.R., Lokhande, P.D., Shouche, Y.S. and Kodam, K.M. 2008. Decolorization and degradation of Disperse Blue 79 and Acid Orange 10, by *Bacillus fusiformis* KMK5 isolated from the textile dye contaminated soil. *Biores. Technol.* **99**, 8999–9003.
- Kuhad, R.C., Sood, N., Tripathi, K.K., Singh, A. and Ward, O.P. 2004. Developments in microbial methods for the treatment of dye effluents. *Adv. Appl. Microb.* **56**, 185–213.
- Kulla, H.G. 1981. Aerobic bacterial degradation of azo dyes. *FEMS Microb. Lett.* **12**, 387–399.
- Kulla, H.G., Klausener, F., Meyer, U., Ludeke, B. and Leisinger, T. 1983. Interference of aromatic sulfo groups in the microbial degradation of the azo dyes Orange I and Orange II. *Arch. Microb.* **135(1)**, 1–7.
- Kumar, K., Devi, S.S. Krishnamurthi, K. Gampawar, S. Mishra, N. Pandya, G.H. and Chakrabarti, T. 2006. Decolorization, biodegradation and detoxification of benzidine based azo dye. *Biores. Technol.* **97**, 407–413.
- Kuo, W.G. 1992. Decolorizing dye wastewater with Fenton's reagent. *Water Res.* **26**, 881–886.
- Laemmli, U.K. 1970. Cleavage of structural proteins during assembly of the head of bacteriophage T4. *Nature*. **227**, 680-685.

- Li, Q., Lee, J.S., Chanki Ha, C., Park, C.B., Yang, G., Gan, W.B. and Young-Tae Chang, Y.T. 2004. Solid-Phase Synthesis of Styryl Dyes and their Application as Amyloid Sensors. *Angewandte Chemie International Edition*. **43**, 6331-6335.
- Liu, G.F., Zhou, J.T., Qu, Y.Y. and Ma, X. 2007. Decolorization of sulfonated azo dyes with two photosynthetic bacterial strains and a genetically engineered *Escherichia coli* strain. *World J. Microbiol. Biotechnol.* **23**, 931-937.
- Liu, G.F., Zhou, J.T., Wang, J., Song, Z.Y. and Qv, Y.Y. 2006. Bacterial decolorization of azo dyes by *Rhodopseudomonas palustris*. *World J. Microbiol. Biotechnol.* **22**, 1069-1074.
- Lovley, D.R., Fraga, J.L., BluntHarris, E.L., Hayes, L.A., Phillips, E.J.P. and Coates, J.D. 1998. Humic substances as a mediator for microbially catalyzed metal reduction. *Acta. Hydroch. Hydrob.* **26**, 152-157.
- Mabrouk, M. and Yusef, H. 2008. Decolorization of Fast Red by *Bacillus subtilis* HM. *J. Appl. Sci. Res.* **4(3)**, 262-269.
- Madigan, M.T., Martinko, J.M. and Parker, J. 2003. Brock Biology of Microorganisms, 10th ed. Prentice-Hall Inc., Simon & Schuster A Viacom Company, Upper Saddle River, New Jersey, USA.
- Maier, J., Kandelbauer, A., Erlacher, A., CavacoPaulo, A. and Gubits, G. 2004. A new alkali thermostable azoreductase from *Bacillus* sp. strain SF. *Appl. Environ. Microbiol.* **70**, 837-844.
- Manamekalai, R. and Swaminathan, T. 2000. Removal of hazardous compounds by lignin peroxidase from *Phanerochaete chrysosporium*. *Bioprocess Eng.* **22**, 29-33.
- Mathew, S. and Madamwar, D. 2004. Decolorization of Ranocid Fast Blue dye by bacterial consortium SV5. *Appl. Biochem. Biotechnol.* **118**, 371-381.
- Mazumder, R., Logan, J.R., Mikell, Jr.A.T. and Hooper, S.W. 1999. Characteristics and purification of an oxygen insensitive azoreductase from *Caulobacter subvibrioides* strain C7D. *J. Ind. Microb. Biotechnol.* **23**, 476-83.
- McMullan, G., Meehan, C., Conneely, A., Kirby, N., Robinson, T., Nigam, P., Banat, I.M. and Marchant, R., 2001. Microbial decolorization and degradation of textile dyes. *Appl. Microbiol. Biotechnol.* **56**, 81-87.

- Meehan, C., Banat, I.M., McMullan, C., Nigam, P., Smyth, F. and Marchant, R. 2000. Decolorization of Remazol Black B by using a thermotolerant yeast *Kluyveromyces fragilis* IMB3. *Environ. Int.* **26**, 75–79.
- Mendez-Paz, D., Omil, F. and Lema, J.M. 2005. Anaerobic treatment of azo dye Acid Orange 7 under batch condition. *Enz. Microb. Technol.* **36**, 264-272.
- Metcalf and Eddy. 2003. Wastewater Engineering: Treatment and Reuse, 4th ed. McGraw-Hill, New York, USA.
- Miao, Y. 2005. Biological remediation of dyes in textile effluent: a review on current treatment technologies. <http://www.ccee.iastate.edu/courses/ce521/yongjie.pdf>.
- Mohan, S.V., Rao, N.C., Srinivas, S., Prasad, K.K. and Karthikeyan, J. 2002. Treatment of simulated Reactive Yellow 22 (azo) dye effluents using *Spirogyra* species. *Waste Manag.* **22**, 575-82.
- Mohana, S., Shrivastava, S., Divecha, J. and Madamwar, D. 2008. Response surface methodology for optimization of medium for decolourization of textile dye Direct Black 2 by a novel bacterial consortium. *Biores. Technol.* **99**, 562-569.
- Mohanty, S., Dafale, N. and Rao, N.N. 2006. Microbial decolorization of reactive black-5 in a two-stage anaerobic–aerobic reactor using acclimatized activated textile sludge. *Biodegradation.* **17**, 403–413.
- Moore, S.B. and Ausley, L.W. 2004. Systems thinking and green chemistry in the textile industry: concepts, technologies and benefits. *J. Cleaner Prod.* **12**, 585–601.
- Moosvi, S., Keharia, H. and Madamwar, D. 2005. Decolorization of textile dye Reactive Violet 5 by a newly isolated bacterial consortium RVM 11.1. *World J. Microbiol. Biotechnol.* **21**, 667–672.
- Moosvi, S., Keharia, H. and Madamwar, D. 2007. Isolation, characterization of textile dyes by a mixed bacterial consortium JW-2. *Dyes Pigments.* **74**, 723-729.
- Moutaouakkil, A., Zeroual, Y., Dzayri, F.Z., Talbi, M., Lee, K. and Blaghen, M. 2003. Purification and partial characterization of azoreductase from *Enterobacter agglomerans*. *Arch. Biochem. Biophys.* **413**, 139 -146.

- Nachiyar, C.V. and Rajakumar, G.S. 2005. Purification and characterization of an oxygen insensitive azoreductase from *Pseudomonas aeruginosa*. *Enz. Microb. Technol.* **36**, 503–509.
- Nakanishi, M., Yatome, C., Ishida, N. and Kitade, Y. 2001. Putative ACP phosphodiesterase gene (acpD) encodes an azoreductase. *J. Biol. Chem.* **276**, 46394–46399.
- Nigam, P., Banat, I.M. and Marchant, R. 1996. Decolorisation of effluent from the textile industry by a microbial consortium. *Biotech. Lett.* **18**, 117–120.
- Nobuki, H., Kazuko, K. and Kazutoshi, U. 2000. Isolation and characterization of *Aeromonas* sp. B-5 capable of decolorizing various dyes. *J. Biosci. Bioeng.* **90**, 570–573.
- Novotny, C., Rawal, B., Bhatt, M., Patel, M., Sasek, V. and Moliteris, H. 2001. Capacity of *Irpex lacteus* and *Pleurotus ostreatus* for decolourization of chemically different dyes. *J. Biotechnol.* **89**, 112–113.
- Novotny, C., Svobodova, K., Erbanova, P., Cajthaml, T., Kasinath, A., Lang, E. and Sasek, V. 2004. Ligninolytic fungi in bioremediation: extracellular enzyme production and degradation rate. *Soil Biol. Biochem.* **36**, 1545-1551.
- Nozaki, K., Beh, C.H., Mizuno, M., Isobe, T., Shiroishi, M., Kanda, T. and Amano, Y. 2008. Screening and investigation of dye decolorization activities of basidiomycetes. *J. Biosci. Bioeng.* **105**, 69–72.
- O’Loughlin, E.J., Burris, D.R. and Delcomyn, C.A. 1999. Reductive dechlorination of trichloroethene mediated by humic-metal complexes. *Environ. Sci. Technol.* **33**, 1145–1147.
- O’Mahony, T., Guibal, E. and Tobin, J.M. 2002. Reactive dye biosorption by *Rhizopus arrhizus* biomass. *Enz. Microb. Technol.* **31**, 456–463.
- Ogawa, T. and Yatome, C. 1990. Biodegradation of azo dyes in multistage rotating biological contactor immobilized by assimilating bacteria. *Bull. Environ. Contam. Toxicol.* **44**, 561–566.
- O’Neill, C., Hawkes, F.R., Hawkes, D.L., Esteves, S. and Wilcox, S. 2000. Anaerobic-aerobic biotreatment of simulated textile effluent containing varied ratios of starch and azo dye. *Water Res.* **34**, 2355-2361.

- Ooi, T., Takeshi Shibata, T., Sato, R., and Ohno, H., Kinoshita, S., Thuoc, T.L. and Taguchi, S. 2007. An azoreductase, aerobic NADH-dependent flavoprotein discovered from *Bacillus* sp. functional expression and enzymatic characterization. *Appl. Microb. Biotechnol.* **75**, 377–386.
- Oranusi, N.A. and Ogugbue, C.J. 2005a. Effect of cosubstrates on primary biodegradation of triphenylmethane dyes by *Pseudomonas*. *Afr. J. Appl. Zool. Environ. Biol.* **7**, 38-44.
- Oranusi, N.A. and Ogugbue, C.J. 2005b. Effect of pH and nutrient starvation on biodegradation of azo dyes by *Pseudomonas* sp. *J. Appl. Sci. Environ. Manage.* **9(1)**, 39-43.
- Ozdemir, G., Pazarbasi, B., Kocyigit, A., Omeroglu, E.E., Yasa, I. and Karaboz, I. 2008. Decolorization of acid black 210 by *Vibrio harveyi* TEMS1, a newly isolated bioluminescent bacterium from Izmir Bay, Turkey. *World J. Microbiol. Biotechnol.* **24**, 1375–1381.
- Padamavathy, S., Sandhya, S., Swaminathan, K., Subrahmanyam, Y.V. and Kaul S.N. 2003. Comparison of decolorization of reactive azo dyes by microorganisms isolated from various source. *J. Environ. Sci.* **15**, 628–632.
- Panswad, T. and Luangdilok, W. 2000. Decolorization of reactive dyes with different molecular structures under different environmental conditions. *Water Res.* **34**, 4177–4184.
- Parshetti, G., Kalme, S., Saratale, G. and Govindwar, S. 2006. Biodegradation of malachite green by *Kocuria rosea* MTCC 1532. *Acta. Chim. Slov.* **53**, 492–498.
- Paszczynski, A., Pasti-Grigsby, M., Goszceynski, S., Crawford, R., Crawford, D.L. 1992. Mineralization of sulfonated azo dyes and sulfanilic acid by *Phanerochaete chrysosporium* and *Streptomyces chromofuscus*. *Appl. Environ. Microb.* **58**, 3598–3604.
- Patil, P.S., Shedbalkar, U.U., Kalyani, D.C. and Jadhav, J.P. 2008. Biodegradation of Reactive Blue 59 by isolated bacterial consortium PMB1. *J. Ind. Microbiol. Biotechnol.* **35**, 1181-1190.
- Pearce, C.I., Christie, R., Boothman, C., von Canstein, H., Guthrie, J.T. and Lloyd, J.R. 2006. Reactive azo dye reduction by *Shewanella* strain J18 143. *Biotechnol. Bioeng.* **95**, 692–703.

- Pearce, C.I., Lloyd, J.R. and Guthrie, J.T. 2003. The removal of colour from textile wastewater using whole bacterial cells: a review. *Dyes Pigments*. **58**, 179-196.
- Plumb, J.J., Bell, J. and Stuckey, D.C. 2001. Microbial populations associated with treatment of an industrial dye effluent in an anaerobic baffled reactor. *Appl. Environ. Microbiol.* **67**, 3226–3235.
- Pricelius, S., Held, C., Murkovic, M., Bozic, M., Kokol, V., Cavaco-Paulo, A. and Guebitz, G.M. 2007. Enzymatic reduction of azo and indigoid compounds. *Appl. Microbiol. Biotechnol.* **77**, 321–327.
- Punj, S. and John. H. G. 2008. Purification and Identification of an FMN-dependent NAD (P)H Azoreductase from *Enterococcus faecalis*. *Curr. Issues Mol. Biol.* **11**, 59-66.
- Quezada, M., Linares, I. and Buitron, G. 2000. Use of sequencing batch biofilter for degradation of azo dyes (acids and bases). *Water Sci. Technol.* **42**, 329–336.
- Rafii, F., Fraeankalin, W. and Cerniglia, C.E. 1990. Azoreductase Activity of Anaerobic Bacteria Isolated from Human Intestinal Microfora. *Appl. Environ. Microbiol.* **56**, 2146–2151.
- Rafii, F., Mooew, J.D., Ruseler-Van Embden, J.G.H. and Cerniglia, C.E. 1995. Bacterial reduction of azo dyes used in foods, drugs and cosmetics. *Microecol. Ther.* **25**, 147-156.
- Raghavacharya, C. 1997. Colour Removal from Industrial effluents – A comparative review of available technologies. *Chem. Eng. World.* **32(7)**, 53–54.
- Rai, H.S., Bhattacharyya, M.S., Singh, J., Bansal, T.K., Vats, P. and Banerjee, U.C. 2005. Removal of dyes from the effluent of textile and dyestuff manufacturing industry: a review of emerging techniques with reference to biological treatment. *Crit. Rev. Env. Sci. Technol.* **35**, 219–238.
- Rajaguru, P., Kalaiselvi, M., Palanivel, M. and Subburam, V. 2000. Biodegradation of azo dyes in a sequential anaerobic–aerobic system. *Appl. Microbiol. Biotechnol.* **54**, 268–273.
- Ramesh Kumar, A. and Riyazuddin, P. 2010. Chromium speciation in a contaminated groundwater: redox processes and temporal variability. *Environ. Monit. Assess.* **160**, 579-591.

- Ramya, M., Anusha, B. and Kalavathy, S. 2008. Decolorization and biodegradation of Indigo carmine by a textile soil isolate *Paenibacillus larvae*. *Biodegradation*. **19**, 283–291.
- Rau, J. and Stolz, A. 2003. Oxygen-insensitive nitroreductases NfsA and NfsB of *Escherichia coli* function under anaerobic conditions as low-sulfone-dependent azoreductases. *Appl. Microbiol. Biotechnol.* **69(6)**, 3448-3455.
- Rau, J., Knackmuss, H.J. and Stolz, A. 2002. Effects of different quinoid redox mediators on the anaerobic reduction of azo dyes by bacteria. *Environ. Sci. Technol.* **7(36)**, 1497–1504.
- Razo-Flores, E., Luijten, M., Donlon, B., Lettinga, G. and Field, J. 1997. Biodegradation of selected azo dyes under methanogenic conditions. *Water. Sci. Technol.* **36**, 65– 72.
- Reife, A., Freeman, H.S. and Freeman, H.C. 1995. Environmental Chemistry of Dyes and Pigments, (1st Ed), Wiley-Interscience, USA.
- Robinson, T., McMullan, G., Marchant, R. and Nigam, P. 2001. Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative. *Biores. Technol.* **77**, 247-55.
- Rodriguez, E., Pickard, M.A. and Duhalt, R.V. 1999. Industrial dye decolourisation by laccases from lignolytic fungi. *Curr. Microbiol.* **38**, 27 – 32.
- Rosenkranz, H.S. and Klopman. G. 1990. Structural basis of the mutagenicity of 1-amino-2-naphthol-based azo dyes. *Mutagen.* **5(2)**, 137-146.
- Russ, R., Rau, J. and Stolz, A. 2000. The function of cytoplasmic flavin reductases in the bacterial reduction of azo dyes. *Appl. Environ. Microb.* **66**, 1429–1434.
- Rys, P. and Zollinger, H. 1972. Fundamentals of the chemistry and application of Dyes. Wiley-Interscience, Division of John Wiley & Sons Ltd, Belfast. *SA.* **23(3)**, 193-199.
- Sambrook, J., Fritsch, E.F. and Manitas, T. 1989. Molecular cloning: a laboratory manual, 2nd ed. Cold spring harbor laboratory press, Cold spring harbor, NY.
- Sandhya, S., Padmavathy, S., Swaminathan, K., Subrahmanyam, Y.V. and Kaul, S.N. 2005. Microaerophilic-aerobic sequential batch reactor for treatment of azo dyes containing simulated wastewater. *Process Biochem.* **40**, 885–890.

- Sandhya, S., Sarayu, k., Uma, B. and Swaminathan, K. 2008. Decolorizing kinetics of a recombinant *Escherichia coli* SS125 strain harboring azoreductase gene from *Bacillus latrosporus* RRK1. *Biores. Technol.* **99**, 2187–2191.
- Sani, R. and Banerjee, U. 1999. Decolorization of triphenylmethane dyes and textile and dyestuff effluent by *Kurthia* sp. *Enz. Microb. Technol.* **24**, 433-437.
- Saratale, R.G., Saratale, G.D., Chang, J.S. and Govindwar, S.P. 2009a. Decolorization and biodegradation of textile dye Navy blue HER by *Trichosporon beigeli* NCIM-3326. *J. Hazard. Mater.* **166**, 1421–1428.
- Saratale, R.G., Saratale, G.D., Kalyani, D.C., Chang, J.S. and Govindwar, S.P. 2009b. Enhanced decolorization and biodegradation of textile azo dye Scarlet R by using developed microbial consortium-GR. *Biores. Technol.* **100**, 2493–2500.
- Sarnaik, S. and Kanekar, P. 1999. Biodegradation of Methyl Violet by *Pseudomonas mendocina* MCM B-402. *Appl. Microbiol. Biotechnol.* **52**, 251-254.
- Sathiya Moorthi, P.1., Periyar selvam, S., Sasikalaveni, A., Murugesan, K. and Kalaichelvan, P.T. 2007. Decolorization of textile dyes and their effluents using white rot fungi. *Afr. J. Biotechnol.* **6(4)**, 424-429.
- Seshadri, S., Bishop, P.L. and Agha, A.M. 1994. Anaerobic/aerobic treatment of selected azo dyes in wastewater. *Waste Manag.* **14**, 127–37.
- Sharma, K.P., Sharma, S., Sharma, S., Singh, P.K., Kumar, S., Grover, R. and Sharma, P.K. 2007. A comparative study on characterization of textile wastewaters (untreated and treated) toxicity by chemical and biological tests. *Chemosphere.* **69**, 48-54.
- Shaw, C.B., Carliell, C.M. and Wheatley, A.D. 2002 Anaerobic/aerobic treatment of colored textile effluents using sequential batch reactors. *Water Res.* **36(8)**, 1993- 2001.
- Sheth, N.T. and Dave, S.R. 2009. Optimisation for enhanced decolourization and degradation of Reactive Red BS C.I. 111 by *Pseudomonas aeruginosa* NGKCTS. *Biodegradation.* **20**, 827–836.
- Singh, P., Sanghi, R., Pandey, A. and Iyengar, L. 2007. Decolourisation and partial degradation of monoazo dyes in sequential-film anaerobic batch reactor (SFAR). *Biores. Technol.* **98**, 2053-2056.

- Song, Z.Y., Zhou, J.T., Wang, J., Yan, B. and Du, C.H. 2003. Decolourization of azo dyes by *Rhodobacter sphaeroides*. *Biotechnol. Lett.* **25**, 1815–1818.
- Sponza, D.T. and Isik, M. 2002. Decolorization and azo dye degradation by anaerobic/aerobic sequential process. *Enz. Microb. Biotechnol.* **31**, 102-110.
- Steffan, S., Badri, L. and Marzona, M. 2005. Azo dye biodegradation by bacterial cultures immobilized in alginate beads. *Environ. Int.* **31**, 201–205.
- Stolz, A. 2001. Basic and applied aspects in the microbial degradation of azo dyes. *Appl. Microb. Biotechnol.* **56**, 69–80.
- Sumathi, S. and Manju, B. 2000. Uptake of reactive textile dyes by *Aspergillus foetidus*. *Enz. Microb. Technol.* **27**, 347–355.
- Suzuki, Y., Yoda, T., Ruhul, A. and Sagiura, W. 2001b. Molecular cloning and characterization of the gene encoding azoreductase from *Bacillus* sp. OY 1-2 isolated from soil. *J. Biol. Chem.* **246**, 9059–9065.
- Takezaki, N., Rzhetsky, A. and Nei, M. 2004. Phylogenetic test of the molecular clock and linearized trees. *Mol. Biol. Evol.* **12(5)**, 823-833.
- Tamura, K., Dudley, J., Nei, M. and Kumar, S. 2007. MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Mol. Biol. Evol.* **24**, 1596-1599.
- Tamura, K., Nei, M. and Kumar, S. 2004. Prospects of inferring very large phylogenies by using the neighbor-joining method. *Proc. Natl. Acad. Sci. USA.* **101**, 11030-11035.
- Tan, N.C.G., Slenders, P., Svitelskaya, A., Lettinga, G. and Field, J.A. 2000. Degradation of azo dye Mordant Yellow 10 in a sequential anaerobic and bioaugmented aerobic bioreactor. *Water Sci. Technol.* **42**, 337-344.
- Telke, A.A., Kalyani, D.C., Dawkar, V.V. and Govindwar, S.P. 2009. Influence of organic and inorganic compounds on oxidoreductive decolorization of sulfonated azo dye C.I. Reactive Orange 16. *J. Hazard. Mater.* **172**, 298-309.
- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G. 1997. The clustal X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Res.* **25**, 4876–4882.

- Tunay, O., Kabdasli, I., Eremektar, G. and Orhon, D. 1996. Color removal from textile wastewaters. *Water Sci. Technol.* **34**, 9–16.
- Valli Nachiyar, C., Vijayalakshmi, K. Muralidharan, D. and Suseela Rajakumar, G. 2007. Mineralization of metanilic acid by *Pseudomonas aeruginosa* CLRI BL22. *World J. Microb. Biotechnol.* **23**, 1733–1738.
- Van der Zee, F.P., Bisschops, I.A.E., Blanchard, V.G., Bouwman, R.H.M., Lettinga, G. and Field, J.A. 2003. The contribution of biotic and abiotic processes during azo dye reduction in anaerobic sludge. *Water Res.* **37**, 3098–3109.
- Van der Zee, F.P., Bouwman, R.H.M., Strik, D.P.B.T.B., Lettinga, G. and Field, J.A. 2001. Application of redox mediators to accelerate the transformation of reactive azo dyes in anaerobic bioreactors. *Biotechnol. Bioeng.* **75**, 691–701.
- Vandevivere, P.C., Bianchi, R. and Verstraete, W. 1998. Treatment and reuse of wastewater from the textile wet-processing industry: review of emerging technologies. *J. Chem. Technol. Biotechnol.* **72**, 289–302.
- Verma, P. and Madamwar, D. 2002. Comparative study on treatment of azo dyes by different white rot fungi. *In. J. Biotech.* **1**, 393-396.
- Verma, P. and Madamwar, D. 2003. Decolourization of synthetic dyes by a newly isolated strain of *Serratia marcescens*. *World J. Microbiol. Biotechnol.* **19**, 615-618.
- Verma, P. and Madamwar, D. 2005. Decolorization of azo dyes using *Basidiomycete* strain PV 002. *World J. Microbiol. Biotechnol.* **21**, 481–485.
- Vijaya, P.P., Padmavathy, P. and Sandhya, S. 2003. Decolorization and biodegradation of azo dyes by mixed culture. *In. J. Biotechnol.* **2**, 259-263.
- Vijaykumar, M.H., Vaishampayan Parag A., Shouche Yogesh, S. and Karegoudar, T.B. 2007. Decolourization of naphthalene-containing sulfonated azo dyes by *Kerstersia* sp. strain VKY1. *Enz. Microb. Technol.* **40**, 204–211.
- Vitor, V. and Corso, C.R. 2008. Decolorization of textile dye by *Candida albicans* isolated from industrial effluents. *J. In. Microb. Biotechnol.* **35(11)**, 1353–1357.
- Wagner, S. 1993. Improvements in products and processing to diminish environmental impact, in: COTTECH Conference, Raleigh, NC.
- Walker, G.M. and Weatherley, L.R. 1997. A simplified predictive model for biologically activated carbon fixed beds. *Process Biochem.* **32**, 327–335.

- Wang, C.X., Yedler, A., Lienert, D., Wang, Z. and Kettrup, A. 2002. Toxicity evaluation of reactive dyestuffs, auxiliaries and selected effluents in textile finishing industry to luminescent bacteria *Vibrio fischeri*. *Chemosphere*. **46**, 339-344.
- Wang, H., Zheng, X.W., Su, J.Q., Tian, T., Xiong, X.J. and Zheng, T.L, 2009. Biological decolorization of the reactive dyes Reactive Black 5 by a novel isolated bacterial strain *Enterobacter* sp. EC3. *J. Hazard. Mater.* **171**, 654–659.
- Weisburger, J.H. 2002. Comments on the history and importance of aromatic and heterocyclic amines in public health. *Mutat. Res.* **506–507**, 9–20.
- Welham, A. 2000. The theory of dyeing (and the secret of life). *J. Soc. Dyers. Colour.* **116**, 140–143.
- Wesenberg, D., Kyriakides, I. and Agathos, S.N. 2003. White-rot fungi and their enzymes for the treatment of industrial dye effluents. *Biotechnol. Adv.* **22**, 161–187.
- Wong, P.K. and Yuen, P.Y. 1996. Decolorization and biodegradation of methyl red by *Klebsiella pneumoniae* RS-13. *Wat. Res.* **30(7)**, 1736-1744.
- Wong, P.K. and Yuen, P.Y. 1998. Decolourization and biodegradation of N, N9-dimethyl-*p*-phenylenediamine by *Klebsiella pneumoniae* RS-13 and *Acetobacter liquefaciens* S-1. *J. Appl. Microbiol.* **85**, 79–87.
- Wong, Y. and Yu, J. 1999. Laccase catalyzed decolorization of synthetic dyes. *Water Res.* **33**, 3512–3520.
- Wuhrmann, K., Mechsner, K. and Kappeler, T. 1980. Investigation on rate – determining factors in the microbial reduction of azo dyes. *Eur. J. Appl. Microb. Biotechnol.* **9**, 325–338.
- Xu, M., Guo, J., Zeng, G., Zhong, X. and Sun, G. 2006. Decolorization of anthraquinone dye by *Shewanella decolorationis* S12. *Appl. Microbiol. Biotechnol.* **71**, 246–251.
- Yan, B., Zhou, J., Wang, J., Du, C., Hou, H., Song, Z. and Bao, Y. 2004. Expression and characteristics of the gene encoding azoreductase from *Rhodobacter sphaeroides* AS1.1737. *FEMS Microb. Lett.* **236**, 129–136.
- Yoo, E.S. 2002. Chemical decolorization of the azo dye CI Reactive Orange 96 by various organic/inorganic compounds. *J. Chem. Technol. Biotechnol.* **77**, 481–485.

- Yoo, E.S., Libra, J. and Wiesmann, U. 2000. Reduction of azo dyes by *Desulfovibrio desulfuricans*. *Water Sci. Technol.* **41**, 15–22.
- Yu, J., Wang, X. and Yue, P.L. 2001. Optimal decolorization and kinetic modeling of synthetic dyes by *Pseudomonas* strains. *Water Res.* **35**, 3579–3586.
- Yu, Z. and Wen, X. 2005. Screening and identification of yeasts for decolorizing synthetic dyes in industrial wastewater. *Int. Biodeterioration Biodegradation.* **56**, 109–114.
- Zehra, S.S., Arshad, M., Mahmood, T. and Waheed, A. 2009. Assessment of heavy metal accumulation and their translocation in plant species. *Afr. J. Biotechnol.* **8(12)**, 2802-2810.
- Zhou, W. and Zimmermann, W. 1993. Decolorization of industrial effluents containing reactive dyes by actinomycetes. *FEMS Microbiol. Lett.* **107**, 157–162.
- Zimmermann, T., Kulla, G.H. and Leisinger, T. 1982. Properties of purified orange II azoreductase, the enzyme initiating azo dye degradation by *Pseudomonas* KF 46. *Eur. J. Biochem.* **129**, 197–203.
- Zissi, U. and Lyberatos, G. 1996. Azo-dye biodegradation under anoxic conditions. *Water Sci. Technol.* **34**, 495–500.
- Zissi, U., Lyberatos, G. and Pavlou, S. 1997. Biodegradation of p-aminoazobenzene by *Bacillus subtilis* under aerobic conditions. *J. Ind. Microbiol. Biotechnol.* **19**, 49–55.
- Zollinger, H. 1987. Colour Chemistry-Synthesis, Properties and application of Organic Dyes and Pigments. VCH Publishers, New York. 92-100.