

LIST OF FIGURES

S. No.	Title	Page no.
1.1	CidR-mediated regulation of holin, antiholin and carbohydrate metabolism	36
1.2	Conversion of pyruvate to acetyl-CoA in <i>S. aureus</i> .	38
1.3	Similarities of PCD mechanism in bacteria and eukaryotes	40
1.4	Regulation of the type I system hok/sok of plasmid R1	43
1.5	MazEF toxin antitoxin system in <i>E. coli</i>	45
1.6	The <i>relB/E</i> TA module type II system from <i>E. coli</i> .	46
1.7	The <i>toxI/N</i> type III system from the <i>Erwinia carotovora</i> plasmid pECA1039	48
1.8	Type IV YeeU/V TA module of <i>E. coli</i> .	49
1.9	The type V GhoS/T TA module of <i>E. coli</i> .	51
1.10	Fratricide during competence development in <i>S. pneumonia</i>	54
1.11	Cannibalism during <i>B. subtilis</i> sporulation	56
1.12	Sporulation and competence are multilevel controlled adaptive responses	59
1.13	Life cycle of <i>Dictyostelium</i>	67
2.1	An overview of metabolism	85
2.2	Origin of reactive oxygen species (ROS) and their cellular targets	88
2.3	Schematic representation of electron transport chain (ETC) in bacterial membrane	90
2.4	Respiratory flexibility in <i>Escherichia coli</i>	91
2.5	Mechanism of action of 2, 4 dinitrophenol (DNP)	94
2.6	ROS generation by electron leakage in electron transport chain (ETC) and	95

	mechanism of action of uncoupler (UCP)	
2.7	Maintenance of cellular reduced GSH status during oxidative challenge	100
2.8	Increase in NADH and ATP levels in Xcg cells undergoing PCD	109
2.9	Evaluation of ROS generation in Xcg cells	110
2.10	ESR profile of POBN adducts	112
2.11	Effect of ETC uncoupler 2, 4 dinitrophenol (DNP)	113
2.12	Inhibition of PCD by ROS scavengers	116
2.13	Inhibition caspase-3 biosynthesis and activity in PIM growing Xcg cells by ROS scavengers	117
2.14	Inhibition of DNA damage in Xcg cells grown in PIM in the presence of ROS scavengers as assessed by TUNEL assay	119
2.15	Growth profile of Xcg in the presence of catalase or proteinase K	121
2.16	Level of H ₂ O ₂ in Xcg cultures and in vitro activation of Xcg caspase by H ₂ O ₂	124
3.1	Structure of amino acid proline	134
3.2	Metabolic pathways of proline	136
3.3	Structural organization of proline dehydrogenase	139
3.4	Localization of PutA determines its role in proline metabolism	142
3.5	Growth curve of <i>Xanthomonas campestris</i> pv. <i>campestris</i> strain 8004 in PCD inducing medium (PIM) and PCD non-inducing medium (PNIM)	148
3.6	Schematic representation of insertional mutagenesis of Xcc8004 <i>putA</i> using pKNOCK vector	149
3.7	Organization and sequence of Xcc <i>putA</i> gene	152
3.8	pBBR1MCS5 vector map depicting cloned <i>putA</i> (full length) along with its promoter region	153
3.9	The effect of proline and glutamate supplementation on the survival of <i>Xanthomonas campestris</i> pv. <i>campestris</i> in PNIM	160
3.10	Intracellular proline level and PutA activity in Xcc 8004	162

3.11	Effect of PutA inhibitor, tetrahydro-2-furoic acid (THFA) on PCD process in <i>Xcc</i> 8004 cells grown in PIM	165
3.12	Construction of <i>Xcc</i> $\Delta putA$ strain	167
3.13	Confirmation of <i>Xcc</i> $\Delta putA$ strain	168
3.14	Screening of recombinants by blue white screening method	169
3.15	Construction of <i>Xcc</i> $\Delta putA$ -pPutA strain	170
3.16	PCD in <i>Xanthomonas</i> cells	171
3.17	Caspase-3-like protein activity and cell morphology of <i>Xcc</i> strains grown in PIM	174
3.18	Status of DNA fragmentation in <i>Xcc</i> 8004, <i>Xcc</i> $\Delta putA$ and <i>Xcc</i> $\Delta putA$ -pPutA cells in PIM as detected by TUNEL assay	176
3.19	Status of PS externalization in <i>Xcc</i> 8004, <i>Xcc</i> $\Delta putA$ and <i>Xcc</i> $\Delta putA$ -pPutA cells in PIM as detected by AnnexinV-FITC assay	177
3.20	Membrane depolarization in <i>Xanthomonas</i> strains in PIM analyzed by flow cytometry	178
3.21	PutA activity and status of ROS in <i>Xcc</i> cells	181
3.22	Proposed mechanism of PCD in <i>Xanthomonas</i> due to enhanced PutA activity	183
4.1	Radiolysis of water	196
4.2	DNA base products after reaction with reactive oxygen species (ROS)	198
4.3	Lipid peroxidation reactions	200
4.4	Reaction mechanism of oxidation of cysteine side chains of proteins	201
4.5	Induction of SOS response	207
4.6	General scheme of the selectable in vivo expression technology (SIVET)	209
4.7	Effect of radiation treatment (0-1000 Gy) on the survival of bacteria	217
4.8	Growth profile and status of caspase-3-like protein in <i>XcgAM2</i> (wt) and its mutants	218
4.9	Status of caspase-3-like enzyme in radiation exposed bacterial cells	221

4.10	Rescue of bacterial cells from radiation induced death by inhibitors of caspase-3 and PARP	223
4.11	PS externalization detected by AnnexinV staining	226
4.12	Status of reactive oxygen species (ROS) in different bacterial cells upon gamma radiation treatment	228
4.13	Status of SOS induction in radiation exposed cells	232
4.14	Cell filamentation in UV radiation exposed cells	234
4.15	SIVET induction frequency in <i>E. coli</i> SG104 after UV exposure in presence or absence of caspase-3 inhibitor	235
4.16	Caspase-3-like activity (CLA) in UV exposed cells and <i>in situ</i> staining of UV (12 sec) treated <i>E. coli</i> cells with fluorescent caspase-3 inhibitor (FITC-DEVD-FMK).	238
4.17	Evolutionary relationship between caspase domain containing proteins from different genera	240
5.1	Mechanism of PCD in <i>Xanthomonas</i> cells under metabolic stress or <i>E.coli</i> and other bacteria upon oxidative stress	255