

REFERENCES

- [1] Dubey, N.K., and Rajeshkumar Tripathi, P., “Global promotion of herbal medicine: India's opportunity”, *Curr. Sci.*, 86, pp.37–41.
- [2] Rajashekharan, P. E., 2002, “Herbal Medicine. In World of Science”, *Employ. News.*, 21–27, November, pp. 3.
- [3] Patwardhan, B., Warude, D., Pushpangadan, P., and Bhatt, N., 2005, “Ayurveda and traditional Chinese medicine: a comparative overview”, *Evid. Based .Complement.Alternat.Med.*, 2(4), pp.465-473.
- [4] Pushpagandhan, P., and Nair, K.N., 2001, “Future of systematics and biodiversity Research in India-Need for a National agenda for systematic biology Research”, *Curr.sci.*, 80, pp,631-638.
- [5] Kalia, A.N., 2005, “Text Book of Industrial Pharmacognosy,”CBS publisher and distributors, pp. 223.
- [6] Chah, K.F., Eze, C.A., Emuelosi, C.E., and Esimone C.O., 2006, “Antibacterial and wound healing properties of methanolic extracts of some Nigerian medicinal Plants”, *J.Ethnopharmacol.*,104,pp.164 -167.
- [7] Fabricant, D.S., and Farnsworth, N.R., 2001, “The value of plants used in traditional medicine for drug discovery”, *Environ. Health. Pers.*, 109 (1),pp. 69-75.
- [8] Principe, P., 2005, “Monetising the Pharmacological Benefits of Plants”, US Environmental protection Agency, Washington D.C, pp.1991.
- [9] Gurib-Fakim, A., 2006, “Medicinal plants: traditions of yesterday and drugs of Tomorrow”, *Mol. Aspects. Med.*, 27, pp.1-93.

- [10] Newman, D. J., Cragg, G. M., and Snader, K. M., 2003, "Natural products as sources of new drugs over the period 1981-2002," *J. Nat. Prod.*, 66, pp.1022-1037.
- [11] Koehn, F. E., and Carter, G.T., 2005, "The evolving role of natural products in drug discovery", *Nat. Rev. Drug. Discov.*, 4, pp. 206 - 220.
- [12] Farnsworth, N.R., Blowster, R.N., Darmratoski, D., Meer, W.A., and Cammarato, L.V., 1967, "Studies on *Catharanthus* alkaloids IV Evaluation by means of TLC and ceric ammonium sulphate spray reagent", *Lloydia*, 27, pp.302-314.
- [13] Kamboj, V.P., 2000, "Herbal Medicine-some comments", *Curr.Sci.*, 78 (1), pp. 35-39.
- [14] Satakopan, S., 1994, "Pharmacopeial Standards for Ayurvedic, Siddha and Unani Drugs. In Proceedings of WHO Seminar on Medicinal Plants and Quality Control of Drugs Used in ISM", Ghaziabad, pp. 43.
- [15] Farnsworth, N. R., and Soejarto, D. D., 1991, "Global importance of medicinal Plants", O. Akerele, V. Heywood, & H. Synge, eds, *Conservation of Medicinal Plants*. Cambridge University Press, Cambridge, pp.25-35.
- [16] Acharya, Deepak and Shrivastava Anshu, 2008, "Indigenous Herbal Medicines Tribal Formulations and Traditional Herbal Practices", Aavishkar Publishers Distributor, Jaipur- India. pp 440.
- [17] Nielsen, I., and Pedersen, R.S., 1984, "Life-threatening hypokalaemia caused by liquorice Ingestion", *Lancet.*, 1 (8389), pp.305.
- [18] Mostefa-Kara, N., Pauwels, A., Pines, E., Biour, M., and Levy, V.G., 1992, "Fatal hepatitis after herbal tea", *Lancet.*, 9 (8820), pp.674.
- [19] Chan, T.Y.K., Chan, J.C.N., Tanlinson, B., and Critchley, J.A., 1993, "Chinese herbal medicines revisited: a Hong Kong perspective", *Lancet.*, 342, pp. 1532-1534.

- [20] Ames, B.N., and Gold, L.S., "Endogenous mutagens and the causes of aging and cancer", *Mutat Res.*, 250, pp.3-16.
- [21] Ames, B.N., Shigenaga, M.K., and Gold, L.S., 1993, "DNA lesions, inducible DNA repair, and cell division: three key factors in mutagenesis and carcinogenesis,". *Environ Health Perspect.*, 101(5), pp.35-44.
- [22] Bruneton, J., *Pharmacognosy, Phytochemistry, Medicinal Plants Paris, France: Lavoisier Publishing Inc.*, 1999, pp.284-285.
- [23] Fuhrman, B., Buch, S., Vaya, J., Belinky, P. A., Coleman R., Hayek T., and Aviram, M., 1997, "Licorice extract and its major polyphenol glabridin protect LDL against lipid peroxidation: in vitro and ex-vivo studies in humans and in atherosclerotic E⁰ mice", *Am. J. Clin. Nutr.*, 66, pp.267-275.
- [24] Winston J Craig., 1999, Health-promoting properties of common herbs, *Am J. Clin Nut.*, 70 (3), pp.491S-499S.
- [25] Kameshwara Rao, C., 2000, Material for the database of medicinal plants. India: Karnataka State Council for Science and Technology, Bangalore, pp. 1-23.
- [26] Chan, M., Fong, D., Huang, M., Osawa, T., Ho, C., and Rosen, R., 1994, 3rd ed. Food phytochemicals for cancer prevention. II. Teas, spices and herbs. *Am. Chem. Soc.*, Washington, pp.222-230.
- [27] Nishimura, H., Ariga, T., Huang, M., Osawa, T., Ho, C., Rosen, R., 1994, 3rd eds. "Food phytochemicals for cancer prevention I. Fruits and vegetables", *Am. Chem. Soc.*, Washington, pp.128-143.
- [28] Yun, T.K., 1996, "Experimental and epidemiological evidence of the cancer-preventive effects of Panax ginseng C.A. Meyer," *Nutr. Rev.*, 54, pp.S71- S81.

- [29] Cragg, G.M., Schepartz, S.A., Suffness, M., and Grever, M.R., 1993, "The taxol supply crisis. New NCI policies for handling the large-scale production of novel natural product anticancer and anti-HIV agents," *J. Nat. Prod.*, 56, pp.1657-68.
- [30] Johnson, I.S., Armstrong, J.G., Gorman, M., and Burnett, J.P., 1963, "The vinca alkaloids: a new class of oncolytic agents", *Cancer. Res.*, 23, pp.1390-1427.
- [31] Kohlmeier, L., and Hastings, S.B., 1995, "Epidemiologic evidence of a role of carotenoids in cardiovascular disease prevention", *Am. J. Clin. Nutr.*, 62, pp.1370-1376.
- [32] Van Poppel, G., and Goldbohm, R.A., 1995, "Epidemiologic evidence for beta-carotene and cancer prevention", *Am. J. Clin. Nutr.*, 62, pp.1393-1402.
- [33] Morris, D.L., Kritchevsky, S.B., and Davis, C.E., 1993, "Serum carotenoids and coronary heart disease: the Lipid Research Clinics Coronary Primary Prevention Trial and Follow-up Study", *JAMA.*, 272, pp.1439-1441.
- [34] Dreosti, I.E., 1996, "Bioactive ingredients: antioxidants and polyphenols in tea", *Nutr.Revi.*, 54, pp.51-58.
- [35] Ladanyi, A., Timar, J., and Lapis, K., 1993, "Effect of Lentinan on macrophage cytotoxicity against metastatic tumor cells", *Cancer. Immunol. Immunother.*, 36, pp.123-126.
- [36] Mizuno, T., and Shiitake, 1995, "*Lentinus edodes*: functional properties for medicinal and food purposes", *Food.Rev. Int.*, 11, pp.111-128.
- [37] Farnsworth, N.R., Blowster, R.N., Darmratoski, D., Meer, W.A., and Cammarato, L.V., 1967, "Studies on *Catharanthus* alkaloids IV Evaluation by means of TLC and ceric ammonium sulphate spray reagent", *Lloydia.*, 27, pp. 302-314.

- [38] Farnsworth, N.R., and Bingel, A.S., 1997, "Problems and prospects of discovery new drugs from higher plants by pharmacological screening. In: H.Wagner and P.Wolff (eds.)", *New Natural products and plant drugs with pharmacological, biological and therapeutical activity*, Springer Verlag, Berlin, pp. 1-22.
- [39] Perumal Samy, R., and Ignacimuthu, S., 1998, Screening of 34 Indian medicinal plants for antibacterial properties, *J. Ethnopharmacol.*, 62, pp.173-182.
- [40] Chatterjee, I., Chakravarty, A.K., and Gomesa, A., 2006, "*Daboia russellii* and *Naja kaouthia* venom neutralization by lupeol acetate isolated from the root extract of Indian sarsaparilla *Hemidesmus indicus* R.Br", *J. Ethnopharmacol.*, 106(1), pp.38-43.
- [41] Alam, M.I., Auddy, B., and Gomes, A., 1994, "Isolation and partial characterization of viper venom inhibiting factor from the root extract of the Indian medicinal plant sarsaparilla (*Hemidesmus indicus* R.Br.)", *Toxicon.*, 32, pp. 1551–1557.
- [42] Ballabh, B., and Chaurasia, O.P., 2007, "Traditional medicinal plants of cold desert Ladakh--used in treatment of cold, cough and fever", *J. Ethnopharmacol.*, pp.112 (2),341-349.
- [43] Dev, S., 1997, "Ethnotherapeutic and modern drug development: The potential of Ayurveda", *Curr. Sci.*, pp.73-90.
- [44] World Health Organization, 1998, *Quality control methods for medicinal plant materials*. Published by WHO, Geneva.
- [45] Kamboj, V.P., 2000. "Herbal Medicine", *Curr. Sci.*, 78 (1), pp.35-39.
- [46] Puspangadan, P., and Atal, C.K., "Ethnomedico-botanical investigation in Kerala some primitive tribals of Western Ghats and their herbal medicine", *J. Ethnopharmacol.*, 11, pp.59-77.

- [47] Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N., and Ray, C., 1968, "Screening of Indian plants for biological activity", *Indian J. Exp. Biol.*, 7, pp. 232-247.
- [48] Kaido, T.L., Veale, D.J.H., Havlik, I., and Rama, D.B.K., 1997, "Preliminary screening of plants used in South Africa as traditional herbal remedies during pregnancy and labour", *J. Ethnopharmacol.*, 55, pp.185-191.
- [49] Manandhar, N.P., 1987, "Traditional medicinal plants used by tribals of Lamjung District, Nepal", *Int. J. Crude. Drug.Res.*, 25 (4), pp. 236-240.
- [50] Khare, C.P., 2007, *Indian Medicinal Plants, an Illustrated Dictionary*, Springer Science, Springer Verlag: Berlin/ Heidelberg, Germany, pp.453.
- [51] Morton, J., and Julia, F., 1987, "Wood-Apple. In: Fruits of warm climates," Morton Florida Flare Books, pp. 190-191.
- [52] Anonymous. *The Wealth of India, Raw materials*, 3rd ed, Vol-I, Publication and Information Directorate, CSRI, New Delhi, 1992, pp.305-308.
- [53] Patil, M.K.M., Zambare, G.N., Khandelwal, K.R., and Bodhankar, S.L., 2004, "Hepatoprotective activity of aqueous extract of leaves of *Feronia elephantum* against thioacetamide and allyl alcohol intoxication in rats", *Toxicol. Int.*, 11(2), pp. 69-74.
- [54] Yusuf, M., Chowdhury, J. U., Wahab, M. A., and Begum, J., 1994, "Medicinal plants of Bangladesh", BCSIR Lab. Bangladesh, pp.62.
- [55] Kirtikar, K.R. and B.D. Basu, 1993. *Indian Medicinal Plants*. 2nd ed., Vol. 3, Delhi, India, pp: 2343.
- [56] Yoganarasimhan S.N., 2000, *Medicinal Plant of India*, TamilNadu, Vol. II, Vedams Book (P) Ltd, Bangalore, pp. 374.

- [57] Patra, A., Misra, S. K., and Chaudhuri, S. K., 1988, "Constituents of *Limonia acidissima*," J. Indian Chem. Soc., 65, pp.205-208.
- [58] Bandara, B. M. R., Gunatilaka, A. A. L., Wijeratne, E. M. K., and Adikaram, N. K. B., 1988, "Antifungal constituents of *Limonia acidissima*", Planta Med., 54, pp.374-375.
- [59] R. N., Nayar, and S. L., Chopra, I. C., Glossary of Indian Medicinal Plants., C. S. I. R., New Delhi, 1956; pp. 154.
- [60] Agrawal, A., Siddiqui, I.R., and Singh, J., 1989, "Coumarins from the Roots of *Feronia Limonia*", Phytochem., 28(4), pp.1229-1232.
- [61] Talpatra, S.K., Chaudhuri, M.K., and Talpatra, B., 1973, "Terpenoids and related compounds .15. 3-alpha-hydroxyfriedel-2-one and 2-beta-acetoxymfriedel-3-one (epicerin acetate), 2 new pentacyclic triterpenoids from cork waste, their partial syntheses and one-step conversions to friedelin", Phytochem., 12, pp.236.
- [62] Banerji J, Ghoshal N, Sarkar S and Kumar M. Studies on Rutaceae: Part II-chemical investigations of constituents of *Atalantia wightii*, *Limon creniaulata*, *Feronia limonia*, *Citrus limon* and synthesis of Luvangetin, xanthyletin and marmin, 1982, Indian.J Chem., 21, pp.496-497.
- [63] Gupta, S.R., Seshadri, T.R., Sharma, C.S., Sharma, N.D., 1979, "Chemical components of *Feronia limonia*", Planta. Med., 36, pp.95.
- [64] Rahuman, A.A., Gopalakrishnan, G., Ghouse, B.S., Arumugam, S., and Himalayan, B., 2000, Fitoterepia., 71 (5), pp. 553–555.
- [65] Rahman and Gray, 2002 M.M. Rahaman and A.I. Gray, 2002, "Antimicrobial constituents from stem bark of *Feronia limonia*", Phytochem., 59 (1), pp. 73–77.
- [66] Ahamed, S.M., Swamy, S.K., Jayaverra, K.N., Rao, J.V., and Kumar, V.S., Pharmacology 3., pp. 852-857.

- [67] Ahamed S.M., Kumar, S.V., Rao, J.V., Jayaveera K.N., and Swamy, S.K., *Pharmacology* 3, 2008, pp. 220–223.
- [68] Kamat, Khandelwal K.R., Bodhankar, S.L., Ambawade S.D., and Mhetre, N.A., 2003, “Hepatoprotective activity of leaves of *Feronia elephantum* Correa (Rutaceae) against CCl₄- induced liver damage in rats”, *Journal of Natural Remedies* 3, pp.148-154.
- [69] Harbone, J.B., 1998. *Phytochemical Methods, A guide to Modern Technique of plant Analysis.*, Chapman and Hall Ltd, London, pp. 91.
- [70] Walum, E., 1998, “Acute oral toxicity,” *Environ. Health Perspect.*, 106 (2) pp. 498–499 .
- [71] Inter-Governmental Organization Eliminates the LD50 Test, The Humane Society of the United States. Retrieved January 17, 2008.
- [72] British Toxicology Society (1984) Special report: a new approach to the classification of substances and preparations on the basis of their acute toxicity, *Human Toxicol.*, 3, pp.85-92.
- [73] OECD, 2000. Acute Oral Toxicity-Acute Oral Toxic Class Method. Guideline 423, adopted 23.03.1996. In: Eleventh Addendum to the OECD Guidelines for the Testing of Chemicals. Organization for Economic Co-operation and Development, Paris.
- [74] Ward, F.M., and Daly, M.J., 1999, “Hepatic Disease. In: *Clinical Pharmacy and Therapeutics* (Walker R. and C. Edwards Eds.)”, Churchill Livingstone., New York. pp. 195-212.
- [75] Sharma, A., Chakraborti, K.K., and Handa, S.S., 1991, “Anti-hepatotoxic activity of some Indian herbal formulations as compared to Silymarin”, *Fitoterapia.*, 62, pp. 229-235.
- [76] Ward, F.M., and Daly, M.J., 1999. Hepatic Disease. In: *Clinical Pharmacy and Therapeutics* (Walker R. and C. Edwards Eds.). Churchill Livingstone, New York, pp.195-212.

- [77] Karan, M., Vasisht, K., and Handa, S.S., 1999, "Antihepatotoxic activity of *Swertia chirata* on carbon tetrachloride induced hepatotoxicity in rats", *Phytother Res.*, 13, pp. 24-30.
- [78] Subramonium, A., and Pushpangadan, P., 1999, "Development of Phytomedicines for liver diseases", *Indian J. Pharmacol.*, 31, pp. 166-175.
- [79] Chatterjee, T.K., 2000, "Medicinal Plants with Hepatoprotective Properties," *Herbal Options*. Books and Applied Allied (P) Ltd., Calcutta, pp.143.
- [80] Sharma, A., Singh, R.T., Sehgal, V., and Handa, S.S., 1991, "Antihepatotoxic activity of some plants used in herbal formulations", *Fitoterapia.*, 62, pp.131.
- [81] Venukumar, M.R, Latha, M.S., 2002, "Hepatoprotective effect of the methanolic extract *Curculigo orchoides* in CCl₄-treated male rats," *Indian J. Pharmacol.*, 34, pp. 269-275.
- [82] Kind, P.R., and King, E.J., 1954, "Estimation of plasma phosphates by determination of hydrolyzed phenol with antipyrine," *J. Clin Pathol.*, 7, pp.322-326.
- [83] Mallay, H.T., and Evelyn, K.A., 1937, "Estimation of serum bilirubin level with the photoelectric colorimeter", *J. Biol Chem.*, 119, pp.481-484.
- [84] Szaszi, G., 1969, A kinetic photometric method for serum gammaglutamyl transpeptidase. *Clin.Chem.*, 15,pp.124-126.
- [85] Moron, M.S., Depierre, J.W., and Mannervik, B., 1979, "Levels of glutathione, glutathione reductase and glutathione-S-transferase activities in rat, lung and liver", *Biochem Biophys Acta.*, 582, pp.67-74.

- [86] Kakkar, P., Das, B., and Viswanathan, P.N., 1984, "A modified spectroscopic assay of superoxide dismutase", *Indian J. Biochem, Biophys.*, 2, pp. 130-132.
- [87] Marklund, S., and Marklund, G., 1974, "Involvement of superoxide anion radical in the autooxidation of pyrogallol and a convenient assay for superoxide dismutase", *Eur J Biochem.*, 47, pp.469-474.
- [88] Ohkawa, H., Ohishi, N., and Yagi, K., 1979, "Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction", *Anal Biochem.*, 95, pp. 351-358.
- [89] Kaplowitz, N., Aw, T.Y., Simon, F.R., Stolz, A., 1986, "Drug induced hepatotoxicity", *Ann Intern Med.*, 104, pp.826-839.
- [90] Weber L.W., Boll M., and Stampfl A., 2003, Hepatotoxicity and mechanism of action of haloalkanes: carbon tetrachloride as a toxicological model. *Crit Rev Toxicol.*, 33, pp.105-136.
- [91] Fraga, C., Leibovitz, B., and Tappel, A., 1987, "Halogenated compounds as inducers of lipid peroxidation in tissue slices", *Free Rad. Biol. Med.*, 3, pp.119-123.
- [92] Nemesanszky, E., "enzyme test inhepatobiliary disease, In: Donald W Moss and Sidney B. rosarki", (Eds.) *Enzyme test in diagnosis*, New Yord, USA:Oxford University Press, pp. 25-29.
- [93] Venukumar, M.R., Latha, M.S., 2002, "Antioxidant activity of *Curculigo orchioides* in carbon tetrachloride induced hepatopathy in rats", *Indian Journal of Clinical Biochemistry.*, 17 (2), pp.80-87.
- [94] Chun-Chun Lin, Ming-Hong Yen, Tsae-Shiuan Lo, and Jer-MinLin 1998, Evaluation of the hepatoprotective and antioxidant activity of *Boehmeria nivea* var. *nivea* and *B. nivea* var, *tenacissima*. *J. Ethnopharmacol.*, 60, pp.9-17.

- [95] Uday Bandyopadhyay, Dipak Das, and Ranajit Banerjee, K., 1999, "Reactive oxygen species: oxidative damage and pathogenesis," *Curr. Sci.*, 77 (5), pp.658-665.
- [96] Sanjiv, C., 2002, "The liver book: A comprehensive guide to diagnosis, treatment and recovery", Atria. Jim cafe Company.
- [97] Wu. A., Slavin G., and Levi A.J., 1976, "Elevated serum gamma-glutamyl-transferase (transpeptidase) and histological liver damage in alcoholism", *Am J Gastroenterology.*, 65, pp. 318-323.
- [98] Sridhar, G.R., 2000, "Diabetes in India: Snapshot of a panorama", *Current Sci.*, 83, pp.791.
- [99] Kesavulu, M.M., Giri, R., Kameswara, R.B., and Apparao, C., 2000, "Lipid peroxidation and antioxidant enzyme levels in type 2 diabetic with micro vascular complications," *Diabetic Metabol.*, 26, pp. 387 - 392.
- [100] Nayeemunnisa, A., 2009, "Alloxan diabetes-induced oxidative stress and impairment of oxidative defense system in rat brain: neuroprotective effects of *Cichorium intybus*," *Int. J. Diabetes and Metabolism.*, 17, pp.105-109.
- [101] Trivedi, N.A., Majumder, B., Bhatt, J.D., and Hemavathi, K.G., 2004, "Effect of Shilajit on blood glucose and lipid profile in Alloxan-induced diabetic rats", *Indian J Pharmacol.*, 36, pp. 373-376.
- [102] Edem, DO., 2009, "Hypoglycemic Effects of Ethanolic Extracts of Alligator Pear Seed (*Persea Americana* Mill) in Rats", *Euro.J. Sci. Res.*, 33(4), pp.669-678.
- [103] Mathew, P.T., and Augusti, K.T., 1975, "Hypoglycemic effects of onion, *Allium cepa* Linn. On diabetes mellitus- a preliminary report", *Ind. J. Physiol. Pharmacol.*, 19, pp.213-217.

- [104] Sheela, C.G., and Augusti, K.T., 1992, "Antidiabetic effects of S-allyl cysteine sulphoxide isolated from garlic *Allium sativum* Linn", Indian J. Exp. Biol., 30, pp.523–526.
- [105] Ajabnoor, M.A., 1990, "Effect of aloes on blood glucose levels in normal and alloxan diabetic mice", J. Ethnopharmacol., 28, pp.215-220.
- [106] Chattopadhyay, R.R., Chattopadhyay, R.N., Nandy, A.K., Poddar, G., and Maitra, S.K., 1987, "The effect of fresh leaves of *Azadiracta indica* on glucose uptake and glycogen content in the isolated rat hemidiaphragm", Bull. Calcutta. Sch. Trop. Med., 35, pp.8-12.
- [107] Lenzen, S., and Patten, U., 1988, "Alloxan: history and mechanism of action", Diabetologia., 31, pp. 337-342.
- [108] Salgado, H.C., Fazan, Junior, R., Vazan, V.P., Da Silva, V.J., and Barreira A.A., 2001, "Arterial baroreceptors and experimental diabetes", Ann. NY. Acad. Sci., 940, pp.20-27.
- [109] Aderibigbe, A.O., Emudianughe, T.S., and Lawal, B.A., 1999, "Antihyperglycemic effect of *Mangifera indica* in rat", Phytother. Res.,13, pp.504-507.
- [110] Bailey, C.J., and Day, C., 1989, "Traditional plant medicines as treatments for diabetes", Diab.Care., 12, pp.553-564.
- [111] Vats, V., Grover, J.K., and Rathi, S.S., 2002, "Evaluation of antihyperglycemic and hypoglycemic effect of *Trigonella foenum-graecum* Linn, *Ocimum sanctum* Linn and *Pterocarpus marsupium* Linn in normal and alloxanized diabetic rats," J. Ethnopharmacol.,79, pp.95-100.
- [112] Hosokawa, Y.A., Hosokawa, H., Chen, C., and Leahy, J.L., 1996, "Mechanism of impaired glucose-potentiated insulin secretion in diabetic 90% pancreatectomy rats. Study using glucagons like peptide 1(7–37)", J. Clin. Invest., 97, pp.180–186.

- [113] Goldener, M G., and Gomori, G., 1964, "Studies on the mechanism of alloxan diabetes", *Endocrinol.*, 35, pp.241-248.
- [114] Lenzen, S., 2008, "The mechanisms of alloxan and streptozotocin-induced diabetes", *Diabetol.*, 51, pp.216-226.
- [115] Rai, V., Iyer, U., and Mani, 1997, "U.V. Effect of Tulasi (*Ocimum sanctum*) leaf powder supplementation on blood sugar levels, serum lipids and tissue lipid in diabetic rats," *Plant.Food.Hum.Nutri.*,50, pp.9-16.
- [116] Shibib, B.A., Khan, L.A., and Rahman, R., 1993, "Hypoglycemic activity of *Coccinia indica* and *Momordica charantia* in diabetic rats: depression of the hepatic gluconeogenic enzymes glucose-6-phosphatase and fructose-1, 6-biphosphatase and elevation of liver and red-cell shunt enzyme glucose-6-phosphate dehydrogenase", *J. Biochem.*, 292, pp.267-270.
- [117] Prince, S.M., and Menon, V.P., 2000, "Hypoglycemic and other related actions of *Tinospora cardifolia* roots in alloxan induced diabetic rats", *J. Ethnopharmacol.*, 70, pp.9-15.
- [118] Garcia-Martin, J.J., Villanueva, G.R., and Esteller, A., 1988, "Diabetes-induced cholestasis in the rat: possible role of hyperglycemia and hypoinsulinemia", *Hepatology.*, 8, pp.332-340.
- [119] Merzouk, H., Madani, S., Boualga, A., Prost, J., Bouchenak, M., and Belleville, J., 2001, "Age-related changes in cholesterol metabolism in macrosomic offspring rats with streptozotocin-induced diabetes", *J. Lipid Res.*, 42, pp.1152-1159.
- [120] Sabu, M.C., and Kuttan, R., 2002, "Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property", *J. Ethnopharmacol.*, 81, pp.155-160.

- [121] Mahboob, M., Shireen, K.F., and Atkinson, A., 2001, "Lipid peroxidation and oxidant enzymes activity in different organs of mice exposed to low level of mercury", *J. Environ. Sci. Health B.*, 36, pp.687-689.
- [122] Vlassara, H., Brownlee, M., and Cerami, A., 1981, "Non enzymatic glycosylation of peripheral nerve protein in diabetes mellitus", *PNAS* 78, pp.5190-5192.
- [123] Maritim, A.C., Sanders, R., and Watkins, J., 2003, "Diabetes, oxidative stress, and antioxidants: a review", *J Biochem Mol Toxicol.*, 17, pp.24-38.
- [124] Naggar Emb, E.I., Bartosikova, L., Zemlicka, M., Svajdlenka, E., Rabiskova, M., Strnadova, V., and Necas, J., 2005, "Antidiabetic effect of *Cleome droserifolia* aerial parts: Lipid peroxidation-induced oxidative stress in diabetic rats", *Acta Vet Brno.*, 74, pp.347-352.
- [125] Baynes, J.W., Dunn, J.S., and McLetchie, N.G.B., 1943, "Role of oxidative stress in development of complications in Diabetes", *Diabetes., Lancet.*, 2 (40), pp.384-387.
- [126] Naila, A., Roya, B.J., Scott, H., Paul, T., and Paul, B., 2005, "Glycated and Oxidized Protein Degradation Products Are Indicators of Fasting and Postprandial Hyperglycemia in Diabetes", *J. Diabetes care.*, 28 (10), pp.2465-2471.
- [127] Del Regato J.A., Spjut H.J., Ackerman, and del Regato's 1977, *Cancer: Diagnosis, treatment and Prognosis*, 5thEd. St.Louis, CV Mosby Co, pp.837.
- [128] Doll, R., and Peto, R., 1981, "The cause of cancer. Quantitative estimates of available risks of cancer in the United States today", *J. Natl. Cancer Inst.*, 66, pp.1192-1308.

- [129] Marcy J. Balunas, and Douglas Kinghorn, A., 2005, "Drug discovery from medicinal plants", *Life Sciences*, 78, pp. 431-441.
- [130] Adariana B. da Rocha, and Rafael M. Lopes, and Gilberto S Schwartzman., 2001, "Natural products in anticancer therapy", *Curr. Opin. pharmacol.*, 1, pp. 364-369.
- [131] Gupta Malaya., and Upal Kanti Mazumdar., 2004, "Antitumor Activity and Antioxidant Status of *Caesalpinia bonducella* Against Ehrlich Ascites Carcinoma in Swiss Albino Mice", *J. Pharmacol. Sci.*, 94, pp. 177-184.
- [132] Kinghorn, A.D., Farnsworth, N.R., Soejarto, D.D., Cordell, G.A., Swanson, S.M., Pezzuto, J.M., Wani, M.C., Wall, M.E., Kroll, N.H., Kramer, R.A., Rose, W.C., Vite, G.D., Fiarchild, C.R., Peterson, R.W., and Wild, R., 2003, "Novel strategies for the discovery of plant-derived anticancer agents", *Pharm. Biol.*, 41, pp. 53-67.
- [133] Cragg, G.M., and Newman, D.J., 2005, "Plants as a source of anti-cancer agents", *J. Ethnopharmacol.*, 100, pp. 72-79.
- [134] Timbrell, J. A., 2000, "Principles of Biochemical Toxicology" London, Taylor and Francis, 3rd ed., pp. 272-273.
- [135] Abdulla, M., and Gruber, P., 2000, "Role of diet modification in cancer prevention", *Biofactors.*, 12, pp. 45-51.
- [136] Handelman, G. J., 2001, "The evolving role of carotenoids in human biochemistry", *Nutrition.*, 17, pp. 818-822.
- [137] Michaud, D. S., Fesknic, D., Rimm, E. B., Colditz, G. A., Speizer, F. E., Willett, W. C., and Giovannucci, E., 2000, "Intake of specific carotenoids and risk of lung cancer in 2 prospective US cohorts", *Am. J. Clin. Nutr.*, 72, pp. 990-997.

- [138] Zheng, S., Yang, H., Zhang, S., Wang, X., Yu, L., Lu, J., and Li, J., 1997, "Initial study on naturally occurring products from traditional Chinese herbs and vegetables for chemoprevention", *J. Cell. Biochem. Suppl.*, 27, pp.106-112.
- [139] Yuan, J., Gu, Z. L., Chou, W. H., and Kok, C. Y., 1999, "Lemene induces apoptosis and regulates expression of bcl-2 protein in human leukemia K562 cells", *Chung-Kuo Yao Li HsuehPao.*, 20, pp.103- 106.
- [140] Dong, Y., Yang, M. M., and Kwan, C. Y., 1997, "In vitro inhibition of proliferation of HL-60 cells by tetrandrine and *Coriolus versicolor* peptide derived from Chinese medicinal herbs", *Life. Sci.*, 60, pp.135–140.
- [141] Jing, Y., Ohizumi, H., Kawazoe, N., Hashimoto, S., Masuda, Y., Nakajo, S., Yoshida, T., Kuroiwa, Y., and Nakaya, K., 1994, "Selective inhibitory effect of bufalin on growth of human tumor cells in vitro: association with the induction of apoptosis in leukemia HL-60 cells", *Jpn. J. Cancer Res.*, 85, pp. 645-651.
- [142] Sheng, Y., Pero, R. W., Amiri, A., and Bryngelsson, C., 1998, "Induction of apoptosis and inhibition of proliferation in human tumor cells treated with extracts of *Uncaria tomentosa*", *Anticancer. Res.*, 18, pp. 3363-3368.
- [143] Hirano, T., Oka, K., Mimaki, Y., Kuroda, M., and Sashida, Y., 1996, "Potent growth inhibitory activity of a novel Ornithogalum cholestane glycoside on human cells: induction of apoptosis in promyelocytic leukemia HL-60 cells", *Cancer. Lett.*, 58, 789-798.
- [144] Fouchea, G., Craggb, G. M., Pillaya, P., Kolesnikovaa, N., Maharaja, and V.J., Senabea, J., 2008, "*In vitro* anticancer screening of South African plants", *J. Ethnopharmacol.*, 119, pp. 455-461.
- [145] Babu, T. D., Kuttan,G., and Padikkala,J.,1995, Cytotoxic and antitumor properties of certain Taxa of Umbelliferae, *J. Ethnopharmacol.*, 48, pp.53–57.

- [146] Dacie, J.V., and Lewis, S.M., 1958 Practical Hematology, 2nd ed. J. and A Churchill, London, pp.423.
- [147] Aebi, H., 1983, Methods of enzymatic analysis., third ed. Academic Press ,New York,pp.112.
- [148] Armour, F.E.D., F.R.Blood, and D.A Belden,. The Manual for Laboratory Work in Mammalian Physiology, third ed. The University of Chicago Press, Illinois, pp.124.
- [149] Arora, J., Jain, S., Rajwade, J.M., and Paknikar, K.M. 2008, “Cellular responses induced by silver nanoparticles: In vitro studies”, Toxicol. Lett., 179 , pp.93-100.
- [150] Brown, J. P., 1980, “A review of the genetic effects of naturally occurring flavonoids”, Mutat. Res., 75, pp. 243-247.
- [151] Hirano, T., Oka, K., and Akiba M., 1989, “Antiproliferative effects of synthetic and naturally occurring flavonoids on tumor cells of the human breast carcinoma cell line”, Res. Commun. Pathol. Pharmacol., 64, pp.69-78.
- [152] DeWyss, and DeWyss, W.D. 1982, “Pathophysiology of cancer cachexia: current understanding and areas for future research”, Cancer. Res., 42, pp.721s-726s.
- [153] Hoagland, H.C., 1982, “Hematological complications of cancer chemotherapy”, Sem. Oncol., 9, pp.95-102.
- [154] Yagi, K., 1987, “Lipid peroxides and human diseases”, Chem. Phy. Lip., 45, pp. 337-351.
- [155] Sinclair, A.J., Barnett A.H., and Lunie, J., 1990, “Free radical and auto-oxidant systems in health and disease”, Br. J. Hosp. Med., 43, pp.334-344.

- [156] Rushmore, T.H. and Pickett, C.B. 1993, "Glutathione-S-transferase, structure, regulation, and therapeutic implication", *J. Biol.Chem.*, 268, pp.11475-11478.
- [157] Sun, Y., Oberley, L.W., Elwell, J.H., Sierra, E., and Rivera, 1989, "Antioxidant enzyme activities in normal and transformed mice liver cells" *Int. J. Cancer.*, 44, pp.1028-1033.
- [158] Ruby, A.J., Kuttan, G., Babu, Rajasekaran, K.N., and Kuttan, R., 1995 "Antitumor and antioxidant activity of natural curcuminoids", *Cancer.Lett.*, 94, pp.783-789.
- [159] Jiau-Jian, L., and Larry, W.O. 1977, "Over expression of manganese-containing superoxide dismutase confers resistance to the cytotoxicity of tumor necrosis factor and/or hyperthermia", *Cancer.Res.*, 57, pp.1991-1998.
- [160] Patil, S., Jolly, C.I., and Narayanan, S., 2003, "Free radical scavenging activity of *Acacia catechu* and *Rotula aquatica*: implications in cancer therapy", *Ind. Drugs.*, 40, pp. 328-332.
- [161] Ravid, A., and Korean, R., 2003, "The role of reactive oxygen species in the anticancer activity of vitamin D", *Anticancer. Res.*, 164, pp.357-367.
- [162] Weber, G., Shen, F., Prajda, N., and Yeh, Y.A., 1996, "Signal transduction and biochemical targeting of ovarian carcinoma", *Anticancer. Res.*, 16, pp.3271-3282.
- [163] Fotsis, T., Pepper, M S., Aktas, E., Breit, S., Rasku, S., and Adlercreutz, H., 1997, "Chemistry in Cancer Research", *Cancer. Res.*, 57, pp.2916-2921.
- [164] Ming, L., Jill, C.P., Jing Fang, J.N., Edward, C., and Brash, E., 1998, "Antioxidant action via p53 mediated apoptosis", *Cancer. Res.*, 58, pp. 1723-1729.

- [165] Rebecca, C., Daniel, B., Yu, S., Susan, C.K., Robert, J.C., and Jasan, D.M., 1998, "Anti-oxidants reduce cyclooxygenase-2 expression, prostaglandin production and proliferation in colorectal cell", *Cancer. Res.*, 58, pp.2323-2327.
- [166] Roja, G., and Heble, M.R., 1994, "The quinoline alkaloid Camptothecin and 9-methoxy camptothecin from tissue cultures and mature trees of *Nathapodytes foetida*", *Phytochem.*, 36, pp.65-66.
- [167] Steele, V.E., Boone, C.W., Lubert, R.A., Crowell, J.A., Holmes, C.A., Sigman, C.C., and Kellof, G.J., 1998, "Preclinical drugs development paradigms for chemopreventives", *Cancer. Chemoprev.*, 12, pp.94-99.
- [168] Putul, M., Sunit, C., and Pritha, B., 2000, "Neovascularisation offers a new perspective to glutamine-related therapy", *Ind.J.Exp.Biol.*, 38, pp. 88-90.
- [169] Lipozencic, J., and Wolf, R., 2007, "Atopic dermatitis: an update and review of the Literature", *Dermatol. Clin.*, 25, pp. 605-612.
- [170] Lebwohl, M., and Herrmann, L.G., 2005, "Impaired skin barrier function in dermatologic disease and repair with moisturization", *Cutis.*, 76, pp.7-12.
- [171] Fu, X., Fang, L., Li, H., Li, X., Cheng, B., and Sheng, Z., 2007, "Adipose tissue extract enhances skin wound healing", *Wound Repair Regen.*, 15(4), pp. 540-548.
- [172] Stadelmann, W., Greenwald, D., Stevens, L., Shumway, S., Leoni, K., and Krizek, T., 1993, "Mechanical analysis of the effects of bacteria and aprotinin on skin wound healing in adult guinea pigs", *Wound Repair Regen.*, 1(3), pp.187-193.
- [173] Alborova, A., Lademann, J., Meye, L., Kramer, A., Patzelt, A., Sterry, W., and Antoniou, C., 2007, "Application of laser scanning microscopy for the characterization of wound healing", *GMS Krankenhaushygiene, Interdisciplin.*, 2(2), pp.37.

- [174] Bennet, R.G., 1988, "Fundamentals of Cutaneous Surgery", 1st Ed, CV Mosby Publishers, St. Louis, pp. 778.
- [175] Myers, K.A., Marshal, R.D., and Friedin, J., 1980, "Principles of Pathology in Surgery", 1st edn. Blackwell Scientific Publications, London, pp.58-82.
- [176] Mather, M.D., Sherman, M., Frycakowski, A., and Jester, J.V., 1989, "Invest Ophthalmol", *Vismal. Sci.*, 30, pp.2403-24.
- [177] Ehrlich, H.P., and Hunt, T.K., 1968, "Effects of cortisone and vitamin A on wound healing", *Ann. Surg.*, 167, pp. 324-326.
- [178] Raju, S.S., and Kulkarni, D.R., 1986, "Vitamin A reverses the wound-healing suppressant effect of cyclophosphamide", *Ind. J. Pharmacol.*, 18, pp. 154-157.
- [179] Qu, J., Cheng, T., and Shi, C., 2003, "Reduced presence of tissue-repairing cells in wounds combined with whole-body irradiation injury is associated with both suppression of proliferation and increased apoptosis," *Med. Sci. Monit.*, 9, pp. 370 - 377.
- [180] Champion, R.H., Burton, J.L., Burns, D.A., and Breathnach, S.M., 1998, "Textbook of Dermatology," 6th ed. London: Blackwell Science., pp. 337-340.
- [181] Udupa, S.L., Rao, S.G., and Kulkarni, D.R., 1989, "Wound Healing Profile of Septilin", *Ind.J. Physiol.Pharmacol.*, 33, pp.1-5.
- [182] Dahanukar, S.A., Kulkarni, R.A., and Rege, N.N., 2000, "Pharmacology of medicinal plants and natural products," *Ind.J. Pharmacol.*, 32, pp.S81-S118.
- [183] Savanth, S.S., and Shah, R.A., 1998, In: Savant, S.S., Shah, R.A., Gore, D., (Eds.), "Text book and atlas of Dermatology and Cosmetology", 1st edn. Mumbai, ASCAD, pp.12-17.

- [184] Chulani, H.L., 1996, “ The law of medical negligence ” 1st edn. Radhakrishnan Medical and Educational Trust, Mumbai, pp.51-83.
- [185] Savanth, S.S., and Shah, R.A., 1998, “Text book and atlas of Dermatology and Cosmetology”, 1st ed., ASCAD, Mumbai, pp.50-61.
- [186] Reddy, J.S., Rao, P.R., and Reddy, M.S., 2002, “Wound healing effects of *Heliotropium indicum*, *Plumbago zeylanicum* and *Acalypha indica* in rats”, J. Ethnopharmacol., 79, pp. 249-251.
- [187] Azeez, S., Amudhan, S., Adiga, S., Vasanthakumar, A., Rao, N., Udupa, A.L., and Sanath, H., 2007, “Wound healing profile of *Areca catechu* extracts on different wound models in wistar rats”, Kuwait. Med J., 39, pp.48-52.
- [188] Sandeep, B., Patil, N.S., Naikwade, M.S., Kondawar, C.S., Magdum, and Awale, V.B., 2009, Traditional uses of plants for wound healing in the Sangli district, Maharashtra, Int.J.PharmTech Res.,1(3), pp.876-878.
- [189] Deshmukh, P.T., Fernandes, J., Atul, A., and Toppo, E., 2009, “Wound healing activity of *Calotropis gigantea* root bark in rats”, J. Ethnopharmacol., 125, pp.178-81.
- [190] Biswas, T.K., and Mukherjee, B., 2003, “Plant Medicines of Indian Origin for Wound Healing Activity: A Review”, Lower. Extr. Wounds., 2, pp. 25-39.
- [191] Rashik, A.M., Shukla, A., Patnaik, G.K., Dhawanand, B.N., and Kulshrestha, D.K., 1996, “Wound healing activity latex of *Euphorbia neriifolia* Linn”, Ind. J.Pharmacol., 28(2), pp. 107-109.
- [192] Nayak, B.S., Udupa, A.L., and Udupa, S.L., 1999, “Effect of *Ixora coccinea* flowers on dead space wound healing in rats”, Fitoterapia., 70, pp. 233-236.

- [193] Freire, S.M., Torres, L.M., Souccar, C., and Lapa, A.J., 1996, "Sympathomimetic effects of *Scoparia dulcis* L. and catecholamines isolated from plant extracts", *J. Pharm. Pharmacol.*, 48., pp. 624-628.
- [194] Choudary, G.P., 2008, "Wound healing activity of ethanol extract of *Terminalia bellerica* Roxb Fruits", *Nat. Prod. Rad.*, 7(1), pp.19-21.
- [195] Manjunatha, B.K., Vidya, S.M., Krishna, V., Mankani, K.L., Singh, S.D., and Manohara, Y.N., 2007, "Comparative evaluation of wound healing potency of *Vitex trifolia* L. and *Vitex altissima* L.", *Phytother. Res.*, 21, pp.457- 461.
- [196] Ehrlich, H.P., and Hunt, T.K., 1968, "The effect of cortisone and anabolic steroids on the tensile strength of healing wounds", *Ann. Surg.*, 167, pp. 117.
- [197] Lee, K.H., 1968, "Studies on the mechanism of action of salicylates II. Effect of vitamin A on wound healing retardation of aspirin", *J.Pharmacol Sci.*, 57, pp. 1238-1240.
- [198] Neumann, R.E., and Logan, M.A., 1972, "The determination of collagen and elastin in tissues", *J. Biochem.*, 186, pp. 549-556.
- [199] Mukherjee, K.L., 2000, "Medical Laboratory Technology", New Delhi: Tata McGraw-Hill Ltd.
- [200] Smith, R., 1985, "Recovery and Tissue Repair", *British Medical Bulletin*, 41(3), pp. 295-301.
- [201] Chang, H.Y., Sneddon, J.B., Alizadeh, A.A., Sood, R., West, R.B., Montgomery, K., Chi, J.T., Van de Rijn, M., Botsein, D., and Brown, P.O., 2004, "Gene expression signature of fibroblasts serum response predicts human cancer progression: similarities between tumors and wound," *PLoS Biol.*, Feb, 2(2), pp.E7.

- [202] Nayak, B.S., Suresh, Rao, A.V.C., Pillai, G.K., Davis, E.M., Ramkissoon, V., and M.c.Are A., 2005, "Evaluation of wound healing activity of *Vandarox burghii* R.Br (Orchidacea) – A preclinical study in rat model", *Int. J. Low. Extrem. Wounds.*, 4, pp. 200-204.
- [203] Annie, Shirweiker., Radhika, Shenoy., Udupa, A.L., Udupa, S.L., and Somashekhar Shetty., 2003, "Wound healing property of leaves of *Hyptis suaveojeans* with supportive role of antioxidant enzymes," *Ind. J. Exp. Biol.*, 41, pp. 238-241.
- [204] Gabbaiani, G., Harschel, B.J., and Ryan, G.B., 1976, "Granulation tissue as a contractile organ", *J. Exp. Med.*, pp.135-139.
- [205] Nayak, B.S., Isitor, G.N., Maxwell, A., Bhogadi, V., and Ramdath, D.D., 2007, "Wound healing activity of *Morinda citrifolia* fruit juice on diabetes induced rats", *J. Wound. Care.*, 16(2), pp. 83-6.
- [206] Bigoniya, P., and Rana, A.C., 2007, "Wound healing activity of *Euphorbia nerifolia* leaf ethanolic extract in rats", *Ind. J. Nat. Remed.*, 7, pp. 94-101.
- [207] Shetty, S., Udupa, S., Udupa, L., and Somayaji, N., 2006, "Wound healing activity of *Ocimum sanctum* Linn. With supportive role of antioxidant enzymes", *Ind. J. Physiol. Pharmacol.*, 50(2), pp. 163-168.
- [208] Hwang, J.K., Kong, T.W., Baek, N.I., and Pyun, Y.R., 2000, "Alphaglycosidase inhibitory activity of hexagalloylglucose from the galls of *Quercus infectoria*", *Planta.Med.*, 66, pp. 273-274.
- [209] Senel, O., Ozabay, D., and Bulan, R., 1997, "Oxygen free radicals impair healing in ischemic rat skin," *Ann. Plast. Surq.*, 39, pp. 516-19.
- [210] Niwa, Y., Kanoh, T., Sakane, T., Soh, H., Kawai, S., and Miyachi, Y., 1987, "The ratio of lipid peroxides to superoxide dismutase activity in the skin lesions of patients with severe skin disease: an accurate prognostic indicator", *Life. Sci.*, 40, pp. 921-927.

- [211] Udupa, A.L., Kulkarni, D.R., and Udupa, S.L., 1995, "Effect of *Tridax procumbens* extracts on wound healing," *Int. J. Pharmacog.*, 33, pp. 37-40.
- [212] Saha, M.N., Alam, M.A., Aktar R., and Jahangir, R., 2008, "*In vitro* free radical scavenging activity of *Ixora coccinea L.*", *Bangl. J. Pharmacol.*, 3, pp 90-96.
- [213] Polterait, O., 1997, "Antioxidants and free radical Scavengers of Natural origin", *Curr. Org. Chem.*, 1, pp 415-440.
- [214] Prior, R.L., 2003. "Fruit and vegetables in the prevention of cellular oxidative damage", *American Journal of Clinical Nutrition*, 78, pp. 570S-578S.
- [215] Lee, S.E., Hwang H.J., and Ha, J.S., 2003, "Screening of medicinal plant extracts for antioxidant activity", *Life Sci.*, 73, 167-179,
- [216] Makari, H.K., Haraprasad, N., Patil H.S., and Ravikumar, 2008. "*In vitro* Antioxidant Activity of the Hexane and Methanolic Extracts of *Cordia Wallichii* And *Celastrus Paniculata*", *The Internet J. Aesth. Antiaging Med.*, 1, pp 1-10.
- [217] Augustin, S., Claudine, M., and Christine R. Christian, 2005, "Dietary polyphenols and the prevention of diseases", *Crit. Rev. Food Sciences.*, 45, pp 287-306.
- [218] Aviram, M., 2000, "Review of human studies on oxidative damage and antioxidant protection related to cardiovascular diseases", *Free. Rad. Res.*, 33, pp. S85-S87.
- [219] Trease, G.E., and W.C. Evans, 1989, "Trease and Evans Pharmacognosy: A Physicians's Guide to Herbal Medicine", 13th edition. Bailliere, Tindall. London pp.15-26.
- [220] Lu, Y., and Foo, Y., 2000, "Antioxidant activities of polyphenols from sage (*Salvia officinalis*)", *Food. Chem*, 75: pp 197-202.

- [221] Koleva, I.I., Van Beek T.A., Linssen, H., De Groot A., and Evstatieva, L.N., 2002, "Screening of plant extracts for antioxidant activity: a comparative study on three testing methods", *Phytochem. Anal.*, 13, pp 8-17.
- [222] Wink, M., 1999, "Biochemistry of Secondary Product Metabolism", 4th ed., CRC Press, Boca Raton, pp. 1-16.
- [223] Hennebelle, T., Sahpaz, S., Joseph H., and Bailleul, F., 2006. "Phenolics and iridoids of *Lippia alba*", *Nat. Prod. Commun.*, 1: pp. 727-730.
- [224] Zétola, M., Lima, T.C.M., and Sonaglio D., 2002, "CNS activities of liquid and spray-dried extracts from *Lippia alba* Verbenaceae (Brazilian false Melissa)," *J. Ethnopharmacol*, 82, pp. 207-215.
- [225] Singh, G., Rao, G.P., Kapoor P.S., and Singh, O.P., 2000, "Chemical constituents and antifungal activity of *Lippia alba* Mill. leaf essential oil", *J. Med. Arom. Plant. Sci.*, 22, pp. 701-708.
- [226] Abdalla, A.E., and Roozen, J.P., 1999, "Effect of plant extracts on the oxidative stability of sunflower oil and emulsion", *Food Chem.*, 64, pp.323-329.
- [227] Sa'nchez-Moreno, C. 2002, "Review: methods used to evaluate the free radical scavenging activity in foods and biological systems", *Food Sci. Tech. Int.*, 8(3), pp. 121-137.
- [228] Schwarz, K., Bertelsen, G., Nissen, L.R., Gardner, P.T., Heinonen, M.I., Hopia, A., Huynh-Ba, T., Lambelet, P., McPhail, D., Skibsted, L.H. and Tijburg, L. 2001, "Investigation of plant extracts for the protection of processed foods against lipid oxidation. Comparison of antioxidant assays based on radical scavenging, lipid oxidation and analysis of the principal antioxidant compounds", *Eur. Food Res. Technol.*, 212, pp.319-328.

- [229] Stuffness, M., and Douros, J., 1982, "Current status of the NCI plant and animal product program", *J.Nat.prod.*, 45, pp.1-14.
- [230] Baker, J.T., Borris, R.P., and Carte, B., 1995. "Natural product drug discovery and development: New perspective on international collaboration", *J. Nat. Prod.*, 58, pp. 1325-1357.
- [231] Mossmann, T., 1983, "Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays", *J.Immunol. Meth.* 65, pp.55-63.
- [232] Berridge, V.M., and Tan, S.A., 1992, "Characterization of the cellular reduction of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT): subcellular localization, substrate dependence, and involvement of mitochondria electron transport in MTT reduction", *Arch. Biochem. Biophys.*, 303, pp.474-482.
- [233] Denizot, F., and Lang, R., 1986, "Rapid colorimetric assay for cell growth and survival", *J. Immunol. Meth.*, 89, pp.271-277.
- [234] Hansen, B.M., Nielsen, E.S., and Berg, K., 1989, "Re-examination and further development of a precise and rapid dye method for measuring cell growth/cell kill", *J. Immunol. Meth.*, 119, pp.203-210.
- [235] Zoete, V., Vezin, H., Bailly, F., Vergoten, G., Catteau, J.P., Bernier, J.L., 2000, "4-Mercaptoimidazoles derived from naturally occurring antioxidant ovolthiols 2. Computational and experimental approach of the radical scavenging mechanism", *Free. Radical. Res.*, 32, pp.525-533.
- [236] Proctor, P.H., and Reynolds, E.S., 1984, "Free radicals and disease in Man", *Physiol. Chem. Phys. Med. NMR*, 16, pp.175-195.
- [237] Tomida, H., Yasufuku, T., Fujii, T., Kondo, Y., Kai, T., and Anraku, M., "Polysaccharides as potential antioxidative compounds for extended-release matrix tablets", *Carbohydr. Res.*, 345, pp. 82-86

- [238] Li, S.P., Zhang, G.H., Zeng, Q., Huang, Z.G., Wang, Y.T., Dong, T.T., and Tsim, K.W., 2006, "Hypoglycemic activity of polysaccharide, with antioxidation, isolated from cultured *Cordyceps mycelia*", *Phytomed.*, 13, pp.428-433.
- [239] Mateos-Aparicio, I., Mateos-Peinado, C., Jiménez-Escrig, A., and Rupérez, P., 2010, "Multifunctional antioxidant activity of polysaccharide fractions from the soybean byproduct okara", *Carbohydr.Polym.*, 82, pp.245-250.
- [240] Yang, S.S., Cheng, K.T., Lin, Y.S., Liu, Y.W., and Hou, W.C., "Pectin hydroxamic acid exhibit antioxidant activities *in vitro*", *J. Agric. Food Chem.*, 52, pp.4270-4273.
- [241] Willats, W.G.T., Paul Knox, J., and Mikkelsen, J.D., 2006, "Pectin: new insights into an old polymer are starting to gel", *Trend. Food. Sci. Technol.*, 17, pp.97-104.
- [242] Fernandez, M.A., De las Heras, B., Garcia, M.D., Saenz, M.T., and Villar, A., 2001, "New insights into the mechanism of action of the anti-inflammatory *Triterpene lupeole*", *J. Pharm. Pharmacol.*, 53, pp.1533-1539.
- [243] Khasina, E.I., Kolenchenko, E.A., Sgrebneva, M.N., Kovalev, V.V., and Khotimchenko, Y.S., "Antioxidant activities of low etherified pectin from the seagrass *Zostera marina*. Russ.", *J. Mar.Biol.*, 29, pp.259-261.
- [244] Patocka, J., 2003, "Biologically active pentacyclic triterpenes and their current medicine signification", *J. Appl. Biomed.*, 1, pp. 7-12.