

7. References

1. Agarwal V, Siddiqui A., Ali H., Nazzal S. (2009). Dissolution and powder flow characterization of solid self-emulsified drug delivery system (SEDDS), *Int. J. Pharm.* 366:44-52.
2. Ahmed Abdelbary, Mahfouz, A., Kassem, Mona, M., Abou Samra, (2008). Formulation and hypoglycemic activity of Pioglitazone-cyclodextrin inclusion complexes, *Drug Discov Ther*, 2(2): 94-107.
3. Akhter S, Hossain Md. I. (2012). Dissolution enhancement of Capmul PG8 and Cremophor EL based Ibuprofen Self Emulsifying Drug Delivery System (SEDDS) using Response surface methodology, *Int. Cur Phar J*, 1(6): 138-150.
4. Akkar H, Nangesh, J., Parmar, M., and Patel, D., (2011). Formulation and Characterization of lipid-based drug delivery system of raloxifene-microemulsion and self-microemulsifying drug delivery system. *Journal of pharmacy and bioallied sciences*, 3(3): 442–448.
5. Amidon, G, et.al. (1995). A theoretical basis for a biopharmaceutical drug classification: the correlation of *in vitro* drug product dissolution and *in vivo* bioavailability, *Pharm. Res*, 12: 413-420.
6. Anand U, Kyatanwar, Kisan, R., Jadhav, Vilasrao. J Kadam, (2010). Self micro emulsifying drug delivery system (SMEDDS): review; *Journal of Pharmacy Research*, 3(1): 75- 83.
7. Anguiano-Igea, S., Otero-Espinar, F.J., Vila-Jato, J.L., Blanco-Mendez, J., (1995). The properties of solid dispersions of clofibrate in polyethylene glycols, *Pharmaceutica Acta Helvetiae*, 70(10): 57-66.

8. Barakat N. S., (2010). "Enhanced oral bioavailability of etodolac by self-emulsifying systems: in-vitro and in-vivo evaluation" *Journal of pharmacy and pharmacology*, 62: 173-180.
9. Bhagwat D. A, D'Souza J. I. (2012). Development of Solid-Self Micro Emulsifying Formulation to Improve Oral Bioavailability, *Int. J of Therap App*, 1: 38 – 41.
10. Bley H., Fussnegger, B., Bodmeier, R., (2010). Characterization and stability of solid dispersions based on PEG/polymer blends. *Int J Pharm.* 390(2): 165-73.
11. Chowdary K. P. R., (2011). "Enhancement of Dissolution Rate and Formulation Development of Efavirenz Tablets Employing Starch Phosphate a New Modified Starch" *International Journal of Pharmaceutical Sciences and Drug Research*, 3(2): 80-83.
12. Chiou W.L., Riegelman, S., (1969). Preparation and dissolution characteristics of several fast-release solid dispersions of griseofulvin. *J.pharm. Sci.*, 58: 1505-1510.
13. Chiou W.L., Riegelman S., (1971). Pharmaceutical applications of solid dispersion systems. *J.pharm. Sci.*, 60: 1281-1302.
14. Colin W., Pouton, (2000). Lipid formulations for oral administration of drugs non-emulsifying, self emulsifying and self-micro emulsifying drug delivery systems, *European journal of pharmaceutical sciences* 11(2): S93-182.
15. Craig DQ., (2002). The Mechanism of drug release from solid dispersion from water-soluble polymers. *Int J Pharm.* 231(2): 131-44.
16. Craig DQM, Barket, SA, Banning, D, Booth, SW.,(1995). An investigation into the mechanisms of self-emulsification using particle size analysis and low frequencies dielectric spectroscopy. *Int J Pharm.* 114: 103-10.

17. Dahlberg, C., Millqvist-Fureby, A., Schuleit, M., Furó, I., (2010). Polymer-drug interactions and wetting of solid dispersions. *Eur J Pharm Sci.* 39(1-3): 125-33.
18. David J., Hauss, (2004) Enhancing the bioavailability of poorly water-soluble drugs, lipid-based systems for oral drug delivery, Bristoll-Myers Squiibb Company Princeton,, NJ.
19. Dhirendra K., (2009). Solid dispersions: A review, *Pak. J. Pharm. Sci.*, 22: 234-246.
20. Dixit, R. P, Nagarsenker, M. S (2007) In vitro and in vivo advantage of celecoxib surface solid dispersion and dosage form development. *Ind. J. Pharm. Sci.* 69 (3): 370–377.
21. Driscoll CM and Griffin BT, (2008). Biopharmaceutical challenges associated with drugs with low aqueous solubility—the potential impact of lipid-based formulations, *Adv. Drug Del. Rev.*, 60: 617-624.
22. Durgacharan A. B, John I. D’Souza, (2012). Formulation and evaluation of solid self micro emulsifying drug delivery system using aerosil 200 as solid carrier, *Int. Cur Phar J* 1(12): 414-419.
23. Eman Atef, Alber, A., (2008). Belmonte, Formulation and *in vitro* and *in vivo* characterization of a phenytoin self-emulsifying drug delivery system (SEDDS); *European journal of pharmaceutical sciences*, 35: 257-263.
24. Erika Broman, Cynthia Khoo, Lynne, S., Taylor, A., (2001). comparison of alternative polymer excipients and processing methods for making solid dispersions of a poorly water soluble drug, *International Journal of Pharmaceutics*, 222: 139-151.
25. Evangelos Karavas, Georgios Ktistis, Aristotelis Xenakis, Emmanouel Georgarakis, (2005). Miscibility behavior and formation mechanism of stabilized felodipine-polyvinylpyrrolidone amorphous solid dispersions. *Drug Development and Industrial Pharmacy*, 31(6): 473-89.

26. Franco G, Trapani, A., Latrofa, C., Tullio, M.R., Provenzano, M., Serra, M., Muggironi, G., Biggio, G., Liso, (2001). Dissolution properties and anticonvulsant activity of phenytoin-polyethylene glycol 6000 and -polyvinylpyrrolidone K-30 solid dispersions, *International Journal of Pharmaceutics*, 225: 63-73.
27. Ganesh C, Kundan P, Dhananjay G, Shagufta K, Pramod Y (2008). Preparation and characterization of solid dispersion tablet of furosemide with crospovidone, *Research J. Pharm. and Tech.* 1(4): 386-389.
28. Geert Verreck, Karel Six, Guy Van den Mooter, Lieven Baert, Jef Peeters, Marcus E., Brewster, (2003). Characterization of solid dispersions of itraconazole and hydroxypropylmethylcellulose prepared by melt extrusion- part I. *International Journal of Pharmaceutics*, 251: 165-174.
29. Goldberg A.H., Gibaldi, M., Kanig, J.L., (1965). Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures I. Theoretical considerations and discussion of the literature. *J. Pharm. Sci.*, 54: 1145-1148.
30. Goldberg A.H., Gibaldi, M., Kanig, J.L., (1966a). Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures II. Experimental evaluation of eutectic mixture: urea-acetaminophen system. *J. Pharm. Sci.*, 55:482-487.
31. Goldberg, A.H., Gibaldi, M., Kanig, J.L., (1966b). Increasing dissolution rates and gastrointestinal absorption of drugs via solid solutions and eutectic mixtures II. Experimental evaluation of griseofulvin-succinic acid solution. *J. Pharm.Sci.*, 55: 487-492.
32. Gopal Venkatesh Shavi, Averineni Ranjith Kumar, Yogendra Nayak Usha, Karthik Armugam, Om prakash Ranjan, Kishore Ginjupalli, Sureshwar Pandey, Nayababhirama

- Udupa, (2010). Enhanced dissolution and bioavailability of gliclazide using solid dispersion techniques. *International Journal of Drug Delivery*, 2: 49-57.
33. Gupta A.K., Mishram D.K., and Mahajanm S.C., (2011). Preparation and in-vitro evaluation of self emulsifying drug delivery system of antihypertensive drug valsartan. *International journal of pharmacy & life sciences*, 2: 633-639.
34. Gursoy R.N., and Benita, S., (2004). Self-emulsifying drug delivery systems for improved oral delivery of lipophilic drugs. *Biomedicine & Pharmacotherapy*, 58: 173-182.
35. Habib MJ. *Pharmaceutical solid dispersion technology*. Washington: CRC, 35–78.
36. Hauss D. J., et al. (2007). Oral lipid-based formulations. *Adv. Drug. Delivery. Reviews*, 59: 667-676.
37. Hemant N., Joshi, Ravindra, W., Tejwani, Martha Davidovich, Vaishali P., Sahasrabudhe, Mohammed Jemal, Mohinder, S., Bathala, Sailesh, A., Varia, Abu, T.M., Serajuddin, (2004). Bioavailability enhancement of a poorly water-soluble drug by solid dispersion in polyethylene glycol polysorbate 80 mixture, *International Journal of Pharmaceutics*, 269: 251-258.
38. Higuchi T., Connors KA., (1965). Phase solubility diagram. *Adv. Anal. Chem. Instrum.*, 4, 17-21.
39. Humberstone AJ and Charman WN (1997). Lipid-based vehicles for the oral delivery of poorly water soluble drugs, *Adv Drug Deliv Rev*, 25(1): 103-28.
40. Ilse Weuts, Dieter Kempen, Annelies Decorte, Geert Verreck, Jef Peeters, Marcus Brewster, Guy Van den Mooter, (2004). Phase behaviour analysis of solid dispersions of loperamide and two structurally related compounds with the polymers PVP-K30 and PVP-VA64. *European Journal of Pharmaceutical Sciences*, 22(5): 375-85.

41. Jani Rupal, Jani Kaushal, Setty C., Mallikarjuna, Patel Dipti, (2009). Preparation and Evaluation of Solid Dispersions of Aceclofenac. *International Journal of Pharmaceutical Sciences and Drug Research*, 1(1): 32-35.
42. Jani Rupal, Jani Kaushal, Setty, C., Mallikarjuna, Patel Dipti. (2009). Preparation and Evaluation of Solid Dispersions of International Journal of Pharmaceutical Sciences and Drug Research, 1(1): 32-35.
43. Janssens, S., de Armas, HN., Roberts, CJ., Van den Mooter, G., (2008). Characterization of ternary solid dispersions of itraconazole, PEG 6000, and HPMC 2910 E5, *J Pharm Sci.* 97(6): 2110-20.
44. Jayvadan patel, and Anand Shah., (2008). Self-emulsifying delivery system for poorly absorbed drugs; *International journal of pharmaceutical sciences and nanotechnology*, 1(2):107-116
45. Jessy shaji, Digambar Jadhav., (2010). Newer approaches to self emulsifying drug delivery system, *International Journal of Pharmaceutical Sciences*; 2(1):57-65.
46. Joshi, H., Tejwani, R., Davidovich, M., Sahasrabudhe, V., Mohammed Jemal, (2004). Bioavailability enhancement of a poorly water-soluble drug by solid dispersion in polyethylene glycol-polysorbate 80 mixture. *Int. J of phar.*, 269: 251-258.
47. Kanig J.L., (1964). Properties of fused mannitol in compressed tablets. *J. pharm. Sci.*, 53: 188-192.
48. Kang B. K., Lee J. S., Chon S. K., Jeong S. Y., Yuk S. H., Khang G., Lee H. B., Cho S. H., (2004). "Development of self-micro emulsifying drug delivery systems (SMEDDS) for oral bioavailability enhancement of simvastatin in beagle dogs" *International Journal of Pharmaceutics* Volume 274(1-2): 65-73.

49. Karavas E., Georgarakis, E., Sigalas, P., Avgoustakis, K., Bikiaris, K., (2007). Investigation of the release mechanism of a sparingly water-soluble drug from solid dispersions in hydrophilic carriers based on physical state of drug, particle size distribution and drug-polymer interaction. *E jour of phar and biophar*, 66: 334-347.
50. Katteboina S. P. Chandrasekhar VSR, Balaji S, (2009). Approaches for the development of solid self-emulsifying drug delivery systems and dosage forms, *Asian J of Pharm Sci*, 4 (4): 240-253.
51. Kavita M, Ganesh B, Ganesh R, Arvind B, (2011). Self-emulsifying drug delivery system: Formulation and evaluation, *International Journal of Pharma and Bio Sciences*, 2(4): 398-412.
52. Kavita Sapraa, Ashu Saprab, Singha S K, Saloni K, (2012). Self Emulsifying Drug Delivery System: A Tool in Solubility Enhancement of Poorly Soluble Drugs. *Indo Global Journal of Pharmaceutical Sciences*, 2(3): 313-332.
53. Kazunari Yamashita, Toshiomi Nakate, Kazuto Okimoto, Atsuo Ohike, Yuji Tokunaga, Rinta Ibuki, Kazutaka Higaki, Toshikiro Kimura, (2003). Establishment of new preparation method for solid dispersion formulation of tacrolimus, *International Journal of Pharmaceutics*, 267: 79-91.
54. Khoo, S M., Porter, C J H., Charman, W N., (2000). The formulation of Halofantrine as either non-solubilising PEG 6000 or solubilising lipid based solid dispersions: Physical stability and absolute bioavailability assessment. *Int. J of phar.*, 205: 65-78.
55. Kommuru TR, Gurley B, Khan MA, Reddy IK, (2001), *Int J Pharm*, 212, 233-246.
56. Kumar A, Sharma S and Kamble R, (2010). Self Emulsifying Drug Delivery System (SEDDS): Future Aspects. *Int. J. Pharm. Pharm. Sci*, 2(4): 219-228.

57. Kyatanwar A.U., Gajbhiye, N.D., Jadav, K.R., and Kadam, V.J., (2010). Solid self-emulsifying drug delivery systems: A review. *Journal of pharmacy research*, 3(4): 877-882.
58. Law D, Krill SL, Schmitt EA, Fort JJ, Qiu Y, Wang W, Porter WR (2000). Physicochemical considerations in the preparation of amorphous ritonavir-poly (ethylene glycol) 8000 solid dispersions. *J Pharm Sci.* 90:1015–25.
59. Levy G., (1963). Effect of particle size on dissolution and gastrointestinal absorption rates of pharmaceuticals. *Amer. J. Pharm*, 135: 78-92.
60. Madhuri Newa, Krishna Hari Bhandari, Dong Xun Lee, Jung Hoon Sung, Jung Ae Kim, Bong Kyu Yoo, Jong Soo Woo, Han Gon Choi, and Chul Soon Yong., (2008). Enhanced Dissolution of Ibuprofen Using Solid Dispersion with Polyethylene Glycol 20000, *Drug Development and Industrial Pharmacy*, 34:1013-102.
61. Mariko Iwata, and Haruhisa Ueda, (1996). Dissolution Properties of Gliben- clamide in Combinations with Polyvinylpyrrolidone *Drug Development and Industrial Pharmacy*, 22(11): 1161-1165.
62. Modi, P.; Tayade, H. K, (2007). A comparative solubility enhancement profile of valdecoxib with different solubilization approaches. *Ind. J. Pharm. Sci.* 69 (2): 274–278.
63. Mohammad Fahim Kadir, Muhammad Shahdaat Bin Sayeed, Rajibul Islam Khan, Tahiatul Shams, Md. SaifullIslam, (2011). Study of binary and ternary solid dispersion of ibuprofen for the enhancement of oral bioavailability, *Journal of Applied Pharmaceutical Science*, 01(09): 103-107.
64. Monica R, Yogesh M, Kaushik T, Sucheta B (2010). Dissolution improvement of simvastatin by surface solid dispersion technology, *Disso Technol*, 8(1): 27-34.

65. Mooter GVD, Augustijns P, Blaton N, Kinget R (1998). Physico-chemical characterization of solid dispersions of temazepam with polyethylene glycol 6000 and PVP K30. *Int J Pharm.* 164:67–80.
66. Muhammad Tayyab Ansari, Humayun Pervez, Muhammad Tariq Shehzad, Zahid Mahmood, Muhammad Tahir Razi, Nazar Muhammad Ranjhaand, Nuzhat Khanum Pak., (2012). Improved physicochemical characteristics of artemisinin-nicotinamide solid dispersions by solvent evaporation and freeze dried methods. *J. Pharm. Sci.*, 25(2): 447-456.
67. Muhammad J., Habib, (2000). *Pharmaceutical Solid Dispersion Technology*, 1 Review Taylor & Francis, 1-109.
68. Mushir Ali, Sanjula Baboota, Alka Ahuja, Anil Kumar, and Javed Ali., (2010). Solid Dispersion as an Approach for Bioavailability Enhancement of Poorly Water-Soluble Drug Ritonavir. *AAPS PharmSciTech.* 11(2): 518-527.
69. Natesan Subramanyan, Subhabrata Ray, Saroj Kumar Ghosal, Ranjan Bhadra and Satya Priya Moulik, (2004). Formulation Design of Self-Microemulsifying Drug Delivery Systems for Improved Oral Bioavailability of Celecoxib, *Biol. Pharm. Bull.* 27(12) 1993-1999.
70. Neslihan Gursoy, R., Simon Benita., (2004). Self-emulsifying drug delivery system (SEDDS) for improved oral delivery of lipophilic drugs; Dossier: Drug delivery and drug efficacy; *Biomedicine & Pharmacotherapy*, 58: 173-182.
71. Ozkan Y., Doganay, N., Dikmen, N., Isimer, A., (2000). Enhanced release of Solid dispersions of etodolac in polyethylene glycol, *IL FARMACO.*, 55: 433-438.

72. Patel A.R., and Vavia, P.R., (2007). Preparation and In-Vivo evaluation for SMEDDS containing fenofibrate. *The AAPS Journal*, 9 (3): 344-351.
73. Parakh S R, Gothoskar AV., (2003). A review of mouth dissolving tablet technologies. *Pharma Tech.*, 27, 92-100.
74. Patel Nitesh N, Rathva Sunil R, Mr. Shah Viral H, Dr. Upadhyay Umesh M, (2012). Review on Self emulsifying drug delivery system: Novel approach for solubility enhancement, *International Journal of Pharmaceutical Research & Allied Sciences*, 1(3): 1-12.
75. Pathak A., Jain, V., Nagariyal, AK, Singh, R., Nayak, S, (2010). Recent advances in self emulsifying drug delivery system - A review, *Drug Invention Today*, 2(2): 123-129.
76. P. N. Murthy, S. Biswal, and Manik, (2009). Formulation of Sustained-Release Dosage Form of Verapamil Hydrochloride by Solid Dispersion Technique Using Eudragit RLPO or Kollidon, *AAPS PharmSciTech*, 10(1) 143-155.
77. Porter CJ and Charman WN (2001). Intestinal lymphatic drug transport: An update. *Adv Drug Deliv Rev*, 50(1-2): 61-80.
78. Pouton CW., (2006). "Formulation of Poorly Water-Soluble Drugs for Oral Administration: Physicochemical and Physiological Issues and the Lipid Formulation Classification System". *Eur J Pharm Sci*. 29: 278-287.
79. Poulton CW, (2000). *Eur J Pharm Sci*, Suppl 2: S93-8.
80. Ravali G, Chaitali K, Shilpa C, (2012). Formulation and evaluation of solid self micro emulsifying drug delivery system of Lamotrigine. *Am J PharmTech Res*, 2(5): 661-679.

81. Ren J Bird LE, Chamberlain P P., et al., (2002). "Structure of HIV-2 reverse transcriptase at 2.35-Å resolution and the mechanism of resistance to non-nucleoside inhibitors". *Proc Natl Acad Sci*, 22: 1410–15.
82. Riikka Laitinen, D., Eero Suihko, Mikko Bjorkqvist, Joakim Riikonen, Vesa-Pekka Lehto, Kristiina Jarvinen, Jarkko Ketolainen., (2010). Perphenazine solid dispersions for orally fast-disintegrating tablets: physical stability and formulation, *Drug Development and Industrial Pharmacy*, 36(5): 601–613
83. Robert Weltman, Tom Hargreaves, (2011). Assessment of the environmental fate and effects of the PPAR gamma receptor, *Pioglitazone Chemosphere* 83: 391-399.
84. Sathigari S., Chadha, G., Lee, P., Wright, N., Parsons, D.L., and Babu, R.J., (2009). Physicochemical characterization of Efavirenz-Cyclodextrin inclusion complexes. *AAPS PharmSciTech*, 10: 81-87.
85. Sekiguchi K., Obi, N., (1961). "Studies on absorption of eutectic mixture. I. A comparison of the behavior of eutectic mixture of sulfathiazole and that of ordinary sulfathiazole in man". *Chem Pharm Bull*, 9: 866-72.
86. Serajuddin A.T.M, (1999). Solid dispersion of poorly water-soluble drugs: early promises, subsequent problems, and recent break throughs. *J Pharm Sci.*, 88: 1058-1066.
87. Serajuddin A.T.M, Sheen, P.C., Augustine, M.A., (1990). Improved dissolution of a poorly water soluble drug from solid dispersions in poly (ethylene glycol); polysorbate 80 mixtures. *J. Pharm. Sci.* 79: 463-464.
88. Serajuddin A.T.M, Sheen, P.C., Mufson, D.F., Augustine, M.A., (1988). Physic-chemical basis of increased bioavailability of a poorly water soluble drug following oral administration as organic solutions. *J. Pharm. Sci.* 77: 325-329.

89. Sethia S., and Squillante, E., (2004). Solid dispersion of carbamazepine in PVP K30 by conventional solvent evaporation and supercritical methods. *Int J Pharm*, 272(1-2): 1-10.
90. Shah T.J, Amin A.F, Parikh J. R, Parikh R. H (2007). Process optimization and characterization of poloxamer solid dispersions of a poorly water-soluble drug, *AAPS Pharm SciTech*, 8(2): 18-24.
91. Shaji J and Jadhav. D., (2010). Newer approaches to self emulsifying drug delivery system. *International journal of pharmacy and pharmaceutical sciences*, 2: 37-41.
92. Shilpi Sinha, Mushir Ali, Sanjula Baboota, Alka Ahuja, Anil Kumar, and Javed Ali., (2010). Solid Dispersion as an Approach for Bioavailability Enhancement of Poorly Water-Soluble Drug Ritonavir. *AAPS PharmSciTech*. 11(2): 518-527.
93. Shinde S.S., Patil, S.S., Mevekari, F.I., Satpute, A.S., (2010). An approach for solubility enhancement: solid dispersion. *International Journal of Advances in Pharmaceutical Sciences*, 299-308.
94. Singh A.K., Chaurasiya, A., Singh, M., Upadhyay, S.C., and Khar, R.K., (2008). Exemestane Loaded Self-Microemulsifying Drug Delivery System (SMEDDS): Development and Optimization. *AAPS PharmSciTech*, 9(2): 628–634.
95. Sood S, Kumar V, Rana A. C, Singh G, (2012). Solid-self micro emulsifying drug delivery system – a merge form of smedds and solid dosage form, *Int J of Nat Product Sci*, 1: 42.
96. Suman K, Chandrasekhar V S R, Balaji P, (2013). Approaches for the development of solid self-emulsifying drug delivery systems and dosage forms, *Asian J Pharm Sci*, 4(4): 240-253.

97. Suresh K., Balani, Laura, R., Kauffman, florencia, A., Deluna, and jiunn H. Lin., (2006). "Nonlinear pharmacokinetics of Efavirenz (dmp-266), a potent hiv-1 Reverse transcriptase inhibitor, in rats and monkeys", *The American Society for Pharmacology and Experimental Therapeutics*, 27(41).
98. Tang B.C., Jian, C. G and Xu, C. H., (2008). Development of solid self-emulsifying drug delivery systems: preparation techniques and dosage forms, *Drug Discovery Today*, 56: 606-612.
99. Tushar Gadkari, T., Chandrachood, P., Ruikar, A., Deshpande N., Salvekar, J., and Somawane, S., (2010). Validated stability indicating LC-PDA-MS method to investigate pH rate profile and degradation kinetics of Efavirenz and identification of hydrolysis product by LCMS. *International journal of pharmacy and pharmaceutical sciences*, 2: 169-176.
100. Varun Raj Vemula, Venkateshwarlu Lagishetty, Srikanth Lingala. (2010). "Solubility Enhancement Techniques", *International Journal of Pharmaceutical Sciences Review and Research*, 5(1): 41-47.
101. Veldkamp A I., et al., (1999). Quantitative determination of Efavirenz, a novel non-nucleoside reverse transcriptase inhibitor, in human plasma using isocratic reversed-phase high-performance liquid chromatography with ultraviolet detection. *Journal of Chromatography B.*, 734: 55-61.
102. Ying Chen, Jianling zheng, Zhiyu Chen, Qiongzhi shi and Hong liu, (2011). "Development of a solid supersaturatable self-emulsifying drug delivery system of docetaxel with improved dissolution and bioavailability" *Biol. Pharm. Bull*, 34(2): 278-286.

103. Zhong - Gui He, Jing-ling, Tang, Jin Sun., (2007). Self emulsifying drug delivery system: Strategy for improving oral delivery of poorly soluble drugs; Current drug therapy, 2: 85-93.