

## List of plates

<b>Plate No.</b>	<b>Particulars</b>	<b>Between pages</b>
1	General view of the field experiments	20-21
2	Field view of different ginger varieties	21-22
3	Rhizomes of different ginger varieties	21-22
4	Crop at different biofertilizer treatments	24-25

## List of figures

<b>Fig. No.</b>	<b>Particulars</b>	<b>Page No.</b>
3.1	<i>Climatic condition of the experimental site</i>	19
3.2	<i>Plan of layout of Experiment 1.</i>	22
3.3	<i>Plan of layout of Experiment 2</i>	23
4.1	<i>Effect of variety on growth attributes of ginger</i>	35
4.2	<i>Effect of variety on Productivity of ginger crop</i>	43

4.3	<i>Effect of Biofertilizer on number of shoots per clump</i>	53
4.4	<i>Effect of Biofertilizer on canopy spread</i>	62
4.5	<i>Effect of Biofertilizer on Leaf Area Index</i>	66
4.6	<i>Effect of Biofertilizer on dry matter accumulation</i>	69
4.7	<i>Effect of Biofertilizer on rhizome bulking rate</i>	79
4.8	<i>Effect of Biofertilizer on rhizome yield</i>	83
4.9	<i>Effect of Biofertilizer on N removal</i>	89
4.10	<i>Effect of Biofertilizer on P removal</i>	92
4.11	<i>Effect of Biofertilizer on K removal</i>	96
4.12	<i>Effect of Biofertilizer on economics of ginger cultivation</i>	107
5.1	<i>Interaction effect of Azotobacter and Phosphotica on growth attributes of ginger</i>	112
5.2	<i>Relationship between rhizome yield and number of shoots per clump at different stages</i>	114
5.3	<i>Relationship between rhizome yield and canopy spread at different stages</i>	115
5.4	<i>Relationship between rhizome yield and leaf area index at different stages</i>	116
5.5	<i>Interaction effect of Azotobacter and Phosphotica on rhizome bulking rate, rhizome yield, N-P-K removal and economics of ginger cultivation</i>	118
5.6	<i>Relationships between different quality parameters</i>	122

---

## **List of Abbreviation**

<b>Particulars</b>	<b>Abbreviation</b>
<i>At the rate of</i>	@
<i>Centimeter</i>	cm
<i>Critical difference</i>	C.D.
<i>crop growth rate</i>	CGR
<i>Coefficient of variation</i>	CV
<i>Days after planting</i>	DAP
<i>Degree Centigrade</i>	<sup>0</sup> C
<i>Farm yard manure</i>	FYM
<i>Figure</i>	Fig.
<i>Gram</i>	g
<i>Gram per clump</i>	g clump <sup>-1</sup>
<i>Gram per meter square</i>	g m <sup>-2</sup>
<i>Gram per meter square per day</i>	g m <sup>-2</sup> day
<i>Hectare</i>	ha
<i>Hours</i>	Hrs
<i>Kilogram</i>	kg
<i>Kilogram per hectare</i>	Kg ha <sup>-1</sup>
<i>Leaf area index</i>	LAI
<i>Mean sea level</i>	MSL

<i>Meter</i>	<i>m</i>
<i>Millimeter</i>	<i>mm</i>
<i>Nitrogen</i>	<i>N</i>
<i>Non significant</i>	<i>NS</i>
<i>North east</i>	<i>N E</i>
<i>Number</i>	<i>No</i>
<i>Percent</i>	<i>%</i>
<i>Phosphorous</i>	<i>P</i>
<i>Phosphate solubilizing bacteria</i>	<i>PSB</i>
<i>Potassium</i>	<i>K</i>
<i>Rupees</i>	<i>Rs.</i>
<i>Rupees per hectare</i>	<i>Rs ha<sup>-1</sup></i>
<i>Standard Error of mean</i>	<i>S Em</i>
<i>Tonne per hectare</i>	<i>t ha<sup>-1</sup></i>
<i>Variety</i>	<i>Var.</i>
<i>Weight</i>	<i>Wt.</i>

---